



STATUTORY INSTRUMENTS.

S.I. No. 349 of 2018

TAXES CONSOLIDATION ACT 1997 (ACCELERATED CAPITAL
ALLOWANCES FOR ENERGY EFFICIENT EQUIPMENT)
(AMENDMENT) (NO. 1) ORDER 2018

TAXES CONSOLIDATION ACT 1997 (ACCELERATED CAPITAL ALLOWANCES FOR ENERGY EFFICIENT EQUIPMENT) (AMENDMENT) (NO. 1) ORDER 2018

I, DENIS NAUGHTEN, Minister for Communications, Climate Action and Environment, in exercise of the powers conferred on me by section 285A (inserted by section 46 of the Finance Act 2008 (No. 3 of 2008)) of the Taxes Consolidation Act 1997 (No. 39 of 1997), with the approval of, and after consultation with, the Minister for Finance, hereby order as follows:

1. (1) This Order may be cited as the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) (Amendment) (No. 1) Order 2018.

(2) The collective citation, “the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) Orders 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017 and 2018”, includes this Order.

2. In this Order “Principal Order” means the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) Order 2008 (S.I. No. 399 of 2008).

3. Part 3 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78811	LM-L05-01a	Linear HighBay HiSlim 40W	130(±5%)LM/W(5000K Ra70) AC200-240V Operating Temperature:-30~+50°C 50/60Hz, PF>0.95, Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78812	LM-L05-01	Linear HighBay HiSlim 65W	130(±5%)LM/W(5000K Ra70) AC200-240V Operating Temperature:-30~+50°C 50/60Hz, PF>0.95, Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78813	LM-L05-01b	Linear HighBay HiSlim 75W	130(±5%)LM/W(5000K Ra70) AC200-240V Operating Temperature:-30~+50°C 50/60Hz, PF>0.95, Life Span>50000Hrs	Royal /TA KoEnergies LTD

Notice of the making of this Statutory Instrument was published in “Iris Oifigiúil” of 14th September, 2018.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78814	ST08-030	Street Light HiSoldier 30W	AC100~277V, 50/60Hz, PF>0.95, 120LM/W Ra>70 Operating Temperature:-30~+50°C Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78815	ST08-050	Street Light HiSoldier 50W	AC100~277V, 50/60Hz, PF>0.95, 120LM/W Ra>70 Operating Temperature:-30~+50°C Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78816	ST08-070	Street Light HiSoldier 70W	AC100~277V, 50/60Hz, PF>0.95, 120LM/W Ra>70 Operating Temperature:-30~+50°C Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78817	ST08-090	Street Light HiSoldier 90W	AC100~277V, 50/60Hz, PF>0.95, 120LM/W Ra>70 Operating Temperature:-30~+50°C Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78818	ST07-120	Street Light HiSoldier 120W	130(±5%)LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78819	ST07-150	Street Light HiSoldier 150W	130(±5%)LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78820	ST07-180	Street Light HiSoldier 180W	130(±5%)LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78821	WP01-040	40W HiPack LED Wall Pack Light	130(±5%)LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78822	WP01-070	70W HiPack LED Wall Pack Light	130(±5%)LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78823	HB06-100	HiClean Plus high bay light 100W	140LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78824	HB06-120	HiClean Plus high bay light 120W	140LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78825	HB06-150	HiClean Plus high bay light 150W	140LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78826	HB06-200	HiClean Plus high bay light 200W	140LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78827	LHB04-040	40W HiLink Linear Trunking System	130(±5%)LM/W(5000K Ra70) AC200-240V Operating Temperature:-30~+50°C 50/60Hz, PF>0.95, Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78828	LHB04-065	65W HiLink Linear Trunking System	130(±5%)LM/W(5000K Ra70) AC200-240V Operating Temperature:-30~+50°C 50/60Hz, PF>0.95, Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78829	LHB04-075	75W HiLink Linear Trunking System	130(±5%)LM/W(5000K Ra70) AC200-240V Operating Temperature:-30~+50°C 50/60Hz, PF>0.95, Life Span>50000Hrs	Royal /TA KoEnergies LTD
LIG78830	ST14-040	40W HiPark LED Garage Light	140LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78831	ST14-060	60W HiPark LED Garage Light	140LM/W(4000K Ra70) 50/60Hz, PF>0.95 AC100-240V Life Span>50000Hrs Operating Temperature:-30~+50°C	Royal /TA KoEnergies LTD
LIG78832	MGL-PL-6060-36	600X600 Panel Light 36W	100LM/W, AC100-240V, 4000k Ra>80, PF>0.9, 5years warranty	Royal /TA KoEnergies LTD
LIG78833	MGL-PL-3012-36	300X1200 Panel Light 36W	100LM/W, AC100-240V, 4000k Ra>80, PF>0.9, 5years warranty	Royal /TA KoEnergies LTD
LIG78834	MGL-PL-6012-50	600x1200 Panel Light 50W	100LM/W, AC100-240V, 4000k Ra>80, PF>0.9, 5years warranty	Royal /TA KoEnergies LTD
LIG78835	DP-6288LAC	LED 2D light 11W	30PCS SMD5730 LED • Power:10.5W 220-240V 50/60Hz • Lumen:1030lm • Protection level IP65 • Product size(LxWxH): 343x343x106mm • Supplied including lamp	Royal /TA KoEnergies LTD
LIG78836	KAS-CL06R-415F	CL06 series round recessed downlight 15W	15W 2700K-5000K,AC220-240V,Ra≥80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD
LIG78837	KAS-CL06R-420F	CL06 series round recessed downlight 20W	20W 2700K-5000K,AC220-240V,Ra≥80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD
LIG78838	KAS-CL06R-430F	CL06 series round recessed downlight 30W	30W 2700K-5000K,AC220-240V,Ra≥80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD
LIG78839	KAS-TL10R-C-6610	LED Tracking Light 10W	10W 2700K-5000K,AC220-240V,Ra≥80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78840	KAS-TL10R-C-6615	LED Tracking Light 15W	15W 2700K-5000K,AC220-240V,Ra \geq 80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD
LIG78841	KAS-TL10R-C-8020	LED Tracking Light 20W	20W 2700K-5000K,AC220-240V,Ra \geq 80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD
LIG78842	KAS-TL10R-C-8030	LED Tracking Light 30W	30W 2700K-5000K,AC220-240V,Ra \geq 80, 80-90lm/W, PF>0.9>3 years warranty	Royal /TA KoEnergies LTD
LIG78912	SD30619ALB.680 W60/LQ1	ALBANY LED Street Lights 60W	220-240V 50~60Hz IP68 105lm \pm 5/W /LED3030,CRI \geq 70 50,000 hours	Royal /TA KoEnergies LTD
LIG78913	UP-DB18-700-20W IP66	LED Batten Light 700mm 20W	200-240V AC 2835SMD CRI80 PF \geq 0.9 IK10 & IP66 50,000 hours	Royal /TA KoEnergies LTD
LIG78914	UP-DB18-1300-25W IP66	LED Batten Light 1300mm 25W	200-240V AC 2835SMD CRI80 PF \geq 0.9 IK10 & IP66 50,000 hours	Royal /TA KoEnergies LTD
LIG78915	UP-DB18-1300-30W IP66	LED Batten Light 1300mm 30W	200-240V AC 2835SMD CRI80 PF \geq 0.9 IK10 & IP66 50,000 hours	Royal /TA KoEnergies LTD
LIG78916	UP-DB18-1300-40W IP66	LED Batten Light 1300mm 40W	200-240V AC 2835SMD CRI80 PF \geq 0.9 IK10 & IP66 50,000 hours	Royal /TA KoEnergies LTD
LIG78917	UP-DB18-1600-40W IP66	UP-DB18-1600-40W IP66	200-240V AC 2835SMD CRI80 PF \geq 0.9 IK10 & IP66 50,000 hours	Royal /TA KoEnergies LTD
LIG78918	UP-DB18-1600-50W IP66	LED Batten Light 1600mm 50W	200-240V AC 2835SMD CRI80 PF \geq 0.9 IK10 & IP66 50,000 hours	Royal /TA KoEnergies LTD
LIG78919	UP-DL38-10W(D) IP54	Surface mounted downlight 10W	200-240V AC Citizen COB CRI80 PF \geq 0.9 IK10 & IP54 40,000 hours	Royal /TA KoEnergies LTD
LIG78920	UP-DL38-15W(D) IP54	Surface mounted downlight 15W	200-240V AC Citizen COB CRI80 PF \geq 0.9 IK10 & IP54 40,000 hours	Royal /TA KoEnergies LTD
LIG78921	UP-DL38-25W(D) IP54	Surface mounted downlight 25W	200-240V AC Citizen COB CRI80 PF \geq 0.9 IK10 & IP54 40,000 hours	Royal /TA KoEnergies LTD
LIG78922	UP-DL38-35W(D) IP54	Surface mounted downlight 35W	200-240V AC Citizen COB CRI80 PF \geq 0.9 IK10 & IP54 40,000 hours	Royal /TA KoEnergies LTD
LIG78923	UP-DL52-8WD	DL52 Surface mounted downlight 8W	200-240V AC SMD CRI80 PF \geq 0.9 4000k 40,000 hours	Royal /TA KoEnergies LTD
LIG78924	UP-DL52-12WD	DL52 Surface mounted downlight 12W	200-240V AC SMD CRI80 PF \geq 0.9 4000k 40,000 hours	Royal /TA KoEnergies LTD
LIG78925	UP-DL52-15WD	DL52 Surface mounted downlight 15W	200-240V AC SMD CRI80 PF \geq 0.9 4000k 40,000 hours	Royal /TA KoEnergies LTD
LIG78926	UP-DL52-18WD	DL52 Surface mounted downlight 18W	200-240V AC SMD CRI80 PF \geq 0.9 4000k 40,000 hours	Royal /TA KoEnergies LTD

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78927	UP-DL54B-8-20W-P3	DL54 LED Down Light 20W	AC200-240V 2835 SMD CRI80 3CCT in one lamp 3000K 4000K 5700K triac dim	Rayal /TA KoEnergies LTD
LIG78945	MT14.01	iPlan Easy MT14	596x596 4000K ELEC GEAR 3639 lumens UGR<19	iGuzzini
LIG78946	P299.01	Wide P299	600x600 4000K UGR<19 Recessed Modular, 3771 Lumens, DALI	iGuzzini
LIG78947	P297.01	Wide P297	600x600 4000K UGR<19, 3771 Lumens, ELEC, Recessed modular	iGuzzini
LIG78948	JC71376	Skytile Direct/indirect	Architectural direct/indirect modular luminaire	JCC Lighting Products Ltd
LIG78500	EN-FP6060C/50	E606 600 x 600mm 36W LED Flat Panel 5000k	36w 600mmx600mm LED flat panel. 3400 lumens. 3 year warranty	Aurora Lighting Limited
LIG78501	EN-FP1230C/50	E1230 1200mm x 300mm 36W LED Light Panel 5000k	36w 120mmx300mm LED flat panel. 3400 lumens. 3 year warranty	Aurora Lighting Limited
LIG78502	EN-FP1260C/50	E1260 1200 x 600mm 50W LED Light Panel 5000k	50w 120mmx600mm LED flat panel. 5500 lumens. 3 year warranty	Aurora Lighting Limited
LIG78503	EN-BT1218/40	EcoT 1200mm 18W IP20 Single Open T8 LED Batten 4000k	1200mm 18W Single Open T8 LED Batten, similar look to traditional T5 and T8 fittings. 1600 lumens. 3 year warranty	Aurora Lighting Limited
LIG78504	EN-BT1522/40	EcoT8 1500mm 22W IP20 Single Open T8 LED Batten 4000k	1500mm 18W Single Open T8 LED Batten, similar look to traditional T5 and T8 fittings. 2100 lumens. 3 year warranty	Aurora Lighting Limited
LIG78505	EN-BT1827/40	EcoTM 1800mm 27W IP20 Single Open T8 LED Batten 4000k	1800mm 27W Single Open T8 LED Batten, similar look to traditional T5 and T8 fittings. 2500 lumens. 3 year warranty	Aurora Lighting Limited
LIG78506	EN-BT1522/40'	EcoT8 1500mm 22W IP20 Single Open T8 LED Batten' 4000k	1500mm 22W Single Open T8 LED Batten. Similar look to traditional T5 and T8 fittings. 2100 lumens. 3 year warranty	Aurora Lighting Limited
LIG78507	EN-BT1544/40	EcoT8 1500mm 44W IP20 Twin Open T8 LED Batten 4000k	1500mm 44W Twin Open T8 LED Batten. Similar look to traditional T5 and T8 fittings. 4100 lumens. 3 year warranty	Aurora Lighting Limited
LIG78508	EN-BT1851/40	EcoT8 1800mm 51W IP20 Twin Open T8 LED Batten 4000k	1800mm 51W Twin Open T8 LED Batten. Similar look to traditional T5 and T8 fittings. 4500 lumens. 3 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78509	EN-BTW1236/40	EcoT8 1200mm 33W IP20 Twin Winged Open T8 LED Batten 4000k	1200mm 33W IP20 Twin Winged Open T8 LED Batten. Similar look to traditional T5 and T8 fittings. 3200 lumens. 3 year warranty	Aurora Lighting Limited
LIG78510	EN-BTW1544/40	EcoT8 1500mm 44W IP20 Twin Winged Open T8 LED Batten 4000k	1500mm 44W IP20 Twin Winged Open T8 LED Batten. Similar look to traditional T5 and T8 fittings. 4100 lumens. 3 year warranty	Aurora Lighting Limited
LIG78511	EN-BTW1854/40	EcoT8 1800mm 51W IP20 Twin Winged Open T8 LED Batten 4000k	1800mm 51W IP20 Twin Winged Open T8 LED Batten. Similar look to traditional T5 and T8 fittings. 4500 lumens. 3 year warranty	Aurora Lighting Limited
LIG78514	PXSAT100WXL	Prelux Saturn XL	LED HI BAY	Prelux
LIG78515	PXSAT150WXL	Prelux Saturn XL 150	LED High Bay	Prelux
LIG78516	PXSAT200WXL	Prelux Saturn XL 200	LED Hi Bay	Prelux
LIG78517	PXTOWER50	Prelux Hi Tower 50	LED Street Light	Prelux
LIG78518	PXTOWER90	Prelux Hi Tower 90	LED Street Light	Prelux
LIG78519	GILV 01 05044-06 DE 12060lm	GILV 01 05044-06 DE 12060lm	LED IP65 Fitting	EEE
LIG78520	MHPLP 07 16014-86 DA 7915lm	MHPLP 07 16014-86 DA 7915lm	LED IP65 Fitting	EEE
LIG78521	MHPLP 07 13014-B9 DA 4108lm	MHPLP 07 13014-B9 DA 4108lm	LED IP65 Fitting	EEE
LIG78522	MHPLP 07 13024-86 DA 7144lm	MHPLP 07 13024-86 DA 7144lm	LED IP65 Fitting	EEE
LIG78523	TTLI 158/13 12064-XX DE 12064lm	TTLI 158/13 12064-XX DE 12064lm	LED IP20 Fitting	EEE
LIG78524	TTLI 158/13 06064-XX DA 6332lm	TTLI 158/13 06064-XX DA 6332lm	LED IP20 Fitting	EEE
LIG78525	GILV 01 07044-06 DE 16080lm	GILV 01 07044-06 DE 16080lm	LED IP65 Fitting	EEE
LIG78526	HRLZ-BR 52/15 12064-A0 DE 12.080lm	HRLZ-BR 52/15 12064- A0 DE 12.080lm	LED IP65 Fitting	EEE
LIG78527	HRLVO-BR 52_15 12064- A0 DE 12080lm	HRLVO-BR 52_15 12064- A0 DE 12080lm	LED IP65 Fitting	EEE

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78528	JHRLZ-BR 120/14 06064-01 DE 7144lm	JHRLZ-BR 120/14 06064- 01 DE 7144lm	LED IP65 Fitting	EEE
LIG78529	JHRLZ-BR 120/14 12064-01 DE 14288lm	JHRLZ-BR 120/14 12064- 01 DE 14288lm	LED IP65 Fitting	EEE
LIG78530	ACLO 06 15024-80 DA 8930lm	ACLO 06 15024-80 DA 8930lm	LED IP20 Fitting	EEE
LIG78531	GILV 01 07044- 06 DE 24120lm	GILV 01 07044-06 DE 24120lm	LED IP65 Fitting	EEE
LIG78532	QLPL/LI 02 12014-A4 DE 6140lm	QLPL/LI 02 12014-A4 DE 6140lm	LED IP20 Fitting	EEE
LIG78533	BQ-G60-E27- 12CTK	LED E27 Bulbs 12W	Size:Ø 60*118mm. AC100- 240V, color:4000K. PF> 0.56 CRI≥80 1000lm 30000 hours	Royal /TA KoEnergies LTD
LIG78534	Sunline-GU10- 5W	LED spot Light Gu10 5W	Size:Ø 50*54.5mm. AC85- 265V, color:4000K. PF>0.5 CRI≥80 380lm 30000 hours	Royal /TA KoEnergies LTD
LIG78535	Sunline-MR16- 5W	LED Spot Light Mr16 5W	Size:Ø 50*51mm. AC/DC 12V, color:4000K. PF>0.5 CRI≥80 380lm 30000 hours	Royal /TA KoEnergies LTD
LIG78536	SP-5Wb- OS/COB	Spot Light COB GU10 5W	95-265V AC 50/60HZ CRI>80 Osram COB PC+Alu 400Lm 5W PF> 0.5 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78537	LE-COB-Mr 16 5W	Spot Light COB Mr16 5W	DC 12V 50/60HZ CRI>80 Osram COB PC+Alu 400Lm 5W PF>0.5 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78538	LE-COB- AR111- 115W-A Gu10	LE-COB- AR111-115W- A Gu10	85-265V AC 50/60HZ CRI>80 Epistar COB 1500Lm 15W PF>0.9 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78539	LE-COB- AR111- 115W-A G53	LE-COB- AR111-115W- A G53	85-265V AC 50/60HZ CRI>80 Epistar COB 1500Lm 15W PF>0.9 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78540	LE-2G11-225- 8W-A	4Pin 2G11 LED light 8W	85-265V AC 50/60HZ CRI>80 Epistar Chip PC+Alu 800Lm 8W PF> 0.9 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78541	LE-2G11-320- 12W-A	4Pin 2G11 LED light 12W	85-265V AC 50/60HZ CRI>80 Epistar Chip PC+Alu 1200Lm 12W PF> 0.9 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78542	LE-2G11-410- 18W-A	4Pin 2G11 LED light 18W	85-265V AC 50/60HZ CRI>80 Epistar Chip PC+Alu 1800Lm 18W PF> 0.9 4000k 50000HRS	Royal /TA KoEnergies LTD

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78543	LE-2G11-535-22W-A	4Pin 2G11 LED light 22W	85-265V AC 50/60HZ CRI>80 Epistar Chip PC+Alu 2200Lm 22W PF>0.9 4000k 50000HRS	Royal /TA KoEnergies LTD
LIG78552	GK-Ceiling-P03D270-18W	LED Standard 2D 18W	5730 LEDs 100-240VAC, 4000K Diameter:270MM PF: >0.9 Ra>80 30000 hrs	Royal /TA KoEnergies LTD
LIG78553	NM3	TwinSpot DP/NM3/80L	•3.6V 4.5Ah Ni-cd batteries • 80pcs White LED Working: -0~+50°C • Protection level IP20 • Emergency operation time 3 hours	Royal /TA KoEnergies LTD
LIG78563	TEC001LIN7A-120-B 40W	LED LINEAR TRI-PROOF 1200mm 40W	50~60Hz PF>95% CRI>80 120 LM/W, Fahold,Epistar 2835 Length: 1230 mm Power: 40W CCT: 4000K 3 years warranty	Royal /TA KoEnergies LTD
LIG77942	CNL66344KZ	Cornell a	Recessed modular LED luminaire 600mm x 600mm with Dynamic Aspect diffuser	Cooper Lighting & Safety Ltd.
LIG77943	CNL66444KZ	Cornell b	Recessed modular LED luminaire 600mm x 600mm with Dynamic Aspect diffuser	Cooper Lighting & Safety Ltd.
LIG77944	CTN66344KZ	Caton a	Recessed module LED luminaire 600 x 600mm with polycarbonate tri-extruded diffuser	Cooper Lighting & Safety Ltd.
LIG77945	CTN66404KZ	Caton b	Recessed module LED luminaire 600 x 600mm with polycarbonate tri-extruded diffuser	Cooper Lighting & Safety Ltd.
LIG77946	LNLN1504KZ	Linergy LED a	Industrial low/high bay LED luminaire with narrow Optics	Cooper Lighting & Safety Ltd.
LIG77947	LNLN2254KZ	Linergy LED b	Industrial low/high bay LED luminaire with narrow Optics	Cooper Lighting & Safety Ltd.
LIG77948	LNLA1504KZ	Linergy LED c	Industrial low/high bay LED luminaire with wide Optics	Cooper Lighting & Safety Ltd.
LIG77949	LNLA2254KZ	Linergy LED d	Industrial low/high bay LED luminaire with wide Optics	Cooper Lighting & Safety Ltd.
LIG77950	LNLR1504KZ	Linergy LED e	Industrial low/high bay LED luminaire with rack Optics	Cooper Lighting & Safety Ltd.
LIG77951	LNLR2254KZ	Linergy LED f	Industrial low/high bay LED luminaire with rack Optics	Cooper Lighting & Safety Ltd.
LIG77952	LTEA1505KZ	Litex Elite a	Industrial IP65 IK10 high efficient LED luminaire with wide reflector	Cooper Lighting & Safety Ltd.
LIG77953	LETN1505KZ	Litex Elite b	Industrial IP65 IK10 high efficient LED luminaire with narrow reflector	Cooper Lighting & Safety Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77954	LTEA2255KZ	Litex Elite c	Industrial IP65 IK10 high efficient LED luminaire with wide reflector	Cooper Lighting & Safety Ltd.
LIG77955	LETN2255KZ	Litex Elite d	Industrial IP65 IK10 high efficient LED luminaire with narrow reflector	Cooper Lighting & Safety Ltd.
LIG77956	LTEA3505KZ	Litex Elite e	Industrial IP65 IK10 high efficient LED luminaire with wide reflector	Cooper Lighting & Safety Ltd.
LIG77957	LETN3505KZ	Litex Elite f	Industrial IP65 IK10 high efficient LED luminaire with narrow reflector	Cooper Lighting & Safety Ltd.
LIG79073	IYWI-15B L50-80VMD-20KLM	17 Inch Hi-Bay	A 17 inch LED array mounted in a circular constructed aluminium casing. The LED module and driver are vacuum encapsulated in inert silicone compounds to seal against contamination, ingress or egress.	Lightron Technologies Inc.
LIG79074	IYWI4X6730D-O50 83SLFDD 1N80K	21 Inch Sports Light	A 21 inch X 14 Inch LED array mounted in an aluminium rectangular frame. The LED module, lens and driver are vacuum encapsulated in inert silicone compounds to seal against contamination. NEMA beam styles from 2 to 8.	Lightron Technologies Inc.
LIG79075	EN-FPRO6060/40	E6060 PRO 600 x 600mm 30W LED Flat Panel 4000k	600x600 30w IP44 LED Panel offering 110lm/w. 3300 lumens. 5 year warranty	Aurora Lighting Limited
LIG79076	EN-FPRO6060/50	E6060 PRO 600 x 600mm 30W LED Flat Panel 5000k	600x600 30w IP44 LED Panel offering 110lm/w. 3300 lumens. 5 year warranty	Aurora Lighting Limited
LIG79077	EN-FPRO1230C/40	E1230 PRO 1200mm x 300mm 30W LED Flat Panel 4000k	1200x300mm IP44 LED panel offering 110lm/w. 3300 lumens. 5 year warranty	Aurora Lighting Limited
LIG79078	EN-FPRO1230C/50	E1230 PRO 1200mm x 300mm 30W LED Flat Panel 5000k	1200x300mm IP44 LED panel offering 110lm/w. 3300 lumens. 5 year warranty	Aurora Lighting Limited
LIG79079	EN-FPRO1260/40	E1260 PRO 1200 x 600mm 50W LED Flat Panel 4000k	1200x600mm IP44 50w LED panel offering 110lm/w. 5500 lumens. 5 year warranty	Aurora Lighting Limited
LIG79080	EN-FPRO1260/50	E1260 PRO 1200 x 600mm 50W LED Flat Panel 5000k	1200x600mm IP44 50w LED panel offering 110lm/w. 5500 lumens. 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG79081	EN-FPRO1230/40	E1230 PRO 1200mm x 300mm 30W LED Flat Panel 4000K'	1200X300mm 30w IP44 LED panel offering 110lm/w. 3300 lumens. 5 year warranty	Aurora Lighting Limited
LIG79082	EN-FPRO1230/50	E1230 PRO 1200mm x 300mm 30W LED Flat Panel 5000k'	1200X300mm 30w IP44 LED panel offering 110lm/w. 3300 lumens. 5 year warranty	Aurora Lighting Limited
LIG79083	EN-FLH10/40	QuaZar 10W Adjustable IP65 Driverless LED Floodlight	10w IP65 adjustable LED floodlight. Ultra slim profile and high performance. 900 lumens. 3 year warranty	Aurora Lighting Limited
LIG79084	EN-FLH10BLK/40	QuaZar 10W Adjustable IP65 Driverless LED Floodlight BLACK	10w IP65 adjustable LED floodlight. Ultra slim profile and high performance 900 lumens. 3 year warranty	Aurora Lighting Limited
LIG79085	EN-FL10W/40	QuaZar 10W Adjustable IP65 Driverless LED Floodlight WHITE	10w IP65 adjustable LED floodlight. Ultra slim profile and high performance 900 lumens. 3	Aurora Lighting Limited
LIG79086	EN-FLH20BLK/40	QuaZar 20W Adjustable IP65 Driverless LED Floodlight BLACK	20w IP65 driverless adjustable LED floodlight. Ultra slim profile and high performance. 1800 lumens. 5 year warranty	Aurora Lighting Limited
LIG79087	EN-FLH20W/40	QuaZar 20W Adjustable IP65 Driverless LED Floodlight WHITE	20w IP65 driverless adjustable LED floodlight. Ultra slim profile and high performance. 1800 lumens. 5 year warranty	Aurora Lighting Limited
LIG79088	EN-FLH30BLK/40	QuaZar 30W Adjustable IP65 Driverless LED Floodlight BLACK	30w IP65 driverless adjustable LED floodlight. Ultra slim profile and high performance. 2700 lumens. 3 year warranty	Aurora Lighting Limited
LIG79089	EN-FLH30W	QuaZar 30W Adjustable IP65 Driverless LED Floodlight WHITE	30w IP65 driverless adjustable LED floodlight. Ultra slim profile and high performance. 2700 lumens. 3 year warranty	Aurora Lighting Limited
LIG79090	EN-FLH50BLK/40	QuaZar 50W Adjustable IP65 Driverless LED Floodlight BLACK	50w IP65 driverless adjustable LED floodlight. Ultra slim profile and high performance. 5000 lumens. 3 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG79091	EN-FLH50W/40	QuaZar 50W Adjustable IP65 Driverless LED Floodlight WHITE	50w IP65 driverless adjustable LED floodlight. Ultra slim profile and high performance. 5000 lumens. 3 year warranty	Aurora Lighting Limited
LIG79092	EN-FLH10PBLK/40	QuaZarPIR 10W Adjustable IP65 Driverless LED Floodlight BLACK	10w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 900 lumens. 3 year warranty	Aurora Lighting Limited
LIG79093	EN-FLH10PW/40	QuaZarPIR 10W Adjustable IP65 Driverless LED Floodlight WHITE	10w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 900 lumens. 3 year warranty	Aurora Lighting Limited
LIG79094	EN-FLH20PW/40	QuaZarPIR 20W Adjustable IP65 Driverless LED Floodlight WHITE	20w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 1800 lumens. 3 year warranty	Aurora Lighting Limited
LIG79095	EN-FLH30PBLK/40	QuaZarPIR 30W Adjustable IP65 Driverless LED Floodlight BLACK	30w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 2700 lumens. 3 year warranty	Aurora Lighting Limited
LIG79096	EN-FLH30PW/40	QuaZarPIR 30W Adjustable IP65 Driverless LED Floodlight WHITE	30w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 2700 lumens. 3 year warranty	Aurora Lighting Limited
LIG79097	EN-FLH50PBLK/40	QuaZarPIR 50W Adjustable IP65 Driverless LED Floodlight BLACK	50w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 5000 lumens. 3 year warranty	Aurora Lighting Limited
LIG79098	EN-FLH50PW/40	QuaZarPIR 50W Adjustable IP65 Driverless LED Floodlight WHITE	50w IP65 driverless adjustable LED floodlight with PIR sensor Ultra slim profile and high performance. 5000 lumens. 3 year warranty	Aurora Lighting Limited
LIG79374	SL-A65F4-40-W-Dim	AL LED Tri-proof Light DIM 1200mm 40W	1200*94*69mm, IP66, IK10, 120°, Ra>80, AC200-240V, DC30~40V, SDCM<4, 100~120lm/W, 3985±275K, L80B50: 75,000hrs, 5 years warranty	Royal /TA KoEnergies LTD

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG79375	S512 161-1	Surface mounted ceiling down light 20W	Ø 146XH192mm IP54. Philips 1203/830, 3000lm, CRI 80 PF ≥ 0.9 4000K 50/60Hz Philips Certa Driver, 30W	Royal /TA KoEnergies LTD
LIG79376	S512 161-1 30W	Surface mounted ceiling down light 30W	Ø 146XH192mm IP54. Philips 1203/830, 2000lm, CRI 80 PF ≥ 0.9 4000K 50/60Hz Philips Certa Driver, 30W	Royal /TA KoEnergies LTD
LIG79377	TS 620X620	LED Square-Panel 620X620-40W	3985±275K, AC220-240V, Ra ≥ 80, 100lm/W, PF > 0.9 > 5 years warranty	Royal /TA KoEnergies LTD
LIG79378	TS 1195X295	LED Square-Panel 1195X295-40W	3985±275K, AC220-240V, Ra ≥ 80, 100lm/W, PF > 0.9 > 5 years warranty	Royal /TA KoEnergies LTD
LIG79379	TS 595X595	LED Square-Panel 595*595-40W	3985±275K, AC220-240V, Ra ≥ 80, 100lm/W, PF > 0.9 > 5 years warranty	Royal /TA KoEnergies LTD
LIG79380	TS-T8-1200	LED Tube-T8-1200	4000K, 100LM/W, AC100-240V, 1.2m, Ra > 80, PF > 0.9, 5 years warranty	Royal /TA KoEnergies LTD
LIG79381	TS-T8-1500	LED Tube-T8-1500	4000K, 100LM/W, AC100-240V, 1.5m, Ra > 80, PF > 0.9, 5 years warranty	Royal /TA KoEnergies LTD
LIG79382	TS-FLXT05	LED Flood Light 50W	50W, 130LM/W, Ra > 80, PF > 0.9, AC220-240V, 3 years warranty	Royal /TA KoEnergies LTD
LIG79383	TS-FLXT10	LED Flood Light 100W	100W, 130LM/W, Ra > 80, PF > 0.9, AC220-240V, 3 years warranty	Royal /TA KoEnergies LTD
LIG79384	TS-FLXT15	LED Flood Light 150W	150W, 130LM/W, Ra > 80, PF > 0.9, AC220-240V, 3 years warranty	Royal /TA KoEnergies LTD
LIG79385	TS-FLXT20	LED Flood Light 200W	200W, 130LM/W, Ra > 80, PF > 0.9, AC220-240V, 3 years warranty	Royal /TA KoEnergies LTD
LIG79386	TS-UHB15	LED UFO HighBay 150W	240W, 130LM/W, AC100-240V, Ra > 80, PF > 0.9, 3 years warranty	Royal /TA KoEnergies LTD
LIG79387	TS-SF-36W-120	LED Tri-Proof SF-36W-1200	36W, 1.2m, 100LM/W, AC200-240V, Ra > 80, 3 years warranty	Royal /TA KoEnergies LTD
LIG79388	TS-SF-50W-150	LED Tri-Proof SF-50W-1500	50W, 1.5m, 100LM/W, AC200-240V, Ra > 80, 3 years warranty	Royal /TA KoEnergies LTD
LIG79389	TS-RPF-12W	LED Circle Panel 12W	12W, 170*H21 Hole 160, AC100-240V > Ra > 80, PF > 0.9, Beam Angle: 120°, 3 years warranty	Royal /TA KoEnergies LTD
LIG79390	TS-RPF-15W	LED Circle Panel 15W	15W, 2000*H21 Hole 185, AC100-240V > Ra > 80, PF > 0.9, Beam Angle: 120°, 3 years warranty	Royal /TA KoEnergies LTD
LIG79391	TS-RPF-18W	LED Circle Panel 18W	18W, 225*H21 Hole 205, AC100-240V > Ra > 80, PF > 0.9, Beam Angle: 120°, 3 years warranty	Royal /TA KoEnergies LTD

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG79392	TS-RPF-24W	LED Circle Panel 24W	24W, 300*H21 Hole 280, AC100-240V> Ra>80, PF>0.9, Beam Angle:120°, 3 years warranty	Rayal /TA KoEnergies LTD
LIG79546	K001BK0003	oRLX H M RCB ML2 220083 121 EDA W03	RELAX H LED M PAR MAT-V2 LED 2200lm/830 1x21W, LED DRIVER DALI, RAL 9003	OMS
LIG79547	K001BK0005	oRLX H M RCB ML2 550083 149 ECG W03	RELAX H LED M PAR MAT-V2 LED 5500lm/830 1x49W, LED DRIVER, RAL 9003	OMS
LIG79548	K001BK0006	oRLX H M RCB ML2 575084 149 ECG W03	RELAX H LED M PAR MAT-V2 LED 5750lm/840 1x49W, LED DRIVER, RAL 9003	OMS
LIG79549	K001BK0010	oRLX H L RCB ML2 510084 142 ECG W03	RELAX H LED L PAR MAT-V2 LED 5100lm/840 1x42W, LED DRIVER, RAL 9003	OMS
LIG79550	K001BK0013	oRLX H L RCB ML2 640083 156 ECG W03	RELAX H LED L PAR MAT-V2 LED 6400lm/830 1x56W, LED DRIVER, RAL 9003	OMS
LIG79551	K001BK0001	oRLX H M RCB ML2 220083 121 ECG W03	RELAX H LED M PAR MAT-V2 LED 2200lm/830 1x21W, LED DRIVER, RAL 9003	OMS
LIG79552	K001BK0009	oRLX H L RCB ML2 485083 142 ECG W03	RELAX H LED L PAR MAT-V2 LED 4850lm/830 1x42W, LED DRIVER, RAL 9003	OMS
LIG79553	K001BK0002	oRLX H M RCB ML2 230084 121 ECG W03	RELAX H LED M PAR MAT-V2 LED 2300lm/840 1x21W, LED DRIVER, RAL 9003	OMS
LIG79554	K001BK0004	oRLX H M RCB ML2 230084 121 EDA W03	RELAX H LED M PAR MAT-V2 LED 2300lm/840 1x21W, LED DRIVER DALI, RAL 9003	OMS
LIG79555	K001BK0007	oRLX H M RCB ML2 550083 149 EDA W03	RELAX H LED M PAR MAT-V2 LED 5500lm/830 1x49W, LED DRIVER DALI, RAL 9003	OMS
LIG79556	K001BK0008	oRLX H M RCB ML2 575084 149 EDA W03	RELAX H LED M PAR MAT-V2 LED 5750lm/840 1x49W, LED DRIVER DALI, RAL 9003	OMS
LIG79557	K001BK0011	oRLX H L RCB ML2 485083 142 EDA W03	RELAX H LED L PAR MAT-V2 LED 4850lm/830 1x42W, LED DRIVER DALI, RAL 9003	OMS
LIG79558	K001BK0012	oRLX H L RCB ML2 510084 142 EDA W03	RELAX H LED L PAR MAT-V2 LED 5100lm/840 1x42W, LED DRIVER DALI, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG79559	K001BK0014	oRLX H L RCB ML2 670084 156 ECG W03	RELAX H LED L PAR MAT-V2 LED 6700lm/840 1x56W, LED DRIVER, RAL 9003	OMS
LIG79560	K001BK0015	oRLX H L RCB ML2 640083 156 EDA W03	RELAX H LED L PAR MAT-V2 LED 6400lm/830 1x56W, LED DRIVER DALI, RAL 9003	OMS
LIG79561	K001BK0016	oRLX H L RCB ML2 670084 156 EDA W03	RELAX H LED L PAR MAT-V2 LED 6700lm/840 1x56W, LED DRIVER DALI, RAL 9003	OMS
LIG77701	ALU-1200-150-60W-4K	Alumina S-Lite	Alumina 1200 x 150mm LED Panel able to run at Duel Milli Amp from 20watts - 60watts in 4000k	Alumina Lighting LTD
LIG77398	EN-DGU005H /30	240V GU10 5W Dimmable LED Lamp 3000k	ICE GU10 5W Dimmable CRI90 Specification LED Lamp 420 lumens	Aurora Lighting Limited
LIG77399	EN-DGU005H /40	240V GU10 5W Dimmable LED Lamp 4000k	ICE GU10 5W Dimmable CRI90 Specification LED Lamp 440 lumens	Aurora Lighting Limited
LIG77664	EN-DL15/30	Uni-Fit 15W Integrated IP44 Non-Dimmable LED Downlight 3000k	15w Non Dimmable LED Downlight. 1250 lumens. 3 year warranty	Aurora Lighting Limited
LIG77665	EN-DL15/40	Uni-Fit 15W Integrated IP44 Non-Dimmable LED Downlight 4000k	15w Non Dimmable LED Downlight. 1350 lumens. 3 year warranty	Aurora Lighting Limited
LIG77666	EN-DL23/30	Uni-Fit 23W Integrated IP44 Non-Dimmable LED Downlight 3000k	23w Non Dimmable LED Downlight. 2000 lumens. 3 year warranty	Aurora Lighting Limited
LIG77667	EN-DL23/40	Uni-Fit 23W Integrated IP44 Non-Dimmable LED Downlight 4000k	23w Non Dimmable LED Downlight. 2100 lumens. 3 year warranty	Aurora Lighting Limited
LIG77668	EN-DL30/30	Uni-Fit 30W Integrated IP44 Non-Dimmable LED Downlight 3000k	30w Non Dimmable LED Downlight. 2600 lumens. 3 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77669	EN-DL30/40	Uni-Fit 30W Integrated IP44 Non-Dimmable LED Downlight 4000k	30w Non Dimmable LED Downlight. 2800 lumens. 3 year warranty	Aurora Lighting Limited
LIG77640	EN-DE5/40	E5 Fixed 4.5W Dimmable Fire Rated LED Downlight 4000k	Fire-rated downlight with sparkling low glare multifaceted Enfiniti lens, delivering 390 lumens. 3 year warranty	Aurora Lighting Limited
LIG77641	EN-DE52/30	E5 Adjustable 4.5W Dimmable Fire Rated LED Downlight 3000k	Fire-rated adjustable downlight with sparkling low glare multifaceted lens, delivering 370 lumens. Available in White, Matt White, Satin Nickel and Polished Chrome. 3 year warranty	Aurora Lighting Limited
LIG77642	EN-DE52/40	E5 Adjustable 4.5W Dimmable Fire Rated LED Downlight 4000k	Fire-rated adjustable downlight with sparkling low glare multifaceted lens, delivering 370 lumens. Available in White, Matt White, Satin Nickel and Polished Chrome. 3 year warranty	Aurora Lighting Limited
LIG77643	EN-DE8/40	E8 Fixed 8W Dimmable Fire Rated LED Downlight 4000k	Fire-rated fixed downlight. Featuring a sparkling low glare multifaceted lens, delivering 620 lumens. 3 year warranty	Aurora Lighting Limited
LIG77644	EN-DE82/30	E8 Adjustable 8W Dimmable Fire Rated LED Downlight 3000k	Fire-rated adjustable downlight. Featuring a sparkling low glare multifaceted lens, delivering 610 lumens. 3 year warranty	Aurora Lighting Limited
LIG77645	EN-DE82/40	E8 Adjustable 8W Dimmable Fire Rated LED Downlight 4000k	Fire-rated fixed downlight. Featuring a sparkling low glare multifaceted lens, delivering 640 lumens. 3 year warranty	Aurora Lighting Limited
LIG77646	EN-DE8CX	E8 Colour Switchable Fixed 8W Dimmable Fire Rated LED Downlight	Fire-rated dimmable colour switchable LED downlight. Flick the switch at the back of the fitting to choose which colour white you want. 620 lumens. 3 year warranty	Aurora Lighting Limited
LIG77647	EN-ANT1240B /40	LinearPac 1200mm 40W IP65 LED Anti-Corrosive	IP65 1200mm 40w anti-corrosive. 114 lm/w provides up to 50% energy saving compared to fluorescent. 3 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77648	EN-ANT1558B/40	LinearPac 1500mm 58W IP65 LED Anti-Corrosive	IP65 1500mm 58w anti-corrosive. 114lm/w provides up to 50% energy savings compared to fluorescent. 3 year warranty	Aurora Lighting Limited
LIG77649	EN-ANT1869B/40	LinearPac 1800mm 69W IP65 LED Anti-Corrosive	IP65 1800mm 69w anti-corrosive. 114lm/w provides up to 50% energy saving compared to a fluorescent. 3 year warranty	Aurora Lighting Limited
LIG77650	EN-DDL10/40	Uni-Fit 240V 10W Integrated IP44 Dimmable LED Downlight 4000k	IP44 integrated Triac dimmable 10w LED downlight. 820 lumens. 3 year warranty	Aurora Lighting Limited
LIG77651	EN-DDL15/40	Uni-Fit 240V 15W Dimmable Integrated IP44 LED Downlight	IP44 integrated Triac dimmable 15w LED downlight. 1200 lumens. 3 year warranty	Aurora Lighting Limited
LIG77652	EN-DDL20/40	Uni-Fit 240V 20W Integrated IP44 Dimmable LED Downlight	IP44 integrated Triac dimmable 20w LED downlight. 1800 lumens. 3 year warranty	Aurora Lighting Limited
LIG77653	EN-DDL25/40	Uni-Fit 240V 25W Integrated IP44 Dimmable LED Downlight	IP44 integrated Triac dimmable 25w LED downlight. 2000 lumens. 3 year warranty	Aurora Lighting Limited
LIG77073	Ecohall 170 Gold 7	Ecohall 170 7G	Ecohall 167W highbay	Voltica Ireland
LIG77375	VER-NOVA-750-750-XXX	NOVA 750W High-powered LED Floodlight	High-powered, modular LED floodlight, 750W, where XXX represents the beam profile	Verde LED ltd
LIG77376	VER-NOVA-1000-750-XXX	NOVA 1000W High-powered LED Floodlight	High-powered, modular LED floodlight, 1000W, where XXX represents the beam profile	Verde LED ltd
LIG77564	VRT L180 HR C84	VRT L180 HR C84	High Level LED Luminaire	Dextra Group
LIG78717	CLP36	Comlite 600x600 panel	Recessed 600x600 panel	Tegral Lighting
LIG78718	CLPLG40	Comlite 600x600 low glare panel	Recessed 600x600 low glare panel	Tegral Lighting
LIG78719	CLPLG402	Comlite 1200x300 low glare panel	Recessed 1200x300 low glare panel	Tegral Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78720	CLPLG60	Comlite 1200x600 low glare panel	Recessed 1200x600 low glare panel	Tegral Lighting
LIG78721	CLPLG602	Comlite 600x600 high output low glare panel	Recessed 600x600 high output low glare panel	Tegral Lighting
LIG78722	CLPLG6022	Comlite 1200x300 high output low glare panel	Recessed 1200x300 high output low glare panel	Tegral Lighting
LIG78723	TDID222OP	Moon Two direct/indirect with Opal diffuser	Recessed direct/indirect panel with Opal diffuser	Tegral Lighting
LIG78724	TDID222MP	Moon Two direct/indirect with prismatic diffuser	Recessed direct/indirect panel with micro prismatic diffuser	Tegral Lighting
LIG78725	LEDP35DAG	Earth decorative panel 600x600	Recessed decorative 35w panel	Tegral Lighting
LIG78726	LEDPCP45	Earth suspended panel 600mm diameter	Suspended circular panel 600mm diameter	Tegral Lighting
LIG78727	CP20	Comlite IP65 4ft 20w	IP65 LED batten 20w 4ft	Tegral Lighting
LIG78728	CP220	Comlite IP65 2ft 20w	IP65 LED batten 20w 2ft	Tegral Lighting
LIG78729	CP30	Comlite IP65 5ft 30w	IP65 LED batten 30w 5ft	Tegral Lighting
LIG78730	CP40	Comlite IP65 4ft 40w	IP65 LED batten 40w 4ft	Tegral Lighting
LIG78731	CP55	Comlite IP65 5ft 55w	IP65 LED batten 55w 5ft	Tegral Lighting
LIG78732	CTBH12WH	Orbit Two IP66 bulkhead 12w white	IP66 bulkhead 12w white	Tegral Lighting
LIG78733	CTBH12BK	Orbit Two IP66 bulkhead 12w Black	IP66 bulkhead 12w black	Tegral Lighting
LIG78734	CTBH18WH	Orbit Two IP66 bulkhead 18w white	IP66 bulkhead 18w white	Tegral Lighting
LIG78735	CTBH18BK	Orbit Two IP66 bulkhead 18w Black	IP66 bulkhead 18w black	Tegral Lighting
LIG78736	CTBH24WH	Orbit Two IP66 bulkhead 24w white	IP66 bulkhead 24w white	Tegral Lighting
LIG78737	CTBH24BK	Orbit Two IP66 bulkhead 24w Black	IP66 bulkhead 24w black	Tegral Lighting
LIG78738	CE12WLED	Comlite 12w bulkhead IP54	IP54 bulkhead 12w white	Tegral Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78739	CE18WLED	Comlite 18w bulkhead IP54	IP54 bulkhead 18w white	Tegral Lighting
LIG78740	CE25WLED	Comlite 25w bulkhead IP54	IP54 bulkhead 25w white	Tegral Lighting
LIG78741	CE30WLED	Comlite 30w bulkhead IP54	IP54 bulkhead 30w white	Tegral Lighting
LIG78742	CD12WLED	Comlite decorative bulkhead 12w	Decorative 12w bulkhead white	Tegral Lighting
LIG78743	CD18WLED	Comlite decorative bulkhead 18w	Decorative 18w bulkhead white	Tegral Lighting
LIG78744	CD25WLED	Comlite decorative bulkhead 25w	Decorative 25w bulkhead white	Tegral Lighting
LIG78745	TSDID75	Jupiter Five direct/indirect 75w with Opal diffuser	Suspended 75w direct/indirect	Tegral Lighting
LIG78746	TSDIDL60WH	Jupiter Five direct/indirect 60w low UGR	Suspended 60w direct/indirect low glare	Tegral Lighting
LIG78747	CDL10MCD	Comlite dimmable downlight 10w	Recessed 10w dimmable downlight	Tegral Lighting
LIG78748	CDL13MCD	Comlite dimmable downlight 13w	Recessed 13w dimmable downlight	Tegral Lighting
LIG78749	CDL16MCD	Comlite dimmable downlight 16w	Recessed 16w dimmable downlight	Tegral Lighting
LIG78750	CDL20MCD	Comlite dimmable downlight 20w	Recessed 20w dimmable downlight	Tegral Lighting
LIG78751	CLD13LG	Comlite low glare 13w downlight	Recessed 13w low glare downlight	Tegral Lighting
LIG78752	CLD25LG	Comlite low glare 25w downlight	Recessed 25w low glare downlight	Tegral Lighting
LIG78753	CLD35LG	Comlite low glare 35w downlight	Recessed 35w low glare downlight	Tegral Lighting
LIG78754	LD12SG	Neptune Four 12w downlight	Recessed 12w downlight with chrome trim	Tegral Lighting
LIG78755	LD18SG	Neptune Four 18w downlight	Recessed 18w downlight with chrome trim	Tegral Lighting
LIG78756	LD30SG	Neptune Four 30w downlight	Recessed 30w downlight with chrome trim	Tegral Lighting
LIG78757	DL18SG/54	Neptune 54 18w downlight	Recessed 18w downlight IP54	Tegral Lighting
LIG78758	DL25SG/54	Neptune 54 25w downlight	Recessed 25w downlight IP54	Tegral Lighting
LIG78759	DL35SG/54	Neptune 54 35w downlight	Recessed 35w downlight IP54	Tegral Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78760	DL45SG/54	Neptune 54 45w downlight	Recessed 45w downlight IP54	Tegral Lighting
LIG78761	TCDL5WLED	Neptune Six 5w COB downlight	Recessed 5w COB downlight	Tegral Lighting
LIG78762	TCDL15WLED	Neptune Six 15w COB downlight	Recessed 15w COB downlight	Tegral Lighting
LIG78763	TCDL28WLED	Neptune Six 28w COB downlight	Recessed 28w COB downlight	Tegral Lighting
LIG78764	UFO60	Comlite V1 Highbay 60w	Warehouse UFO 60w	Tegral Lighting
LIG78765	UFO100	Comlite V1 Highbay 100w	Warehouse UFO 100w	Tegral Lighting
LIG78766	UFO150	Comlite V1 Highbay 150w	Warehouse UFO 150w	Tegral Lighting
LIG78767	UFO200	Comlite V1 Highbay 200w	Warehouse UFO 200w	Tegral Lighting
LIG78768	L100	Comlite Linear highbay/ wallwasher 100w	Warehouse linear highbay 100w	Tegral Lighting
LIG78769	L150	Comlite Linear highbay/ wallwasher 150w	Warehouse linear highbay 150w	Tegral Lighting
LIG78770	L200	Comlite Linear highbay/ wallwasher 200w	Warehouse linear highbay 200w	Tegral Lighting
LIG78771	SDFL100	Comlite V3 Flood 100w	Slimline Floodlight 100w	Tegral Lighting
LIG78772	SDFL150	Comlite V3 Flood 150w	Slimline Floodlight 150w	Tegral Lighting
LIG78773	SDFL200	Comlite V3 Flood 200w	Slimline Floodlight 200w	Tegral Lighting
LIG79968	PL-DL98-13W	PL-DL98-13W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79969	PL-DL98-18W	PL-DL98-18W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79970	PL-DL98-25W	PL-DL98-25W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79971	PL-DL96-10W	PL-DL96-10W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79972	PL-DL96-18W	PL-DL96-18W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79973	PL-DL96-25W	PL-DL96-25W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79974	PL-DL105-10W	PL-DL105- 10W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79975	PL-DL105-18W	PL-DL105- 18W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG79976	PL-DL105-25W	PL-DL105-25W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79977	PL-DL97-7W	PL-DL97-7W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79978	PL-DL97-10W	PL-DL97-10W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79979	PL-DL97-15W	PL-DL97-15W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79980	PL-DL97-18W	PL-DL97-18W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79981	PL-DL97-25W	PL-DL97-25W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79982	PL-DL97-35W	PL-DL97-35W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79983	PL-DL110-13W	PL-DL110-13W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79984	PL-DL110-18W	PL-DL110-18W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79985	PL-DL110-25W	PL-DL110-25W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79986	PL-DL110-35W	PL-DL110-35W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG79987	PL-CL102A-5W	PL-CL102A-5W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79988	PL-CL102A-8W	PL-CL102A-8W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79989	PL-CL102B-10W	PL-CL102B-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79990	PL-CL102-10W	PL-CL102-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79991	PL-CL102-13W	PL-CL102-13W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79992	PL-DL103A-5W	PL-DL103A-5W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79993	PL-DL103A-8W	PL-DL103A-8W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79994	PL-103B-10W	PL-103B-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79995	PL-DL103-10W	PL-DL103-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79996	PL-DL103-13W	PL-DL103-13W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79997	PL-CL104A-5W	PL-CL104A-5W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79998	PL-CL104A8W	PL-CL104A8W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG79999	PL-CL104B-10W	PL-CL104B-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80000	PL-CL104-10W	PL-CL104-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80001	PL-CL104-13W	PL-CL104-13W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80002	PL-DL104A-5W	PL-DL104A-5W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80003	PL-DL104A-8W	PL-DL104A-8W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80004	PL-DL104B-10W	PL-DL104B-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80005	PL-DL104-10W	PL-DL104-10W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80006	PL-DL104-13W	PL-DL104-13W	80Ra, PF0.9, UGR19, IP65	Proven Lighting Limited
LIG80007	PL-CL76-10W	PL-CL76-10W	90Ra, PF0.9,DIM, IP54	Proven Lighting Limited
LIG80008	PL-CL78-5W	PL-CL78-5W	80Ra, PF0.9,DIM, IP54	Proven Lighting Limited
LIG80009	PL-CL78-8W	PL-CL78-8W	80Ra, PF0.9,DIM, IP54	Proven Lighting Limited
LIG80010	PL-CL77-10W	PL-CL77-10W	80Ra, PF0.9,DIM, IP54	Proven Lighting Limited
LIG80011	PL-CL81-7W	PL-CL81-7W	80Ra, PF0.9,IP40, DIM	Proven Lighting Limited
LIG80012	PL-CL79-10W	PL-CL79-10W	80Ra, PF0.9,IP40, DIM	Proven Lighting Limited
LIG80013	PL-DL64-10W	PL-DL64-10W	80Ra, PF0.9,IP40, DIM	Proven Lighting Limited
LIG80014	PL-CL88-10W	PL-CL88-10W	80Ra, PF0.9,IP20, DIM	Proven Lighting Limited
LIG80015	PL-DL62-10W	PL-DL62-10W	80Ra, PF0.9,IP40, DIM	Proven Lighting Limited
LIG80016	PL-CL22-10W	PL-CL22-10W	80Ra, PF0.9,IP40, DIM	Proven Lighting Limited
LIG80017	PL-CL22-13W	PL-CL22-13W	80Ra,PF0.9, IP40, DIM	Proven Lighting Limited
LIG80018	PL-DL44-10W	PL-DL44-10W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG80019	PL-DL44-13W	PL-DL44-13W	80Ra, PF0.9, UGR19, IP54	Proven Lighting Limited
LIG80020	PL-CL94-13W	PL-CL94-13W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80021	PL-CL94-25W	PL-CL94-25W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80022	PL-CL94-35W	PL-CL94-35W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80023	PL-DL83-13W	PL-DL83-13W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80024	PL-DL83-25W	PL-DL83-25W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80025	PL-DL83-35W	PL-DL83-35W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80026	PL-CL59-13W	PL-CL59-13W	80Ra, PF0.9, IP44, DIM	Proven Lighting Limited
LIG80027	PL-CL59-18W	PL-CL59-18W	80Ra, PF0.9, IP44, DIM	Proven Lighting Limited
LIG80028	PL-CL59-25W	PL-CL59-25W	80Ra, PF0.9, IP44, DIM	Proven Lighting Limited
LIG80029	PL-CL59-35W	PL-CL59-35W	80Ra, PF0.9, IP44, DIM	Proven Lighting Limited
LIG80030	PL-CL59-45W	PL-CL59-45W	80Ra, PF0.9, IP44, DIM	Proven Lighting Limited
LIG80031	PL-DL22-10W	PL-DL22-10W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80032	PL-DL22-18W	PL-DL22-18W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80033	PL-DL22-25W	PL-DL22-25W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80034	PL-DL22-35W	PL-DL22-35W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80035	PL-DL54-10W	PL-DL54-10W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80036	PL-DL54-13W	PL-DL54-13W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80037	PL-DL54-16W	PL-DL54-16W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80038	PL-DL54-20W	PL-DL54-20W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80039	PL-CL101-7W	PL-CL101-7W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80040	PL-CL101-10W	PL-CL101-10W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80041	PL-DL102-6W	PL-DL102-6W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80042	PL-DL102-8W	PL-DL102-8W	90Ra, PF0.9, DIM, IP44	Proven Lighting Limited
LIG80043	PL-DL91-10W	PL-DL91-10W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80044	PL-DL41-7W	PL-DL41-7W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80045	PL-DL41-8W	PL-DL41-8W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80046	PL-DL41-10W	PL-DL41-10W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80047	PL-DL51-8W	PL-DL51-8W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80048	PL-DL51-15W	PL-DL51-15W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80049	PL-DL51-18W	PL-DL51-18W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80050	PL-DL52-8W	PL-DL52-8W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80051	PL-DL52-12W	PL-DL52-12W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80052	PL-DL52-15W	PL-DL52-15W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80053	PL-DL52-18W	PL-DL52-18W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80054	PL-PD02-10W	PL-PD02-10W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80055	PL-PD02-18W	PL-PD02-18W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80056	PL-PD02-25W	PL-PD02-25W	80Ra, PF0.9, IP20, DIM	Proven Lighting Limited
LIG80057	PL-DL38-10W	PL-DL38-10W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80058	PL-DL38-15W	PL-DL38-15W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80059	PL-DL38-25W	PL-DL38-25W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80060	PL-DL38-35W	PL-DL38-35W	80Ra, PF0.9, IP54, DIM	Proven Lighting Limited
LIG80061	PL-DL34-25W	PL-DL34-25W	PF0.9, CRI980, IP44, DIMMABLE	Proven Lighting Limited
LIG80062	PL-PL6060A-35W	PL-PL6060A-35W	PF0.9, CRI80, UGR19, IP40	Proven Lighting Limited
LIG80063	PL-PL30120A-35W	PL-PL30120A-35W	PF0.9, CRI80, UGR19, IP40	Proven Lighting Limited
LIG80064	PL-PL6060S8-33W	PL-PL6060S8-33W	PF0.9, CRI80, UGR19, IP40	Proven Lighting Limited
LIG80065	PL-PL6060S8-42W	PL-PL6060S8-42W	PF0.9, CRI80, UGR19, IP40	Proven Lighting Limited
LIG80066	PL-PL6262S8-33W	PL-PL6262S8-33W	PF0.9, CRI80, UGR19, IP40	Proven Lighting Limited
LIG80067	PL-PL6262S8-42W	PL-PL6262S8-42W	PF0.9, CRI80, UGR19, IP40	Proven Lighting Limited
LIG80068	PL-PL6060-33W	PL-PL6060-33W	PF0.9, CRI80, DIMMABLE, IP40, WIFI	Proven Lighting Limited
LIG80069	PL-PL6060-42W	PL-PL6060-42W	PF0.9, CRI80, DIMMABLE, IP40, WIFI	Proven Lighting Limited
LIG80070	PL-PL6262-33W	PL-PL6262-33W	PF0.9, CRI80, DIMMABLE, IP40, WIFI	Proven Lighting Limited
LIG80071	PL-PL6262-42W	PL-PL6262-42W	PF0.9, CRI80, DIMMABLE, IP40, WIFI	Proven Lighting Limited
LIG80072	PL-PL60120-60W	PL-PL60120-60W	PF0.9, CRI80, DIMMABLE, IP40, WIFI	Proven Lighting Limited
LIG80073	PL-PL1219-7W	PL-PL1219-7W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80074	PL-PL14519-7W	PL-PL14519-7W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80075	PL-PL1819-10W	PL-PL1819-10W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80076	PL-PL22019-10W	PL-PL22019-10W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80077	PL-PL2019-15W	PL-PL2019-15W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80078	PL-PL2219-15W	PL-PL2219-15W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80079	PL-PL2419-15W	PL-PL2419-15W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80080	PL-PL3019-20W	PL-PL3019-20W	PF0.9, CRI80, DIMMABLE, IP40	Proven Lighting Limited
LIG80081	PL-DL94-7W	PL-DL94-7W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80082	PL-DL94-16W	PL-DL94-16W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80083	PL-DL94-20W	PL-DL94-20W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80084	PL-AL37-12W	PL-AL37-12W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80085	PL-AL37-15W	PL-AL37-15W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80086	PL-AL37-25W	PL-AL37-25W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80087	PL-AL38-12W	PL-AL38-12W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80088	PL-AL38-15W	PL-AL38-15W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80089	PL-AL38-25W	PL-AL38-25W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80090	PL-AL08-12W	PL-AL08-12W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80091	PL-AL08-18W	PL-AL08-18W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80092	PL-AL08-25W	PL-AL08-25W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80093	PL-AL08-30W	PL-AL08-30W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80094	PL-AL12-12W	PL-AL12-12W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80095	PL-AL12-18W	PL-AL12-18W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80096	PL-AL12-25W	PL-AL12-25W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80097	PL-AL12-30W	PL-AL12-30W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80098	PL-24A/B-25W	PL-24A/B-25W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80099	PL-24A/B-35W	PL-24A/B-35W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80100	PL-AL25-12W	PL-AL25-12W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80101	PL-AL25-18W	PL-AL25-18W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80102	PL-AL25-25W	PL-AL25-25W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80103	PL-AL02A-15W	PL-AL02A-15W	PF0.9, CRI80, IP20, DIMMABLE, WIFI	Proven Lighting Limited
LIG80104	PL-AL02A-25W	PL-AL02A-25W	PF0.9, CRI80, IP20, DIMMABLE, WIFI	Proven Lighting Limited
LIG80105	PL-AL02B-15W	PL-AL02B-15W	PF0.9, CRI80, IP20, DIMMABLE, WIFI	Proven Lighting Limited
LIG80106	PL-AL41-12W	PL-AL41-12W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80107	PL-AL41-15W	PL-AL41-15W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80108	PL-AL41-20W	PL-AL41-20W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80109	PL-AL35-18W	PL-AL35-18W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80110	PL-AL35-25W	PL-AL35-25W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80111	PL-AL35-30W	PL-AL35-30W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80112	PL-AL35-35W	PL-AL35-35W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80113	PL-DB05-20W	PL-DB05-20W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80114	PL-DB05-30W	PL-DB05-30W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80115	PL-DB05-40W	PL-DB05-40W	PF0.9, CRI80, IP40, DIMMABLE	Proven Lighting Limited
LIG80116	PL-AL17-21W	PL-AL17-21W	PF0.9, CRI80, IP65, DIMMABLE	Proven Lighting Limited
LIG80117	PL-AL17-32W	PL-AL17-32W	PF0.9, CRI80, IP65, DIMMABLE	Proven Lighting Limited
LIG80118	PL-AL17-42W	PL-AL17-42W	PF0.9, CRI80, IP65, DIMMABLE	Proven Lighting Limited
LIG80119	PL-AL17F-21W	PL-AL17F-21W	PF0.9, CRI80, IP65, DIMMABLE	Proven Lighting Limited
LIG80120	PL-AL17F-42W	PL-AL17F-42W	PF0.9, CRI80, IP65, DIMMABLE	Proven Lighting Limited
LIG80121	PL-DB08-600-20W	PL-DB08-600-20W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80122	PL-DB08-1200-40W	PL-DB08-1200-40W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80123	PL-DB08-1200-40WE	PL-DB08-1200-40WE	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80124	PL-DB08-1200-42WS	PL-DB08-1200-42WS	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80125	PL-DB08-1500-45W	PL-DB08-1500-45W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80126	PL-DB08-1500-45WE	PL-DB08-1500-45WE	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80127	PL-DB08-1500-45WS	PL-DB08-1500-45WS	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80128	PL-DB09-600-12W	PL-DB09-600-12W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80129	PL-DB09-1200-25W	PL-DB09-1200-25W	PF0.9, CRI80, IP54, DIMMABLE	Proven Lighting Limited
LIG80130	PL-DB01-21W	PL-DB01-21W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80131	PL-DB01-32W	PL-DB01-32W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80132	PL-DB01-42W	PL-DB01-42W	PF0.9, CRI80, IP20, DIMMABLE	Proven Lighting Limited
LIG80133	PL-DB15-20W	PL-DB15-20W	PF0.9, CRI80, IP40, DIMMABLE, 240°BA	Proven Lighting Limited
LIG80134	PL-DB15-30W	PL-DB15-30W	PF0.9, CRI80, IP40, DIMMABLE, 240°BA	Proven Lighting Limited
LIG80135	PL-DB15-45W	PL-DB15-45W	PF0.9, CRI80, IP40, DIMMABLE, 240°BA	Proven Lighting Limited
LIG80136	PL-AL06A-9W	PL-AL06A-9W	PF0.9, CRI80, IP20	Proven Lighting Limited
LIG80137	PL-AL06A-18W	PL-AL06A-18W	PF0.9, CRI80, IP20	Proven Lighting Limited
LIG80138	PL-AL06A-25W	PL-AL06A-25W	PF0.9, CRI80, IP20	Proven Lighting Limited
LIG80139	PL-AL06B/C-18W	PL-AL06B/C-18W	PF0.9, CRI80, IP20	Proven Lighting Limited
LIG80140	PL-AL06B/C-36W	PL-AL06B/C-36W	PF0.9, CRI80, IP20	Proven Lighting Limited
LIG80141	PL-AL06B/C-50W	PL-AL06B/C-50W	PF0.9, CRI80, IP20	Proven Lighting Limited
LIG80142	PL-DB18-700-20W	PL-DB18-700-20W	PF0.9, CRI80, IP66, IK10	Proven Lighting Limited
LIG80143	PL-DB18-1300-25W	PL-DB18-1300-25W	PF0.9, CRI80, IP66, IK10	Proven Lighting Limited
LIG80144	PL-DB18-1300-30W	PL-DB18-1300-30W	PF0.9, CRI80, IP66, IK10	Proven Lighting Limited
LIG80145	PL-DB18-1300-40W	PL-DB18-1300-40W	PF0.9, CRI80, IP66, IK10	Proven Lighting Limited
LIG80146	PL-DB18-1600-40W	PL-DB18-1600-40W	PF0.9, CRI80, IP66, IK10	Proven Lighting Limited
LIG80147	PL-DB18-1600-50W	PL-DB18-1600-50W	PF0.9,CRI80,IP66,IK10	Proven Lighting Limited
LIG80148	PL-WL06A-12W	PL-WL06A-12W	IP54, PF0.9, CRI80	Proven Lighting Limited
LIG80149	PL-WL06B-12W	PL-WL06B-12W	IP54, PF0.9, CRI80	Proven Lighting Limited
LIG80150	PL-WL07-8W	PL-WL07-8W	CRI80, IP65, IK10	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80151	PL-WL08-8W	PL-WL08-8W	CRI80, IP65, IK10	Proven Lighting Limited
LIG80152	PL-T66-30S-30W	PL-T66-30S-30W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80153	PL-M66-36A-30W	PL-M66-36A-30W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80154	PL-R18-09A-9W	PL-R18-09A-9W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80155	PL-R18-12A-12W	PL-R18-12A-12W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80156	PL-R22-12A-12W	PL-R22-12A-12W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80157	PL-R24-15A-15W	PL-R24-15A-15W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80158	PL-R24-18A-18W	PL-R24-18A-18W	CRI80, PF0.9, IP44	Proven Lighting Limited
LIG80194	O07.WL.16201.40.ASM	Canopy Highbay 100W ASY	100W LED Canopy Highbay ASM 13286 lumens	AVOLUX - MURAT AYDINLATMA
LIG80195	O07.WL.16201.40.SYM	Canopy Highbay 100W SYM	100W LED Canopy Highbay SYM 13147 lumens	AVOLUX - MURAT AYDINLATMA
LIG80196	O07.WL.16201.40.WOL	Canopy Highbay 100W WOL	100W LED Canopy Highbay WOL 13255 lumens	AVOLUX - MURAT AYDINLATMA
LIG80197	O07.WL.16202.40.ASM	Canopy Highbay 160W ASY	160W LED Canopy Highbay ASM 20753 lumens	AVOLUX - MURAT AYDINLATMA
LIG80198	O07.WL.16202.40.SYM	Canopy Highbay 160W SYM	160W LED Canopy Highbay SYM 21631 lumens	AVOLUX - MURAT AYDINLATMA
LIG80199	O07.WL.16202.40.WOL	Canopy Highbay 160W WOL	160W LED Canopy Highbay WOL 21807 lumens	AVOLUX - MURAT AYDINLATMA
LIG80200	O07.WL.16204.40.ASM	Canopy Highbay 322W ASY	322W LED Canopy Highbay ASM 41492 lumens	AVOLUX - MURAT AYDINLATMA
LIG80201	O07.WL.16204.40.SYM	Canopy Highbay 322W SYM	322W LED Canopy Highbay SYM 43265 lumens	AVOLUX - MURAT AYDINLATMA
LIG80202	O07.WL.16204.40.WOL	Canopy Highbay 322W WOL	322W LED Canopy Highbay WOL 43613 lumens	AVOLUX - MURAT AYDINLATMA
LIG80203	O07.ST.16305.07.V1	Quasar Street Light V1 90W	90W LED Street Light 10683 lumens	AVOLUX - MURAT AYDINLATMA
LIG80204	O07.ST.16305.07.V2	Quasar Street Light V2 118W	118W LED Street Light 13240 lumens	AVOLUX - MURAT AYDINLATMA
LIG80205	O07.ST.16305.07.V3	Quasar Street Light V3 150W	150W LED Street Light 16185 lumens	AVOLUX - MURAT AYDINLATMA
LIG80206	O07.ST.16310.07.V1	Quasar Mini Street Light V1 50W	50W LED Street Light 6100 lumens	AVOLUX - MURAT AYDINLATMA

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80207	O07.ST.16310.07.V2	Quasar Mini Street Light V2 70W	70W LED Street Light 8400 lumens	AVOLUX - MURAT AYDINLATMA
LIG80208	O07.ST.16310.07.V3	Quasar Mini Street Light V3 90W	90W LED Street Light 10750 lumens	AVOLUX - MURAT AYDINLATMA
LIG80209	O07.ST.16420.40	Falcon Street Light 75W	75W LED Street Light 9180 lumens	AVOLUX - MURAT AYDINLATMA
LIG80210	O07.ST.16425.40	Falcon Street Light 125W	125W LED Street Light 14975 lumens	AVOLUX - MURAT AYDINLATMA
LIG80211	O07.ST.16430.40	Falcon Street Light 200W	200W LED Street Light 24160 lumens	AVOLUX - MURAT AYDINLATMA
LIG80223	RSGx83060	Sniper G 26W 3000K	LED Track Mounted Projector 26W 3000K	Cora Light Factory
LIG80224	RSGx82560	Sniper 26W 2500k	LED Track Mounted Projector 26W 2500K	Cora Light Factory
LIG79661	LHB150P	Linear LED High Bay	Linear LED High Bay Model NO: LHB150P Typical Design: built-in / external driver Power: 150W Dimension: 1200*123*155MM (L*W*H) Luminous Flux: 18000LM	Lumin LED Lighting
LIG79662	15/7063/38	Linalite	extruded aluminium luminaire direct/indirect fixed output 3000K RAL9010	Jodan Reflectors Ltd
LIG79663	15/7063/39	Linialite 1500	extruded aluminium luminaire direct indirect fixed output 3000K RAL9010	Jodan Reflectors Ltd
LIG79664	15/8113/00	Linialite 3000	extruded aluminium luminaire direct indirect fixed output 3000K RAL9010	Jodan Reflectors Ltd
LIG79914	15/8116/00	Linialite 6000 x 13000	extruded aluminium luminaire direct indirect DALI output 3000K RAL9010	Jodan Reflectors Ltd
LIG77998	DL6H	Hermetic Line	industrial waterproof IP66 IK09	Normagrup Technology S.A.
LIG79140	RSGx84060	Sniper G 26W 4000K	LED Track Mounted Projector, 26W, 4000K, Driver Integrated into track adapter	Cora Light Factory
LIG79961	PL-CH-UFO-W100-S6	PL-CH-UFO-W100-S6	PF0.9, CRI80, IP65	Proven Lighting Limited
LIG79962	PL-CH-UFO-W150-S6	PL-CH-UFO-W150-S6	PF0.9, CRI80, IP65	Proven Lighting Limited
LIG79963	PL-CH-UFO-W200-S6	PL-CH-UFO-W200-S6	PF0.9, CRI80, IP65	Proven Lighting Limited
LIG79964	PL-CH-UFO-W240-S6	PL-CH-UFO-W240-S6	PF0.9, CRI80, IP65	Proven Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80368	TSG2630K55BK	Sniper G 830 Black	26W LED Track Mounted Projector 830 3000K Black Finish	Cora Light Factory
LIG80369	TSG2630K55WH	Sniper G 830 White	26W LED Track Mounted Projector 830 3000K White Finish	Cora Light Factory
LIG80370	TSG2630K55GY	Sniper G 830 Grey	26W LED Track Mounted Projector 830 3000K Grey Finish	Cora Light Factory
LIG80371	TSG2640K55BK	Sniper G 840 Black	26W LED Track Mounted Projector 840 4000K Black Finish	Cora Light Factory
LIG80372	TSG2640K55WH	Sniper G 840 White	26W LED Track Mounted Projector 840 4000K White Finish	Cora Light Factory
LIG80373	TSG2640K55GY	Sniper G 840 Grey	26W LED Track Mounted Projector 840 4000K Grey Finish	Cora Light Factory
LIG80374	TSG2624K55BK	Sniper G 924 Black	26W LED Track Mounted Projector 924 2400K Black Finish	Cora Light Factory
LIG80375	TSG2624K55WH	Sniper G 924 White	26W LED Track Mounted Projector 924 2400K White Finish	Cora Light Factory
LIG80376	TSG2624K55GY	Sniper G 924 Grey	26W LED Track Mounted Projector 924 2400K Grey Finish	Cora Light Factory
LIG80385	VER-CFML-100-xxx	INVICTUS MOD 100W	LED Modular Floodlight 100W,	Verde LED ltd
LIG80386	VER-CFML-150-xxx	INVICTUS MOD 150W	LED Modular Floodlight 150W,	Verde LED ltd
LIG80387	VER-CFML-200-xxx	INVICTUS MOD 200W	LED Modular Floodlight 200W,	Verde LED ltd
LIG80388	VER-CFML-300-xxx	INVICTUS MOD 300W	LED Modular Floodlight 300W,	Verde LED ltd
LIG80389	VER-CFML-450-xxx	INVICTUS MOD 450W	LED Modular Floodlight 450W,	Verde LED ltd
LIG80390	VER-CFML-600-xxx	INVICTUS MOD 600W	LED Modular Floodlight 600W,	Verde LED ltd
LIG80393	42928404	CRAFT M LED17000 Highbay	LED high-bay luminaire with Sensor	Zumtobel Lighting
LIG80394	EN-RSP345/40	Apex Retail Wallwasher 30w 4000k 45° Beam	Adjustable recessed wallwasher designed to highlight displays and wall features. 3000lm from 30w LED. 35w metal halide replacement. 3 year warranty	Aurora Lighting Limited
LIG80395	EN-DGU1038 /30	ICE PRO 10W 38° Dimmable LED Lamp 3000k	10w dimmable long form GU10 LED. 38° beam. 800 lumens. 3 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80396	EN-DGU1038 /40	ICE PRO 10W 38° Dimmable LED Lamp 4000k	10w dimmable long form GU10 LED. 38° beam. 850 lumens. 3 year warranty	Aurora Lighting Limited
LIG80397	EN-BN610/40	Eco8 600mm 10W Polycarbonate LED Batten	600mm 10w Polycarbonate LED Batten. Perfect upgrade or replacement to traditional single T8 fluorescent fittings. 900 lumens. 3 year warranty	Aurora Lighting Limited
LIG80398	EN-BN1220/40	Eco8 1200mm 20W Polycarbonate LED Batten 4000k	1200mm 20w Polycarbonate LED Batten. Perfect upgrade or replacement to traditional single T8 fluorescent fittings. 1800 lumens. 3 year warranty	Aurora Lighting Limited
LIG80399	EN-BT1233/40	EcoT8 1200mm 33W IP20 Twin Open T8 LED Batten 4000k	1200mm 33w IP20 Twin Open T8 LED Batten. 3200 lumens. 3 year warranty	Aurora Lighting Limited
LIG80400	EN-FLH20P BLK/40	QuaZarPIR 20W Adjustable IP65 Driverless LED Floodlight BLACK 4000k	20 adjustable LED flood light. Slim design. Includes PIR sensor. 1800 lumens. 3 year warranty	Aurora Lighting Limited
LIG80409	LM-FL10SL-V4	Stealth 10 LED Slimline LED Flood lamp	10W, DOB, Rubber Cable, Breather Valve, 4000K	ITCraftLabs Ltd T/A LUMENO
LIG80410	LM-FL20SL-V4	Stealth 20 LED Slimline LED Flood lamp	20W, DOB, Rubber Cable, Breather Valve, 4000K	ITCraftLabs Ltd T/A LUMENO
LIG80411	LM-FL30SL-V4	Stealth 30 LED Slimline LED Flood lamp	30W, DOB, Rubber Cable, Breather Valve, 4000K	ITCraftLabs Ltd T/A LUMENO
LIG80412	LM-FL50SL-V4	Stealth 50 LED Slimline LED Flood lamp	50W, DOB, Rubber Cable, Breather Valve, 4000K	ITCraftLabs Ltd T/A LUMENO
LIG80413	LM-FL100SL-V4	Stealth 100 LED Slimline LED Flood lamp	100W, DOB, Rubber Cable, Breather Valve, 4000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80414	LM-FL150SL-V4	Stealth 150 LED Slimline LED Flood lamp	150W, DOB, Rubber Cable, Breather Valve, 4000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80415	LM-FL200SL-V4	Stealth 200 LED Slimline LED Flood lamp	200W, DOB, Rubber Cable, Breather Valve, 4000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80416	LM-HB100SL-V4	Stealth 100 High Bay Lamp	100W, DOB, 90Deg, Disk Design, Breather Valve, 6000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80417	LM-HB150SL-V4	Stealth 150 High Bay Lamp	150W, DOB, 90Deg, Disk Design, Breather Valve, 6000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80418	LM-HB200SL-V4	Stealth 200 High Bay Lamp	200W, DOB, 90Deg, Disk Design, Breather Valve, 6000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80419	LM-SLV50	Vibe 50 LED Street Lamp	50W, DOB, 60x30Deg, Slim, 4000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80420	LM-SLV100	Vibe 100 LED Street Lamp	100W, DOB, 60x30Deg, Slim, 4000K, Surge Protection	ITCraftLabs Ltd T/A LUMENO
LIG80421	LM-HBF150	Fusion 150 HB LED High Bay	150W, Meanwell, Surge Protection, IP65, 110deg, 6000K	ITCraftLabs Ltd T/A LUMENO
LIG80422	LM-HBF200	Fusion 200 HB LED High Bay	200W, Meanwell, Surge Protection, IP65, 110deg, 6000K	ITCraftLabs Ltd T/A LUMENO
LIG80477	BTN001	BTN001	8W LED Batten, 2Ft, 840	Venture Lighting Europe Ltd
LIG80478	BTN005-CD	BTN005-CD	16W LED Batten, 4Ft, 840, DALI	Venture Lighting Europe Ltd
LIG80479	BTN005-CD-EM	BTN005-CD-EM	16W LED Batten, 4Ft, 840, DALI, EM	Venture Lighting Europe Ltd
LIG80480	BTN005-CD-EM-SH	BTN005-CD-EM-SH	16W LED Batten, 4Ft, 840, DALI, EM, High Sensor	Venture Lighting Europe Ltd
LIG80481	BTN005-CD-EM-SL	BTN005-CD-EM-SL	16W LED Batten, 4Ft, 840, DALI, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80482	BTN005-CD-EM-SM	BTN005-CD-EM-SM	16W LED Batten, 4Ft, 840, DALI, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80483	BTN005-CD-SH	BTN005-CD-SH	16W LED Batten, 4Ft, 840, DALI, High Sensor	Venture Lighting Europe Ltd
LIG80484	BTN005-CD-SL	BTN005-CD-SL	16W LED Batten, 4Ft, 840, DALI, Low Sensor	Venture Lighting Europe Ltd
LIG80485	BTN005-CD-SM	BTN005-CD-SM	16W LED Batten, 4Ft, 840, DALI, Microwave Sensor	Venture Lighting Europe Ltd
LIG80486	BTN005-EM	BTN005-EM	16W LED Batten, 4Ft, 840, EM	Venture Lighting Europe Ltd
LIG80487	BTN005-EM-SH	BTN005-EM-SH	16W LED Batten, 4Ft, 840, EM, High Sensor	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80488	BTN005-EM-SL	BTN005-EM-SL	16W LED Batten, 4Ft, 840, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80489	BTN005-EM-SM	BTN005-EM-SM	16W LED Batten, 4Ft, 840, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80490	BTN005-SH	BTN005-SH	16W LED Batten, 4Ft, 840, High Sensor	Venture Lighting Europe Ltd
LIG80491	BTN005-SL	BTN005-SL	16W LED Batten, 4Ft, 840, Low Sensor	Venture Lighting Europe Ltd
LIG80492	BTN005-SM	BTN005-SM	16W LED Batten, 4Ft, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG80493	BTN006-CD	BTN006-CD	32W LED Batten, 4Ft, 840, DALI	Venture Lighting Europe Ltd
LIG80494	BTN006-CD-EM	BTN006-CD-EM	32W LED Batten, 4Ft, 840, DALI, EM	Venture Lighting Europe Ltd
LIG80495	BTN006-CD-EM-SH	BTN006-CD-EM-SH	32W LED Batten, 4Ft, 840, DALI, EM, High Sensor	Venture Lighting Europe Ltd
LIG80496	BTN006-CD-EM-SL	BTN006-CD-EM-SL	32W LED Batten, 4Ft, 840, DALI, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80497	BTN006-CD-EM-SM	BTN006-CD-EM-SM	32W LED Batten, 4Ft, 840, DALI, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80498	BTN006-CD-SH	BTN006-CD-SH	32W LED Batten, 4Ft, 840, DALI, High Sensor	Venture Lighting Europe Ltd
LIG80499	BTN006-CD-SL	BTN006-CD-SL	32W LED Batten, 4Ft, 840, DALI, Low Sensor	Venture Lighting Europe Ltd
LIG80500	BTN006-CD-SM	BTN006-CD-SM	32W LED Batten, 4Ft, 840, DALI, Microwave Sensor	Venture Lighting Europe Ltd
LIG80501	BTN006-EM	BTN006-EM	32W LED Batten, 4Ft, 840, EM	Venture Lighting Europe Ltd
LIG80502	BTN006-EM-SH	BTN006-EM-SH	32W LED Batten, 4Ft,840, EM, High Sensor	Venture Lighting Europe Ltd
LIG80503	BTN006-EM-SL	BTN006-EM-SL	32W LED Batten, 4Ft,840, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80504	BTN006-EM-SM	BTN006-EM-SM	32W LED Batten, 4Ft, 840, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80505	BTN006-SH	BTN006-SH	32W LED Batten, 4Ft, 840, High Sensor	Venture Lighting Europe Ltd
LIG80506	BTN006-SL	BTN006-SL	32W LED Batten, 4Ft, 840, Low Sensor	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80507	BTN006-SM	BTN006-SM	32W LED Batten, 4Ft, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG80508	BTN007-CD	BTN007-CD	25W LED Batten, 5Ft, 840, DALI	Venture Lighting Europe Ltd
LIG80509	BTN007-CD-EM	BTN007-CD-EM	25W LED Batten, 5Ft, 840, DALI, EM	Venture Lighting Europe Ltd
LIG80510	BTN007-CD-EM-SH	BTN007-CD-EM-SH	25W LED Batten, 5Ft, 840, DALI, EM, High Sensor	Venture Lighting Europe Ltd
LIG80511	BTN007-CD-EM-SL	BTN007-CD-EM-SL	25W LED Batten, 5Ft, 840, DALI, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80512	BTN007-CD-EM-SM	BTN007-CD-EM-SM	25W LED Batten, 5Ft, 840, DALI, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80513	BTN007-CD-SH	BTN007-CD-SH	25W LED Batten, 5Ft, 840, DALI, High Sensor	Venture Lighting Europe Ltd
LIG80514	BTN007-CD-SL	BTN007-CD-SL	25W LED Batten, 5Ft, 840, DALI, Low Sensor	Venture Lighting Europe Ltd
LIG80515	BTN007-CD-SM	BTN007-CD-SM	25W LED Batten, 5Ft, 840, DALI, Microwave Sensor	Venture Lighting Europe Ltd
LIG80516	BTN007-EM	BTN007-EM	25W LED Batten, 5Ft, 840, EM	Venture Lighting Europe Ltd
LIG80517	BTN007-EM-SH	BTN007-EM-SH	25W LED Batten, 5Ft, 840, EM, High Sensor	Venture Lighting Europe Ltd
LIG80518	BTN007-EM-SL	BTN007-EM-SL	25W LED Batten, 5Ft, 840, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80519	BTN007-EM-SM	BTN007-EM-SM	25W LED Batten, 5Ft, 840, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80520	BTN007-SH	BTN007-SH	25W LED Batten, 5Ft, 840, High Sensor	Venture Lighting Europe Ltd
LIG80521	BTN007-SL	BTN007-SL	25W LED Batten, 5Ft, 840, Low Sensor	Venture Lighting Europe Ltd
LIG80522	BTN007-SM	BTN007-SM	25W LED Batten, 5Ft, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG80523	BTN008-CD	BTN008-CD	49W LED Batten, 5Ft, 840, DALI	Venture Lighting Europe Ltd
LIG80524	BTN008-CD-EM	BTN008-CD-EM	49W LED Batten, 5Ft, 840, DALI, EM	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80525	BTN008-CD-EM-SH	BTN008-CD-EM-SH	49W LED Batten, 5Ft, 840, DALI, EM, High Sensor	Venture Lighting Europe Ltd
LIG80526	BTN008-CD-EM-SL	BTN008-CD-EM-SL	49W LED Batten, 5Ft, 840, DALI, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80527	BTN008-CD-EM-SM	BTN008-CD-EM-SM	49W LED Batten, 5Ft, 840, DALI, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80528	BTN008-CD-SH	BTN008-CD-SH	49W LED Batten, 5Ft, 840, DALI, High Sensor	Venture Lighting Europe Ltd
LIG80529	BTN008-CD-SL	BTN008-CD-SL	49W LED Batten, 5Ft, 840, DALI, Low Sensor	Venture Lighting Europe Ltd
LIG80530	BTN008-CD-SM	BTN008-CD-SM	49W LED Batten, 5Ft, 840, DALI, Microwave Sensor	Venture Lighting Europe Ltd
LIG80531	BTN008-EM-SH	BTN008-EM-SH	49W LED Batten, 5Ft, 840, EM, High Sensor	Venture Lighting Europe Ltd
LIG80532	BTN008-EM-SL	BTN008-EM-SL	49W LED Batten, 5Ft, 840, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80533	BTN008-EM-SM	BTN008-EM-SM	49W LED Batten, 5Ft, 840, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80534	BTN008-SH	BTN008-SH	49W LED Batten, 5Ft, 840, High Sensor	Venture Lighting Europe Ltd
LIG80535	BTN008-SL	BTN008-SL	49W LED Batten, 5Ft, 840, Low Sensor	Venture Lighting Europe Ltd
LIG80536	BTN008-SM	BTN008-SM	49W LED Batten, 5Ft, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG80537	BTN009-CD	BTN009-CD	47W LED Batten, 6Ft, 840, DALI	Venture Lighting Europe Ltd
LIG80538	BTN009-CD-EM	BTN009-CD-EM	47W LED Batten, 6Ft, 840, DALI, EM	Venture Lighting Europe Ltd
LIG80539	BTN009-CD-EM-SH	BTN009-CD-EM-SH	47W LED Batten, 6Ft, 840, DALI, EM, High Sensor	Venture Lighting Europe Ltd
LIG80540	BTN009-CD-EM-SL	BTN009-CD-EM-SL	47W LED Batten, 6Ft, 840, DALI, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80541	BTN009-CD-EM-SM	BTN009-CD-EM-SM	47W LED Batten, 6Ft, 840, DALI, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80542	BTN009-CD-SH	BTN009-CD-SH	47W LED Batten, 6Ft, 840, DALI, High Sensor	Venture Lighting Europe Ltd
LIG80543	BTN009-CD-SL	BTN009-CD-SL	47W LED Batten, 6Ft, 840, DALI, Low Sensor	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80544	BTN009-CD-SM	BTN009-CD-SM	47W LED Batten, 6Ft, 840, DALI, Microwave Sensor	Venture Lighting Europe Ltd
LIG80545	BTN009-EM	BTN009-EM	47W LED Batten, 6Ft, 840, EM	Venture Lighting Europe Ltd
LIG80546	BTN009-EM-SH	BTN009-EM-SH	47W LED Batten, 6Ft, 840, EM, High Sensor	Venture Lighting Europe Ltd
LIG80547	BTN009-EM-SL	BTN009-EM-SL	47W LED Batten, 6Ft, 840, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80548	BTN009-EM-SM	BTN009-EM-SM	47W LED Batten, 6Ft, 840, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80549	BTN009-SH	BTN009-SH	47W LED Batten, 6Ft, 840, High Sensor	Venture Lighting Europe Ltd
LIG80550	BTN009-SL	BTN009-SL	47W LED Batten, 6Ft, 840, Low Sensor	Venture Lighting Europe Ltd
LIG80551	BTN009-SM	BTN009-SM	47W LED Batten, 6Ft, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG80552	BTN010-CD	BTN010-CD	69W LED Batten, 6Ft, 840, DALI	Venture Lighting Europe Ltd
LIG80553	BTN010-CD-EM	BTN010-CD-EM	69W LED Batten, 6Ft, 840, DALI, EM	Venture Lighting Europe Ltd
LIG80554	BTN010-CD-EM-SH	BTN010-CD-EM-SH	69W LED Batten, 6Ft, 840, DALI, EM, High Sensor	Venture Lighting Europe Ltd
LIG80555	BTN010-CD-EM-SL	BTN010-CD-EM-SL	69W LED Batten, 6Ft, 840, DALI, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80556	BTN010-CD-EM-SM	BTN010-CD-EM-SM	69W LED Batten, 6Ft, 840, DALI, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80557	BTN010-CD-SH	BTN010-CD-SH	69W LED Batten, 6Ft, 840, DALI, High Sensor	Venture Lighting Europe Ltd
LIG80558	BTN010-CD-SL	BTN010-CD-SL	69W LED Batten, 6Ft, 840, DALI, Low Sensor	Venture Lighting Europe Ltd
LIG80559	BTN010-CD-SM	BTN010-CD-SM	69W LED Batten, 6Ft, 840, DALI, Microwave Sensor	Venture Lighting Europe Ltd
LIG80560	BTN010-EM	BTN010-EM	69W LED Batten, 6Ft, 840, EM	Venture Lighting Europe Ltd
LIG80561	BTN010-EM-SH	BTN010-EM-SH	69W LED Batten, 6Ft, 840, EM, High Sensor	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80562	BTN010-EM-SL	BTN010-EM-SL	69W LED Batten, 6Ft, 840, EM, Low Sensor	Venture Lighting Europe Ltd
LIG80563	BTN010-EM-SM	BTN010-EM-SM	69W LED Batten, 6Ft, 840, EM, Microwave Sensor	Venture Lighting Europe Ltd
LIG80564	BTN010-SH	BTN010-SH	69W LED Batten, 6Ft, 840, High Sensor	Venture Lighting Europe Ltd
LIG80565	BTN010-SL	BTN010-SL	69W LED Batten, 6Ft, 840, Low Sensor	Venture Lighting Europe Ltd
LIG80566	BTN010-SM	BTN010-SM	69W LED Batten, 6Ft, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG80567	BTN001-SH	BTN001-SH	9W LED Batten, 2Ft, 840, Sensor High	Venture Lighting Europe Ltd
LIG80568	BTN001-SL	BTN001-SL	9W LED Batten, 2Ft, 840, Sensor Low	Venture Lighting Europe Ltd
LIG80569	BTN001-SM	BTN001-SM	9W LED Batten, 2Ft, 840, Microwave	Venture Lighting Europe Ltd
LIG80584	0042288IRE	HSX Syl-Line	LED, Neutral White, DALI dimmable, Wide Beam	Sylvania
LIG80585	0045174IRE	SylBatten LED	LED batten, T5 replacement	Sylvania
LIG80635	93082344	ABV2G2	ABVG21H1057C9DST NCE	GE Lighting
LIG80636	93082345	ABV2G3	ABVG21H1057L5DST NCE	GE Lighting
LIG80637	93082416	ABV2G4	ABVG21H1057L3DST NCE	GE Lighting
LIG80638	93082342	ABV2G5	ABVG21H1057C1DST NCE	GE Lighting
LIG80639	93082343	ABV2G6	ABVG21H1057D1DST NCE	GE Lighting
LIG80640	PNL051	PNL051	27W LED Panel - Pro, 600x600mm, TP(a), 830	Venture Lighting Europe Ltd
LIG80641	PNL051-KIT01	PNL051-KIT01	27W LED Panel - Pro, 600x600mm, TP(a), 830 with Driver	Venture Lighting Europe Ltd
LIG80642	PNL051-KIT02	PNL051-KIT02	27W LED Panel - Pro, 600x600mm, TP(a), 830, DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80643	PNL051-KIT03	PNL051-KIT03	27W LED Panel - Pro, 600x600mm, TP(a), 830, Remote EM Pack	Venture Lighting Europe Ltd
LIG80644	PNL051-KIT04	PNL051-KIT04	27W LED Panel - Pro, 600x600mm, TP(a), 830, DALI/SD/EM	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80645	PNL051-KIT06	PNL051-KIT06	27W LED Panel - Pro, 600x600mm, TP(a), 830, Flicker Free	Venture Lighting Europe Ltd
LIG80646	PNL052	PNL052	27W LED Panel - Pro, 600x600mm, TP(a), 840	Venture Lighting Europe Ltd
LIG80647	PNL052-KIT01	PNL052-KIT01	27W LED Panel - Pro, 600x600mm, TP(a), 840 with Driver	Venture Lighting Europe Ltd
LIG80648	PNL052-KIT02	PNL052-KIT02	27W LED Panel - Pro, 600x600mm, TP(a), 840, DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80649	PNL052-KIT03	PNL052-KIT03	27W LED Panel - Pro, 600x600mm, TP(a), 840, Remote EM Pack	Venture Lighting Europe Ltd
LIG80650	PNL052-KIT04	PNL052-KIT04	27W LED Panel - Pro, 600x600mm, TP(a), 840, DALI/SD/EM	Venture Lighting Europe Ltd
LIG80651	PNL052-KIT06	PNL052-KIT06	27W LED Panel - Pro, 600x600mm, TP(a), 840, Flicker Free	Venture Lighting Europe Ltd
LIG80652	PNL053	PNL053	27W LED Panel - Pro, 600x600mm, TP(a), 850	Venture Lighting Europe Ltd
LIG80653	PNL053-KIT01	PNL053-KIT01	27W LED Panel - Pro, 600x600mm, TP(a), 850 with Driver	Venture Lighting Europe Ltd
LIG80654	PNL053-KIT02	PNL053-KIT02	27W LED Panel - Pro, 600x600mm, TP(a), 850, DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80655	PNL053-KIT03	PNL053-KIT03	27W LED Panel - Pro, 600x600mm, TP(a), 850, Remote EM Pack	Venture Lighting Europe Ltd
LIG80656	PNL053-KIT04	PNL053-KIT04	27W LED Panel - Pro, 600x600mm, TP(a), 850, DALI/SD/EM	Venture Lighting Europe Ltd
LIG80657	PNL053-KIT06	PNL053-KIT06	27W LED Panel - Pro, 600x600mm, TP(a), 850, Flicker Free	Venture Lighting Europe Ltd
LIG80658	PNL054	PNL054	27W LED Panel - Pro, 600x600mm, TP(a), 860	Venture Lighting Europe Ltd
LIG80659	PNL054-KIT01	PNL054-KIT01	27W LED Panel - Pro, 600x600mm, TP(a), 860 with Driver	Venture Lighting Europe Ltd
LIG80660	PNL054-KIT02	PNL054-KIT02	27W LED Panel - Pro, 600x600mm, TP(a), 860, DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80661	PNL054-KIT03	PNL054-KIT03	27W LED Panel - Pro, 600x600mm, TP(a), 860, Remote EM Pack	Venture Lighting Europe Ltd
LIG80662	PNL054-KIT04	PNL054-KIT04	27W LED Panel - Pro, 600x600mm, TP(a), 860, DALI/SD/EM	Venture Lighting Europe Ltd
LIG80663	PNL054-KIT06	PNL054-KIT06	27W LED Panel - Pro, 600x600mm, TP(a), 860, Flicker Free	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80664	PNL013	PNL013	27W LED Panel - Pro, 600x600mm, 840	Venture Lighting Europe Ltd
LIG80665	PNL013-KIT02	PNL013-KIT02	27W LED Panel - Pro, 600x600mm, 840 with DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80666	PNL013-KIT03	PNL013-KIT03	27W LED Panel - Pro, 600x600mm, 840 with Remote EM Pack	Venture Lighting Europe Ltd
LIG80667	PNL013-KIT04	PNL013-KIT04	27W LED Panel - Pro, 600x600mm, 840, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80668	PNL013-KIT06	PNL013-KIT06	27W LED Panel - Pro, 840, with Flicker Free Driver	Venture Lighting Europe Ltd
LIG80669	PNL014	PNL014	27W LED Panel - Pro, 600x600mm, 850	Venture Lighting Europe Ltd
LIG80670	PNL014-KIT02	PNL014-KIT02	27W LED Panel - Pro, 600x600mm 850 with DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80671	PNL014-KIT03	PNL014-KIT03	27W LED Panel - Pro, 600x600mm, 850 with Remote EM Pack	Venture Lighting Europe Ltd
LIG80672	PNL014-KIT04	PNL014-KIT04	27W LED Panel - Pro, 600x600mm, 850, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80673	PNL014-KIT06	PNL014-KIT06	27W LED Panel - Pro, 850 with Flicker Free Driver	Venture Lighting Europe Ltd
LIG80674	PNL021	PNL021	27W Edgelit LED Panel, 1200x300mm, 840, Smooth	Venture Lighting Europe Ltd
LIG80675	PNL021-KIT01	PNL021-KIT01	27W Edgelit LED Panel, 1200x300mm, 840, Smooth with Driver	Venture Lighting Europe Ltd
LIG80676	PNL021-KIT02	PNL021-KIT02	27W Edgelit LED Panel, 1200x300mm, 840, Smooth, DALI/S-Dim	Venture Lighting Europe Ltd
LIG80677	PNL021-KIT03	PNL021-KIT03	27W Edgelit LED Panel, 1200x300mm, 840, Smooth, EM	Venture Lighting Europe Ltd
LIG80678	PNL021-KIT04	PNL021-KIT04	27W Edgelit LED Panel, 1200x300mm, 840, Smooth, DA/S-Dim/EM	Venture Lighting Europe Ltd
LIG80679	PNL021-KIT06	PNL021-KIT06	27W Edgelit LED Panel, 1200x300mm, 840, Smooth, FF Driver	Venture Lighting Europe Ltd
LIG80680	PNL049	PNL049	27W LED Panel - Pro, 600x600mm, 860	Venture Lighting Europe Ltd
LIG80681	PNL049-KIT01	PNL049-KIT01	27W LED Panel - Pro, 600x600mm, 860 with Driver	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80682	PNL049-KIT02	PNL049-KIT02	27W LED Panel - Pro, 600x600mm 860 with DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80683	PNL049-KIT03	PNL049-KIT03	27W LED Panel - Pro, 600x600mm, 860 with Remote EM Pack	Venture Lighting Europe Ltd
LIG80684	PNL049-KIT04	PNL049-KIT04	27W LED Panel - Pro, 600x600mm, 860, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80685	PNL049-KIT06	PNL049-KIT06	27W LED Panel - Pro, 860 with Flicker Free Driver	Venture Lighting Europe Ltd
LIG80686	DWL064	DWL064	4.5W VLUMA LED Spot Adjust Downlight, 830	Venture Lighting Europe Ltd
LIG80687	DWL064-EM	DWL064-EM	4.5W VLUMA LED Spot Adjust Downlight, 830. Emergency	Venture Lighting Europe Ltd
LIG80688	DWL065	DWL065	4.5W VLUMA LED Spot Adjust Downlight, 840	Venture Lighting Europe Ltd
LIG80689	DWL065-EM	DWL065-EM	4.5W VLUMA LED Spot Adjust Downlight, 840. Emergency	Venture Lighting Europe Ltd
LIG80690	DWL066	DWL066	6W VLUMA LED Spot Adjust Downlight, 830	Venture Lighting Europe Ltd
LIG80691	DWL066-EM	DWL066-EM	6W VLUMA LED Spot Adjust Downlight, 830. Emergency	Venture Lighting Europe Ltd
LIG80692	DWL067	DWL067	6W VLUMA LED Spot Adjust Downlight, 840	Venture Lighting Europe Ltd
LIG80693	DWL067-EM	DWL067-EM	6W VLUMA LED Spot Adjust Downlight, 840. Emergency	Venture Lighting Europe Ltd
LIG80694	DWL068	DWL068	9W VLUMA LED Spot Adjust Downlight, 830	Venture Lighting Europe Ltd
LIG80695	DWL068-EM	DWL068-EM	9W VLUMA LED Spot Adjust Downlight, 830. Emergency	Venture Lighting Europe Ltd
LIG80696	DWL069	DWL069	9W VLUMA LED Spot Adjust Downlight, 840	Venture Lighting Europe Ltd
LIG80697	DWL069-EM	DWL069-EM	9W VLUMA LED Spot Adjust Downlight, 840. Emergency	Venture Lighting Europe Ltd
LIG80698	DWL060	DWL060	15W VLUMA LED Fixed Downlight, 830	Venture Lighting Europe Ltd
LIG80699	DWL060-EM	DWL060-EM	15W VLUMA LED Fixed Downlight, 830, Emergency	Venture Lighting Europe Ltd
LIG80700	DWL060-CD	DWL060-CD	15W VLUMA LED Fixed Downlight, 830 DALI	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80701	DWL061	DWL061	15W VLUMA LED Fixed Downlight, 840	Venture Lighting Europe Ltd
LIG80702	DWL061-EM	DWL061-EM	15W VLUMA LED Fixed Downlight, 840, Emergency	Venture Lighting Europe Ltd
LIG80703	DWL061-CD	DWL061-CD	15W VLUMA LED Fixed Downlight, 840 DALI	Venture Lighting Europe Ltd
LIG80704	DWL062	DWL062	25W VLUMA LED Fixed Downlight, 830	Venture Lighting Europe Ltd
LIG80705	DWL062-EM	DWL062-EM	25W VLUMA LED Fixed Downlight, 830, Emergency	Venture Lighting Europe Ltd
LIG80706	DWL062-CD	DWL062-CD	25W VLUMA LED Fixed Downlight, 830 DALI	Venture Lighting Europe Ltd
LIG80707	DWL063	DWL063	25W VLUMA LED Fixed Downlight, 840	Venture Lighting Europe Ltd
LIG80708	DWL063-EM	DWL063-EM	25W VLUMA LED Fixed Downlight, 840, Emergency	Venture Lighting Europe Ltd
LIG80709	DWL063-CD	DWL063-CD	25W VLUMA LED Fixed Downlight, 840 DALI	Venture Lighting Europe Ltd
LIG80710	DWL014	DWL014	6.5W Fire Rated Downlight, 830	Venture Lighting Europe Ltd
LIG80711	DWL015	DWL015	6.5W Fire Rated Downlight, 840	Venture Lighting Europe Ltd
LIG80712	DWL017	DWL017	6.5W Fire Rated LED Gimbal Downlight, 830	Venture Lighting Europe Ltd
LIG80713	DWL018	DWL018	6.5W Fire Rated LED Gimbal Downlight, 840	Venture Lighting Europe Ltd
LIG80714	PNL023	PNL023	37W Edgelit LED Panel, 600x600mm, IP65, 830 with Driver	Venture Lighting Europe Ltd
LIG80715	PNL024	PNL024	37W Edgelit LED Panel, 600x600mm, IP65, 840 with Driver	Venture Lighting Europe Ltd
LIG80716	PNL025	PNL025	37W Edgelit LED Panel, 600x600mm, IP65, 850 with Driver	Venture Lighting Europe Ltd
LIG80717	PNL009	PNL009	56W Edgelit LED Panel, 600x1200mm, 840	Venture Lighting Europe Ltd
LIG80718	PNL009-KIT01	PNL009-KIT01	56W Edgelit LED Panel, 600x1200mm, 840 with Driver	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80719	PNL009-KIT02	PNL009-KIT02	56W Edgelit LED Panel, 600x1200mm, 840 DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80720	PNL009-KIT03	PNL009-KIT03	56W Edgelit LED Panel, 600x1200mm, 840 with Remote EM Pack	Venture Lighting Europe Ltd
LIG80721	PNL009-KIT04	PNL009-KIT04	56W Edgelit LED Panel, 600x1200mm, 840, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80722	PNL010	PNL010	56W Edgelit LED Panel, 600x1200mm, 850	Venture Lighting Europe Ltd
LIG80723	PNL010-KIT01	PNL010-KIT01	56W Edgelit LED Panel, 600x1200mm, 850 with Driver	Venture Lighting Europe Ltd
LIG80724	PNL010-KIT02	PNL010-KIT02	56W Edgelit LED Panel, 600x1200mm, 850 DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80725	PNL010-KIT03	PNL010-KIT03	56W Edgelit LED Panel, 600x1200mm, 850 with Remote EM Pack	Venture Lighting Europe Ltd
LIG80726	PNL010-KIT04	PNL010-KIT04	56W Edgelit LED Panel, 600x1200mm, 850, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80727	PNL050	PNL050	23W LED Panel - Elite, 600x600mm, 860	Venture Lighting Europe Ltd
LIG80728	PNL050-KIT01	PNL050-KIT01	23W LED Panel - Elite, 600x600mm, 860 with Driver	Venture Lighting Europe Ltd
LIG80729	PNL050-KIT02	PNL050-KIT02	23W LED Panel - Elite, 600x600mm, 860, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80730	PNL050-KIT03	PNL050-KIT03	23W LED Panel - Elite, 600x600mm, 860, Emergency	Venture Lighting Europe Ltd
LIG80731	PNL050-KIT04	PNL050-KIT04	23W LED Panel - Elite, 600x600mm, 860, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80732	PNL050-KIT11	PNL050-KIT11	27W LED Panel - Elite, 600x600mm, 860 with Driver	Venture Lighting Europe Ltd
LIG80733	PNL050-KIT12	PNL050-KIT12	27W LED Panel - Elite, 600x600mm, 860, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80734	PNL050-KIT13	PNL050-KIT13	27W LED Panel - Elite, 600x600mm, 860, Emergency	Venture Lighting Europe Ltd
LIG80735	PNL050-KIT14	PNL050-KIT14	27W LED Panel - Elite, 600x600mm, 860, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80736	PNL032	PNL032	36W LED Panel - Lite, 600x600mm, 830	Venture Lighting Europe Ltd
LIG80737	PNL032-KIT01	PNL032-KIT01	36W LED Panel - Lite, 600x600mm, 830 with Driver	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80738	PNL032-KIT02	PNL032-KIT02	36W LED Panel - Lite, 600x600mm, 830, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80739	PNL032-KIT03	PNL032-KIT03	36W LED Panel - Lite, 600x600mm, 830, EM	Venture Lighting Europe Ltd
LIG80740	PNL032-KIT04	PNL032-KIT04	36W LED Panel - Lite, 600x600mm, 830, DALI/Switch Dim, EM	Venture Lighting Europe Ltd
LIG80741	PNL033	PNL033	36W LED Panel - Lite, 600x600mm, 840	Venture Lighting Europe Ltd
LIG80742	PNL033-KIT01	PNL033-KIT01	36W LED Panel - Lite, 600x600mm, 840 with Driver	Venture Lighting Europe Ltd
LIG80743	PNL033-KIT02	PNL033-KIT02	36W LED Panel - Lite, 600x600mm, 840, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80744	PNL033-KIT03	PNL033-KIT03	36W LED Panel - Lite, 600x600mm, 840, EM	Venture Lighting Europe Ltd
LIG80745	PNL033-KIT04	PNL033-KIT04	36W LED Panel - Lite, 600x600mm, 840, DALI/Switch Dim, EM	Venture Lighting Europe Ltd
LIG80746	PNL034	PNL034	36W LED Panel - Lite, 600x600mm, 850	Venture Lighting Europe Ltd
LIG80747	PNL034-KIT01	PNL034-KIT01	36W LED Panel - Lite, 600x600mm, 850 with Driver	Venture Lighting Europe Ltd
LIG80748	PNL034-KIT02	PNL034-KIT02	36W LED Panel - Lite, 600x600mm, 850	Venture Lighting Europe Ltd
LIG80749	PNL034-KIT03	PNL034-KIT03	36W LED Panel - Lite, 600x600mm, 850, EM	Venture Lighting Europe Ltd
LIG80750	PNL034-KIT04	PNL034-KIT04	36W LED Panel - Lite, 600x600mm, 850, DALI/Switch Dim, EM	Venture Lighting Europe Ltd
LIG80751	PNL048	PNL048	36W LED Panel - Lite, 600x600mm, 860	Venture Lighting Europe Ltd
LIG80752	PNL048-KIT01	PNL048-KIT01	36W LED Panel - Lite, 600x600mm, 860 with Driver	Venture Lighting Europe Ltd
LIG80753	PNL048-KIT02	PNL048-KIT02	36W LED Panel - Lite, 600x600mm, 860, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80754	PNL048-KIT03	PNL048-KIT03	36W LED Panel - Lite, 600x600mm, 860, EM	Venture Lighting Europe Ltd
LIG80755	PNL048-KIT04	PNL048-KIT04	36W LED Panel - Lite, 600x600mm, 860, DALI/Switch Dim, EM	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80756	PNL018	PNL018	27W LED Panel - Pro, 600x600mm, 830	Venture Lighting Europe Ltd
LIG80757	PNL018-KIT01	PNL018-KIT01	27W LED Panel - Pro, 600x600mm, 830 with Driver	Venture Lighting Europe Ltd
LIG80758	PNL018-KIT02	PNL018-KIT02	27W LED Panel - Pro, 600x600mm 830 with DALI / Switch Dim	Venture Lighting Europe Ltd
LIG80759	PNL018-KIT03	PNL018-KIT03	27W LED Panel - Pro, 600x600mm, 830 with Remote EM Pack	Venture Lighting Europe Ltd
LIG80760	PNL018-KIT04	PNL018-KIT04	27W LED Panel - Pro, 600x600mm, 830, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80761	PNL018-KIT06	PNL018-KIT06	27W LED Panel - Pro, 830 with Flicker Free Driver	Venture Lighting Europe Ltd
LIG80762	PNL038	PNL038	23W LED Panel - Elite, 600x600mm, 830	Venture Lighting Europe Ltd
LIG80763	PNL038-KIT01	PNL038-KIT01	23W LED Panel - Elite, 600x600mm, 830 with Driver	Venture Lighting Europe Ltd
LIG80764	PNL038-KIT02	PNL038-KIT02	23W LED Panel - Elite, 600x600mm, 830, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80765	PNL038-KIT03	PNL038-KIT03	23W LED Panel - Elite, 600x600mm, 830, Emergency	Venture Lighting Europe Ltd
LIG80766	PNL038-KIT04	PNL038-KIT04	23W LED Panel - Elite, 600x600mm, 830, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80767	PNL038-KIT11	PNL038-KIT11	27W LED Panel - Elite, 600x600mm, 830 with Driver	Venture Lighting Europe Ltd
LIG80768	PNL038-KIT12	PNL038-KIT12	27W LED Panel - Elite, 600x600mm, 830, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80769	PNL038-KIT13	PNL038-KIT13	27W LED Panel - Elite, 600x600mm, 830, Emergency	Venture Lighting Europe Ltd
LIG80770	PNL038-KIT14	PNL038-KIT14	27W LED Panel - Elite, 600x600mm, 830, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80771	PNL039	PNL039	23W LED Panel - Elite, 600x600mm, 840	Venture Lighting Europe Ltd
LIG80772	PNL039-KIT01	PNL039-KIT01	23W LED Panel - Elite, 600x600mm, 840 with Driver	Venture Lighting Europe Ltd
LIG80773	PNL039-KIT02	PNL039-KIT02	23W LED Panel - Elite, 600x600mm, 840, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80774	PNL039-KIT03	PNL039-KIT03	23W LED Panel - Elite, 600x600mm, 840, Emergency	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80775	PNL039-KIT04	PNL039-KIT04	23W LED Panel - Elite, 600x600mm, 840, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80776	PNL039-KIT11	PNL039-KIT11	27W LED Panel - Elite, 600x600mm, 840 with Driver	Venture Lighting Europe Ltd
LIG80777	PNL039-KIT12	PNL039-KIT12	27W LED Panel - Elite, 600x600mm, 840, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80778	PNL039-KIT13	PNL039-KIT13	27W LED Panel - Elite, 600x600mm, 840, Emergency	Venture Lighting Europe Ltd
LIG80779	PNL039-KIT14	PNL039-KIT14	27W LED Panel - Elite, 600x600mm, 840, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80780	PNL040	PNL040	23W LED Panel - Elite, 600x600mm, 850	Venture Lighting Europe Ltd
LIG80781	PNL040-KIT01	PNL040-KIT01	23W LED Panel - Elite, 600x600mm, 850 with Driver	Venture Lighting Europe Ltd
LIG80782	PNL040-KIT02	PNL040-KIT02	23W LED Panel - Elite, 600x600mm, 850, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80783	PNL040-KIT03	PNL040-KIT03	23W LED Panel - Elite, 600x600mm, 850, Emergency	Venture Lighting Europe Ltd
LIG80784	PNL040-KIT04	PNL040-KIT04	23W LED Panel - Elite, 600x600mm, 850, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80785	PNL040-KIT11	PNL040-KIT11	27W LED Panel - Elite, 600x600mm, 850 with Driver	Venture Lighting Europe Ltd
LIG80786	PNL040-KIT12	PNL040-KIT12	27W LED Panel - Elite, 600x600mm, 850, DALI/Switch Dim	Venture Lighting Europe Ltd
LIG80787	PNL040-KIT13	PNL040-KIT13	27W LED Panel - Elite, 600x600mm, 850, Emergency	Venture Lighting Europe Ltd
LIG80788	PNL040-KIT14	PNL040-KIT14	27W LED Panel - Elite, 600x600mm, 850, DALI/Switch Dim/EM	Venture Lighting Europe Ltd
LIG80936	LLGY830120B	LED LINE 3000K 1212mm	LED Continuous Trunking System 3000K 1212mm Section	Cora Light Factory
LIG80937	LLGY840120B	LED LINE 4000K 1212mm	LED Continuous Trunking System 3000K 1212mm Section	Cora Light Factory
LIG80938	93081605	Floodlight 2040	FL-YP1-2040-7S-BN	GE Lighting
LIG80939	93082096	Floodlight 3040	FL-YP1-3040-7S-BN	GE Lighting
LIG80940	93082097	Floodlight 5040	FL-YP1-5040-7S-BN	GE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80941	93082098	Floodlight 7540	FL-YP1-7540-7S-BN	GE Lighting
LIG80942	93082099	Floodlight 11540	FL-YP1-11540-7S-BN	GE Lighting
LIG80943	93082100	Floodlight 15040	FL-YP1-15040-7S-BN	GE Lighting
LIG80944	RSP32406060G-01	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group
LIG80945	RSP32406060G-01AD	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Analogue Dim	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Analogue Dimmable	LED Group
LIG80946	RSP32406060G-01ADE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Analogue Dim + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Analogue Dimmable, Emergency	LED Group
LIG80947	RSP32406060G-01ADSTE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Analogue Dim + Self-Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Self-test Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80948	RSP32406060G-01DAE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + DALI Addressable Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI Addressable Emergency	LED Group
LIG80949	RSP32406060G-01DD	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + DALI Driver	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI	LED Group
LIG80950	RSP32406060G-01DDAE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + DALI Dim + DALI Addressable Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI Addressable Emergency	LED Group
LIG80951	RSP32406060G-01DDE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + DALI Dim + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI Dimmable, Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80952	RSP32406060G-01DDSTE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + DALI Driver + Self Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas DALI Dimmable, Self- Test Emergency	LED Group
LIG80953	RSP32406060G-01E	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Emergency	LED Group
LIG80954	RSP32406060G-01STE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Self- Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and another areas * Self-test emergency	LED Group
LIG80955	RSP32406060G-01SWD	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Switch Dim	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Switch Dimmable	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80956	RSP32406060G-01SWDE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Switch Dim + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas Switch Dimmable Emergency	LED Group
LIG80957	RSP32406060G-01SWDSTE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 4000K + Switch Dim + Self-Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group
LIG80958	RSP32506060G-01	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group
LIG80959	RSP32506060G-01AD	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Analogue Dim	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80960	RSP32506060G-01ADE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Analogue Dim + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Analogue Dimmable Emergency	LED Group
LIG80961	RSP32506060G-01ADSTE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Analogue Dim + Self-Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Analogue Dimmable, Self- Test Emergency	LED Group
LIG80962	RSP32506060G-01DAE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + DALI Addressable Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI Addressable Emergency	LED Group
LIG80963	RSP32506060G-01DD	UGR 32W 600x600 LED Panel 5000K + DALI Dim Driver	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI Dimmable	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80964	RSP32506060G-01DDAE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Dimmable DALI + DALI Addressable Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * DALI Dimmable and Addressable Emergency	LED Group
LIG80965	RSP32506060G-01DDE	UGR 32W 600x600 LED Panel 5000K + DALI Dim Driver, 3 Hour Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group
LIG80966	RSP32506060G-01DDSTE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + DALI Dim + Self- Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas, DALI Dimmable Self-Test Emergency	LED Group
LIG80967	RSP32506060G-01E	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80968	RSP32506060G-01STE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Self- Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas, Self-Test Emergency	LED Group
LIG80969	RSP32506060G-01SWD	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Switch Dim	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas, Switch Dimmable	LED Group
LIG80970	RSP32506060G-01SWDE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Switch Dim + Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas, Switch Dimmable Emergency	LED Group
LIG80971	RSP32506060G-01SWDSTE	SPACE UGR<19 32W LED PANEL LIGHT, 600X600MM, WHITE, 5000K + Switch Dim + Self-Test Emergency	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * Efficacy exceeding 106lm/W * 50,000hour average lamp life. * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80972	RSN10050DA-04	SONIC 100W LED HIGHBAY, IP65, 130Lm/W, 2m flex and plug, 1-10V dimmable, 5000K	LED replacement for 200W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG80973	RSN10050DAS-04	SONIC 100W LED HIGHBAY, IP65, 130Lm/W, 1-10V dimmable	LED replacement for 200W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG80974	RSN15050DA-04	SONIC 150W LED HIGHBAY, IP65, 130Lm/W, 2m flex and plug, 1-10V dimmable, 5000K	LED replacement for 300W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80975	RSN15050DAS-04	SONIC 150W LED HIGHBAY, IP65, 130Lm/W, 1-10V dimmable	LED replacement for 300W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG80976	RSN20050DA-04	SONIC 200W LED HIGHBAY, IP65, 110Lm/W, 2m flex and plug, 1-10V dimmable, 5000K	LED replacement for 400W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG80977	RSN20050DAS-04	SONIC 200W LED HIGHBAY, IP65, 130Lm/W, 1-10V dimmable	LED replacement for 400W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80978	RSN20050DAS-04E	SONIC 200W LED HIGHBAY, IP65, 130Lm/W, 1-10V dimmable + Emergency (Pending Test Results)	LED replacement for 400W metal halide Highbay fittings * Die cast aluminium housing with tempered glass front impact rating of IK08 * Prewired with 2m flex and plug * Fitting has 110° beam angle, 85° lens accessory available * Surface mounting bracket and wire guard available * Dimmable with most of the 1-10V systems * Suitable for switching by PIR, Microwave or Photocell, 3-Hour Emergency	LED Group
LIG80979	RSL28406060-01	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000 hour average lamp life.	LED Group
LIG80980	RSL28406060-01E	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE (EMERGENCY)	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000-hour average lamp life, Emergency	LED Group
LIG80981	RSL28406060E-01	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE (C/ w EMERGENCY PACK)	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000-hour average lamp life, 3-Hour Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80982	RSL28406060-01AD	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE ANLAOGUE DIMMINABLE	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000-hour average lamp life, Analogue Dimmable	LED Group
LIG80983	RSL28406060-01ADE	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE ANLAOGUE DIMMINABLE EMERGENCY	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000-hour average lamp life.	LED Group
LIG80984	RSL28406060-01DD	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE DALI DIMMINABLE	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000-hour average lamp life DALI Dimmable	LED Group
LIG80985	RSL28406060-01DDE	28W STELLAR INDIRECT PANEL, 4000K, 600X600, WHITE DALI DIMMINABLE EMERGENCY	LED replacement for 4x18W T8 lay-in panels * Fits into standard sizes of ceiling grid - 15mm and 24mm * Impact rating of IK06 * UGR <19 complies with the requirements of EN12464 for reading, writing and computer-based tasks in offices and other areas * Efficacy of 113lm/W * * 50,000-hour average lamp life, DALI Dimmable Emergency	LED Group
LIG80986	RLU18CCT3-01	LUSTRE 18W LED CCT3 selectable dimnable surface fitting, IP20, White	LED replacement for 28W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K *	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80987	RLU18CCT3DM-01	LUSTRE 18W LED CCT3 selectable non-dimmable surface fitting with MW sensor, IP20, White	LED replacement for 28W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K * Microwave Sensor	LED Group
LIG80988	RLU24CCT3-01	LUSTRE 24W LED CCT3 selectable dimmable surface fitting, IP20, White	LED replacement for 38W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K *	LED Group
LIG80989	RLU24CCT3DM-01	LUSTRE 24W LED CCT3 selectable non-dimmable surface fitting with MW sensor, IP20, White	LED replacement for 38W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K * Microwave Sensor	LED Group
LIG80990	RLU18X0-01	LUSTRE 18W LED CCT3 selectable non-dimmable surface fitting, IP20, White	LED replacement for 28W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K *	LED Group
LIG80991	RLU18X0S-01	LUSTRE 18W LED 3CCT selectable non-dimmable surface fitting with MW sensor, IP20, White	LED replacement for 28W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K * Microwave Sensor	LED Group
LIG80992	RLU24X0-01	LUSTRE 24W LED CCT3 selectable non-dimmable surface fitting, IP20, White	LED replacement for 38W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K *	LED Group
LIG80993	RLU24X0S-01	LUSTRE 24W LED 3CCT selectable non-dimmable surface fitting with MW sensor, IP20, White	LED replacement for 38W 2D fluorescent fittings * Pressed steel base with twist and lock type PMMA diffuser * CCT selectable via integrated switch between 3000K, 4000K and 6000K * Microwave Sensor	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80994	RTY1040-01	TROY 10W LED track spot, IP20, White, 4000K	Comparable to 20W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG80995	RTY1040-04	TROY 10W LED track spot, IP20, Black, 4000K	Comparable to 20W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG80996	RTM2540-01	TRAM 25W LED track spot, dimmable, IP20, White, 4000K	Comparable to 35W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG80997	RTM2540-04	TRAM 25W LED track spot, dimmable, IP20, Black, 4000K	Comparable to 35W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG80998	RTM3540-01	TRAM 35W LED track spot, dimmable, IP20, White, 4000K	Comparable to 50W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG80999	RTM3540-04	TRAM 35W LED track spot, dimmable, IP20, Black, 4000K	Comparable to 50W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81000	RTK1240-01	TREK 12W LED track spot, IP20, White, 4000K	Comparable to 50W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG81001	RTK1240-04	TREK 12W LED track spot, IP20, Black, 4000K	Comparable to 50W metal halide fittings * Suitable for use with ROBUS single circuit tracks * Die cast aluminium housing with polycarbonate reflector * 30,000-hour average lamp life * * Adjustable rotation angle of 350° and tilt of 90°	LED Group
LIG81002	R100LED3SD-01	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 4000K + 3 Step Dimming	LED replacement for 28W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off	LED Group
LIG81003	R100LED3SD-13	GOLF 10W LED with Pro-diffuser, IP65, 330mm, Brushed Chrome, 4000K + 3 Step Dimming	LED replacement for 28W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off	LED Group
LIG81004	R100LED3SD-01E	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 4000K + 3 Step Dimming (Emergency)	LED replacement for 28W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group
LIG81005	R100LED3SD-13E	GOLF 10W LED with Pro-diffuser, IP65, 330mm, Brushed Chrome, 4000K + 3 Step Dimming (Emergency)	LED replacement for 28W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group
LIG81006	R100LED3SDE-01	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 4000K + 3 Step Dimming (3-Hour Emergency)	LED replacement for 28W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81007	R100LED3SDE-13	GOLF 10W LED with Pro-diffuser, IP65, 330mm, Brushed Chrome, 4000K + 3 Step Dimming (3-Hour Emergency)	LED replacement for 28W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group
LIG81008	R150LED3SD-01	GOLF 15W LED with Pro-diffuser, IP65, 330mm, White, 4000K + 3 Step Dimming	LED replacement for 38W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off	LED Group
LIG81009	R150LED3SD-13	GOLF 15W LED with Pro-diffuser, IP65, 330mm, Brushed Chrome, 4000K + 3 Step Dimming	LED replacement for 38W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off	LED Group
LIG81010	R150LED3SD-01E	GOLF 15W LED with Pro-diffuser, IP65, 330mm, White, 4000K + 3 Step Dimming (Emergency)	LED replacement for 38W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group
LIG81011	R150LED3SD-13E	GOLF 15W LED with Pro-diffuser, IP65, 330mm, Brushed Chrome, 4000K + 3 Step Dimming (Emergency)	LED replacement for 38W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group
LIG81012	R150LED3SDE-01	GOLF 15W LED with Pro-diffuser, IP65, 330mm, White, 4000K + 3 Step Dimming (3-Hour Emergency)	LED replacement for 38W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group
LIG81013	R150LED3SDE-13	GOLF 15W LED with Pro-diffuser, IP65, 330mm, Brushed Chrome, 4000K + 3 Step Dimming (3-Hour Emergency)	LED replacement for 38W 2D fluorescent fittings * Polycarbonate housing * Impact Rating of IK09 * 3-Step Dimming, 100% On, Dimming Phase, Off, 3-Hour Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81014	RBN2006CCT3-01	BARON 20W LED Batten, IP20, 0.6m, CCT selectable 3000K, 4500K, 6500K	LED replacement for 2x18W T8 fluorescent surface fittings * Low profile aluminium housing with polycarbonate end caps and diffuser * CCT changing via 3-way switch under one of end caps enabling switching between 3000K, 4500K and 6500K * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG81015	RBN4012CCT3-01	BARON 40W LED Batten, IP20, 1.2m, CCT selectable 3000K, 4500K, 6500K	LED replacement for 2x36W T8 fluorescent surface fittings * Low profile aluminium housing with polycarbonate end caps and diffuser * CCT changing via 3-way switch under one of end caps enabling switching between 3000K, 4500K and 6500K * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG81016	RBN6015CCT3-01	BARON 60W LED Batten, IP20, 1.5m, CCT selectable 3000K, 4500K, 6500K	LED replacement for 2x58W T8 fluorescent surface fittings * Low profile aluminium housing with polycarbonate end caps and diffuser * CCT changing via 3-way switch under one of end caps enabling switching between 3000K, 4500K and 6500K * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG81017	RBN6018CCT3-01	BARON 80W LED Batten, IP20, 1.8m, CCT selectable 3000K, 4500K, 6500K	LED replacement for 2x58W T8 fluorescent surface fittings * Low profile aluminium housing with polycarbonate end caps and diffuser * CCT changing via 3-way switch under one of end caps enabling switching between 3000K, 4500K and 6500K * Suitable for switching by PIR, Microwave or Photocell	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81018	RPD15050DA-23	PRISMOID 150W LED linear high bay, IP65, 1-10V dimmable, Silver, 880mm, 5000K	LED replacement for 300W metal halide fittings * Extruded aluminium housing with PMMA lens providing, Impact rating of IK10 * Prewired with 350mm rubber flex * Efficacy of 135lm/W * Comes with 30x70 degree beam angle lens * 90-degree lens available as accessory * Rotating surface mounting brackets also available * Dimmable with most of 1-10V systems * Suitable for switching by PIR, Microwave or Photocell	LED Group
LIG81019	RPD15050DA-23E	PRISMOID 150W LED linear high bay, IP65, 1-10V dimmable, 5000K + Emergency	LED replacement for 300W metal halide fittings * Extruded aluminium housing with PMMA lens providing, Impact rating of IK10 * Prewired with 350mm rubber flex * Efficacy of 135lm/W * Comes with 30x70 degree beam angle lens * 90-degree lens available as accessory * Rotating surface mounting brackets also available * Dimmable with most of 1-10V systems * Suitable for switching by PIR, Microwave or Photocell, 3-Hour Emergency	LED Group
LIG80437	NFC34/66/850	FALCON 34 850	Recessed LED panel, TP(a) rated, 595x595mm, 5000K	NVC Lighting Ltd
LIG80438	NFU34/66/850	FULTON 34 850	Recessed LED panel, 595x595mm, 4000K	NVC Lighting Ltd
LIG80439	NFC55/126/850	FALCON 55 850	Recessed LED panel, TP(a) rated, 1195x295mm, 5000K	NVC Lighting Ltd
LIG80440	NFU55/126/850	FULTON 55 850	Recessed LED panel, 1195x295mm, 4000K	NVC Lighting Ltd
LIG80441	NFC55/126/840	FALCON 55 840	Recessed LED panel, TP(a) rated, 1195x295mm, 5000K	NVC Lighting Ltd
LIG80442	NFU55/126/840	FULTON 55 840	Recessed LED panel, 1195x295mm, 4000K	NVC Lighting Ltd
LIG80443	NST34/66/840	STERLING	Recessed LED panel, 595x595mm, 4000K	NVC Lighting Ltd
LIG80444	NWS15/LED/840	WISCONSIN 15 840	Recessed LED downlight, 4000K	NVC Lighting Ltd
LIG80445	NWS15/LED/850	WISCONSIN 15 850	Recessed LED downlight, 5000K	NVC Lighting Ltd
LIG80446	NWS25/LED/840	WISCONSIN 25 840	Recessed LED downlight, 4000K	NVC Lighting Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG80447	NWS25/LED/850	WISCONSIN 25 850	Recessed LED downlight, 5000K	NVC Lighting Ltd
LIG80448	NWS35/LED/840	WISCONSIN 35 840	Recessed LED downlight, 4000K	NVC Lighting Ltd
LIG80449	NWS35/LED/850	WISCONSIN 35 850	Recessed LED downlight, 5000K	NVC Lighting Ltd
LIG80450	NGN1X4/850	GREENLAND V2 1X4	Linear LED Non-Corrosive, IP65, 5000K	NVC Lighting Ltd
LIG80451	NGN2X4/850	GREENLAND V2 2X4	Linear LED Non-Corrosive, IP65, 5000K	NVC Lighting Ltd
LIG80452	NGN1X5/850	GREENLAND V2 1X5	Linear LED Non-Corrosive, IP65, 5000K	NVC Lighting Ltd
LIG80453	NGN2X5/850	GREENLAND V2 2X5	Linear LED Non-Corrosive, IP65, 5000K	NVC Lighting Ltd
LIG80454	NAC60/840	AZTEC 60	Circular LED High-bay, 4000K	NVC Lighting Ltd
LIG80455	NAC100/840	AZTEC 100	Circular LED High-bay, 4000K	NVC Lighting Ltd
LIG80456	NAC150/840	AZTEC 150	Circular LED High-bay, 4000K	NVC Lighting Ltd
LIG80457	NAC200/840	AZTEC 200	Circular LED High-bay, 4000K	NVC Lighting Ltd
LIG80458	NAC240/840	AZTEC 240	Circular LED High-bay, 4000K	NVC Lighting Ltd
LIG80459	NKE140/LED/840	KELSO LED	Rectangular LED Low-bay, 4000K	NVC Lighting Ltd
LIG81385	VER-TRIFH-F1200-36-XXX-PMMA	KNOX Food & Hygiene 1200mm 36W	KNOX Food & Hygiene 1200mm 36W PMMA	Verde LED ltd
LIG81386	VER-TRIFH-F1500-48-XXX-PMMA	KNOX Food & Hygiene 1500mm 48W	KNOX Food & Hygiene 1500mm 48W PMMA	Verde LED ltd
LIG81387	5TCA10LGA	Tech 20w LED	LED Streetlight 20w LED	VeeLite
LIG81388	5TCA11GLC	Tech 19w LED	LED Streetlight 19w LED	VeeLite
LIG81389	5TCA11GLB	Tech 27w LED	LED Streetlight 27w LED	VeeLite
LIG81390	5TCA11GLA	Tech 38w LED	LED Streetlight 38w LED	VeeLite
LIG81391	5TCA12GLC	Tech 28w LED	LED Streetlight 28w LED	VeeLite
LIG81392	5TCA12GLB	Tech 40w LED	LED Streetlight 40w LED	VeeLite
LIG81393	5TCA12GLA	Tech 55w LED	LED Streetlight 55w LED	VeeLite
LIG81394	5TCA13GLC	Tech 36w LED	LED Streetlight 36w LED	VeeLite
LIG81395	5TCA13GLB	Tech 52w LED	LED Streetlight 52w LED	VeeLite

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81396	5TCA13GLA	Tech 73w LED	LED Streetlight 73w LED	VeeLite
LIG81397	5TCB14GLC	Tech 54w LED	LED Streetlight 54w LED	VeeLite
LIG81398	5TCB14GLB	Tech 77w LED	LED Streetlight 77w LED	VeeLite
LIG81399	5TCB14GLA	Tech 108w LED	LED Streetlight 108w LED	VeeLite
LIG81400	5TCB15GLC	Tech 69w LED	LED Streetlight 69w LED	VeeLite
LIG81401	5TCB15GLB	Tech 100w LED	LED Streetlight 100w LED	VeeLite
LIG81402	5TCB15GLA	Tech 142w LED	LED Streetlight 142w LED	VeeLite
LIG81414	VRC/5/2500NW/DALI	VRC/5/2500 NW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81415	VRC/5/2500WW/DALI	VRC/5/2500 WW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81416	VRC/5/3750NW/DALI	VRC/5/3750 NW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81417	VRC/5/3750WW/DALI	VRC/5/3750 WW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81418	VRC/5/5000NW/DALI	VRC/5/5000 NW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81419	VRC/5/5000WW/DALI	VRC/5/5000 WW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81420	VRC/5/6250NW/DALI	VRC/5/6250 NW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81421	VRC/5/6250WW/DALI	VRC/5/6250 WW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81422	VRC/5/7500NW/DALI	VRC/5/7500 NW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81423	VRC/5/7500WW/DALI	VRC/5/7500 WW	Vandal resistant surface linear luminaire	Designplan Lighting
LIG81510	C51SL4520	C51-S 540X1500 LED 20000HF 840	Surface mounted sport hall luminaire, 20000 lumen colour 840 LED Lightsource	Glamox Ireland Ltd.,
LIG81511	C80F63100	C80-P1702 30/70 LED 9000 HF 840 MP	Pendant direct/indirect 70/30 luminaire, 9000 lumen LED Colour 840 HF	Glamox Ireland Ltd.,
LIG81512	A90212125	A90-P2 LED 20000 HF 840 F/AL	IP65 industrial pendant luminaire, 20000 lumen colour 840 HF LED Lightsource	Glamox Ireland Ltd.,
LIG81726	22172902-00	EcoLex 6A	recessed LED downlighter	Disano Ireland
LIG81727	22172916-00	Eco Lex 3	recessed LED downlighter	Disano Ireland
LIG81728	22172906-00	EcoLex3A	recessed LED downlighter	Disano Ireland
LIG81729	22172915-00	Eco Lex 2	recessed LED downlighter	Disano Ireland
LIG81730	22172919-00	EcoLex 2A	recessed LED downlighter	Disano Ireland

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81731	22103410-00	Focus1	LED Track Spot White	Disano Ireland
LIG81732	22103430-00	Focus2	LED Track Spot Black	Disano Ireland
LIG81733	22103470-00	Focus3	LED Track Spot Silver	Disano Ireland
LIG81734	22103412-00	Focus4	Led Track Spot White	Disano Ireland
LIG81735	22103432-00	Focus5	Led Track Spot Black	Disano Ireland
LIG81736	22103472-00	Focus6	Led Track Spot Silver	Disano Ireland
LIG81737	22103414-00	Focus7	Led Track Spot White	Disano Ireland
LIG81738	22103434-00	Focus8	Led Track Spot Black	Disano Ireland
LIG81739	22103474-00	Focus9	Led Track Spot Silver	Disano Ireland
LIG81740	22103416-00	Focus10	Led Track Spot White	Disano Ireland
LIG81741	22103436-00	Focus11	Led Track Spot Black	Disano Ireland
LIG81742	22103476-00	Focus12	Led Track Spot Silver	Disano Ireland
LIG81743	22103516-00	Focus13	Led Track Spot White	Disano Ireland
LIG81744	22103536-00	Focus14	Led Track Spot Black	Disano Ireland
LIG81745	22103576-00	Focus15	Led Track Spot Silver	Disano Ireland
LIG81746	22184612-00	Pannello	recessed LED panel	Disano Ireland
LIG81747	22184613-00	Pannello1	recessed LED panel	Disano Ireland
LIG81748	22184614-00	Pannello2	recessed LED panel	Disano Ireland
LIG81749	22160315-00	Velvet 3	recessed LED downlighter IP44	Disano Ireland
LIG81750	22160316-00	Velvet 3A	recessed LED downlighter IP44	Disano Ireland
LIG81751	22119210-00	Professional 2A	recessed LED downlighter IP44	Disano Ireland
LIG81752	22119211-00	Professional 2B	recessed LED downlighter IP44	Disano Ireland
LIG81753	22119310-00	Professional 2C	recessed LED downlighter IP44	Disano Ireland
LIG81754	22119311-00	Professional 2D	recessed LED downlighter IP44	Disano Ireland
LIG81755	414754-00	Rodio1	LED Floodlight asymmetric	Disano Ireland
LIG81756	414755-00	Rodio2	LED Floodlight asymmetric	Disano Ireland
LIG81757	414756-00	Rodio3	LED Floodlight asymmetric	Disano Ireland
LIG81758	414784-00	Rodio5	LED Floodlight Symmetric Wide Beam	Disano Ireland
LIG81759	414785-00	Rodio6	LED Floodlight Symmetric Wide Beam	Disano Ireland
LIG81760	414786-00	Rodio7	LED Floodlight Symmetric Wide Beam	Disano Ireland
LIG81761	414787-00	Rodio8	LED Floodlight Symmetric Wide Beam	Disano Ireland
LIG81762	22087815-00	Luthor	Recessed adjustable downlighter	Disano Ireland

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81763	22087817-00	Luthor1	Recessed adjustable downlighter	Disano Ireland
LIG81764	22088810-00	Luthor2	Recessed adjustable downlighter	Disano Ireland
LIG81765	22088811-00	Luthor3	Recessed adjustable downlighter	Disano Ireland
LIG81766	22184474-00	Pannelo R2	Recessed LED panel	Disano Ireland
LIG81790	VSTPP66344KZ	VersaPanel	Recessed lay in 600mm Sq LED modular IP44 luminaire	Cooper Lighting & Safety Ltd.
LIG81791	MLGUGR66344 KZ	Modulay LG	Recessed lay in modular LED luminaire with low glare controller	Cooper Lighting & Safety Ltd.
LIG81857	Stormloc 4	ASLED4	Stormloc 27W IP65 LED Non-Corrosive Single 4ft	Ansell Lighting
LIG81858	Stormloc 2x4	ASLED2X4	Stormloc 57W IP65 LED Non-Corrosive Twin 4ft	Ansell Lighting
LIG81859	Tornado 5.	ATORLED5	Tornado 28W IP65 LED Non-Corrosive Single 5ft	Ansell Lighting
LIG81860	Tornado 2x5	ATORLED2X5	Tornado 58W IP65 LED Non-Corrosive Twin 5ft	Ansell Lighting
LIG81861	Proline 4	APRLED4	Proline 25W LED Surface Linear Single 4ft	Ansell Lighting
LIG81862	Proline 2x4	APRLED2X4	Proline 52W LED Surface Linear Twin 4ft	Ansell Lighting
LIG81863	Proline 5	APRLED5	Proline 33W LED Surface Linear Single 5ft	Ansell Lighting
LIG81864	Proline 2x5	APRLED2X5	Proline 61W LED Surface Linear Twin 5ft	Ansell Lighting
LIG81865	Gemini 2x4	AGELED2X4	Gemini 41W LED Linear Twin 4ft	Ansell Lighting
LIG81866	Gemini 2x5	AGELED2X5	Gemini 54W LED Linear Twin 5Ft	Ansell Lighting
LIG81867	Infinite LED	AIRMLLED	Infinite 36W LED 600x600 Panel	Ansell Lighting
LIG81868	Endurance 60 LED	AERMLLED/60	Endurance 30W LED 600x600 Panel	Ansell Lighting
LIG81869	Endurance 120 LED	AERMLLED/120	Endurance 60W LED 1200x600 Panel	Ansell Lighting
LIG81870	Endurance 30 LED	AERMLLED/30	Endurance 30W LED 1200x300 Panel	Ansell Lighting
LIG81871	Defender LED	ADELED	Defender 48W LED IP65 Clean Air Recessed Modular	Ansell Lighting
LIG81872	Gridline Duo	AGDLED	Gridline Duo LED Indirect Recessed Modular	Ansell Lighting
LIG81873	Gridline Indirect	AINLED	Gridline LED Indirect	Ansell Lighting
LIG81874	Otto LED 5	AOTLED5	Otto 48W LED Suspended Linear	Ansell Lighting
LIG81875	Otto LED 2x5	AOTLED2X5	Otto 84W LED Suspended Linear	Ansell Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81876	MultiRay 1	AMRLED1	MultiRay IP65 105W LED High Bay	Ansell Lighting
LIG81877	MultiRay 2	AMRLED2	MultiRay IP65 134W LED High Bay	Ansell Lighting
LIG81878	MultiRay 3	AMRLED3	MultiRay IP65 165W LED High Bay	Ansell Lighting
LIG81879	MultiRay 4	AMRLED4	MultiRay IP65 250W LED High Bay	Ansell Lighting
LIG81880	Unity 150 Downlight	AULED150D	Unity 150 LED Downlight	Ansell Lighting
LIG81881	Unity 150 HP Downlight	AULED150 DHP	Unity 150 DHP LED Downlight	Ansell Lighting
LIG81882	Unity 100 Square	AUSQLED1 00D	Unity 100 Square LED Downlight	Ansell Lighting
LIG81883	Unity 125 Square	AUSQLED1 25D	Unity 125 Square LED Downlight	Ansell Lighting
LIG81884	Unity 150 Square	AUSQLED1 50D	Unity 150 Square LED Downlight	Ansell Lighting
LIG81885	Unity 150 Wallwash	AULED150 WW	Unity 150 LED Wallwash	Ansell Lighting
LIG81886	Unity 175 Wallwash	AULED175 WW	Unity 175 LED Wallwash	Ansell Lighting
LIG81887	Unity Rectangular Wallwash	AULEDREC WW	Unity Rectangular LED Wallwash	Ansell Lighting
LIG81888	Unity S Downlight	AULED1/SQU	Unity S LED Downlight	Ansell Lighting
LIG81889	Unity R Downlight	AULED2/REC	Unity R LED Downlight	Ansell Lighting
LIG81890	Unity LED 2	AULEDS2	Unity 2 LED - 29W Single Circuit Track Luminaire	Ansell Lighting
LIG81891	Unity LED 3	AULEDS3	Unity 3 LED - 37W Single Circuit Track Luminaire	Ansell Lighting
LIG81892	Unity LED 4	AULEDS4	Unity 4 LED - 42W Single Circuit Track Luminaire	Ansell Lighting
LIG81893	Comfort LED 1	ACOLED1	Comfort LED 21W LED Downlight	Ansell Lighting
LIG81894	Comfort LED 3 HP	ACOLED3	Comfort LED HP 34W Downlight	Ansell Lighting
LIG81895	Galaxy 1 CCT LED	AGALED/1/ CCT	Galaxy 1 LED 15W 3000K/4000K Adjustable Downlight	Ansell Lighting
LIG81896	Galaxy 2 CCT LED	AGALED/2/ CCT	Galaxy 2 LED 20W 3000K/4000K Adjustable Downlight	Ansell Lighting
LIG81897	Gamma LED	AGAMLED	Gamma 18W LED Circular Bulkhead	Ansell Lighting
LIG81898	Eclipse Multi-LED	AECLED/W	Eclipse Multi-LED Circular Aluminium Bulkhead	Ansell Lighting
LIG81899	Vision 3 LED HP	AVILED/HP	Vision LED HP Bulkhead	Ansell Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81900	Mercury HP LED	AMERLED/HP	Mercury 33W HP LED Bulkhead	Ansell Lighting
LIG81901	Mira 30W LED Floodlight	AMLED30	Mira 30W LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81902	Mira 50W LED Floodlight	AMLED50	Mira 50W LED Die-Cast Aluminium Floodlight	Ansell Lighting
LIG81903	Mira 100W LED Floodlight	AMLED100	Mira 100W LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81904	Mira 200W LED Floodlight	AMLED200	Mira 200W LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81905	Polaris 10W Floodlight	APOLED10	Polaris 10W AC LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81906	Polaris 30W Floodlight	APOLED30	Polaris 30W AC LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81907	Polaris 50W Floodlight	APOLED50	Polaris 50W AC LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81908	Polaris 100W Floodlight	APOLED100	Polaris 100W AC LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81909	Polaris 200W Floodlight	APOLED200	Polaris 200W AC LED Die-cast Aluminium Floodlight	Ansell Lighting
LIG81910	Prism LED Downlight	APRILED	Prism 7.3W LED Fire Rated Downlight	Ansell Lighting
LIG81911	Astro LED 1	AALED1	Astro 7W LED Bulkhead	Ansell Lighting
LIG81912	Astro LED 2	AALED2	Astro 14W LED Bulkhead	Ansell Lighting
LIG81913	Delta LED 1	ADLED1	Delta 6W LED Bulkhead	Ansell Lighting
LIG81914	Delta LED 2	ADLED2	Delta 14W LED Bulkhead	Ansell Lighting
LIG81915	Topline 6 Single 4ft	ATLLED4	Topline 6 LED Batten 27W 4ft Single	Ansell Lighting
LIG81916	Topline 6 Twin 4ft	ATLLED2X4	Topline 6 LED Batten 48W 4ft Twin	Ansell Lighting
LIG81917	Topline 6 Single 5ft	ATTLED5	Topline 6 LED Batten 35W 5ft Single	Ansell Lighting
LIG81918	Topline 6 Twin 5ft	ATTLED2X5	Topline 6 LED Batten 62w 5ft Twin	Ansell Lighting
LIG81919	Topline 6 Single 6ft	ATTLED6	Topline 6 LED Batten 43W 6ft Single	Ansell Lighting
LIG81920	Topline 6 Twin 6ft	ATTLED2X6	Topline 6 LED Batten 86W 6ft Twin	Ansell Lighting
LIG81921	Disco Slim LED 2	ADSILED2	Disco LED Slim 13W Bulkhead	Ansell Lighting
LIG81929	EDU1/28T5 Prisma	Edulux HG 201 Plast Prisma 1/28T5	Surface 1200mm Single Lamp luminaire for 28w T5 lamp with Prismatic Diffuser	ACEC Distributors

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81930	EDU1/35T5 Prisma	Edulux HG 201 Plast Prisma 1/35T5	Surface 1500mm Single Lamp luminaire for 35w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81931	EDU1/49T5 Prisma	Edulux HG 201 Plast Prisma 1/49T5	Surface 1500mm Single Lamp luminaire for 49w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81932	EDU2/28T5 Prisma	Edulux HG 201 Plast Prisma 2/28T5	Surface 1200mm Twin Lamp luminaire for 28w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81933	EDU2/35T5 Prisma	Edulux HG 201 Plast Prisma 2/35T5	Surface 1500mm Twin Lamp luminaire for 35w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81934	EDU2/54T5 Prisma	Edulux HG 201 Plast Prisma 2/54T5	Surface 1200mm Twin Lamp luminaire for 54w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81935	EDU2/49T5 Prisma	Edulux HG 201 Plast Prisma 2/49T5	Surface 1500mm Twin Lamp luminaire for 49w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81936	Edulux HG 201 Plast Prisma 2/35T5 HFD	Edulux HG 201 Plast Prisma 2/35T5 Dimmable	Surface 1500mm Twin Lamp Dimmable luminaire for 35w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81937	Edulux HG 201 Plast Prisma 2/49T5 HFD	Edulux HG 201 Plast Prisma 2/49T5 Dimmable	Surface 1500mm Twin Lamp Dimmable luminaire for 49w T5 lamp with Prismatic Diffuser	ACEC Distributors
LIG81950	96665830	BETO4000X4K	BETA OFFICE LED4000-840 HFIX Q597	Thorn Lighting
LIG81951	96665834	BETO4000XE 4K	BETA OFFICE LED4000-840 HFIX E3 Q597	Thorn Lighting
LIG81952	96628244	BETO4000Z4K	BETA OFFICE LED4000-840 HF Q597	Thorn Lighting
LIG81953	96628247	BETO4000ZE 4K	BETA OFFICE LED4000-840 HF E3 Q597	Thorn Lighting
LIG81275	EN-FL300A/40	Helius 300W Adjustable IP65 LED Floodlight	300W Adjustable IP65 LED Floodlight. Black. 22500 lumens. 3-year warranty	Aurora Lighting Limited
LIG81279	Litho Circuits LED SOX 303032AC	LED SOX	LED HPS replacement	Litho Circuits
LIG81376	BA35/1000NW/XC31/DA	BA35/1000NW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81377	BA35/1000WW/XC31/DA	BA35/1000WW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG81378	BA35/1400NW/XC31/DA	BA35/1400NW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81379	BA35/1400WW/XC31/DA	BA35/1400WW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81380	BA35/1900NW/XC31/DA	BA35/1900NW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81381	BA35/1900WW/XC31/DA	BA35/1900WW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81382	BA35/2400NW/XC31/DA	BA35/2400NW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81383	BA35/2400WW/XC31/DA	BA35/2400WW/	Anti-ligature round bulkhead 350mm Diameter	Designplan Lighting
LIG81517	BQ-FPL-P1200/2835-40	1200x120mm Panel Lights 40W	Size:1200x120x20mm. AC100-240V, color:4000K. PF>0.9 CRI ≥ 80 3200lm 50000 hrs	Royal /TA KoEnergies LTD
LIG81649	VER-TRI3-F1200-20-840	KNOX GEN 3 1200mm 20W	KNOX GEN 3 1200mm 20W	Verde LED ltd
LIG81982	PS-COBDL-50W-C16(8inch)	PS-DL-50W-C16(8inch)	Voltage: AC100-240V LED: Original CITIZEN COB led Size: D230mm* H99mm Cut hole: 200-210mm Bean Angle: 60° Material: Die-cast aluminium PF: 0.9 CCT: 3000K/4000K/5000k Lifespan: 50,000hours	Royal /TA KoEnergies LTD
LIG81983	PS-COBDL-40W-C16(8inch)	PS-DL-40W-C16(8inch)	Voltage: AC100-240V LED: Original CITIZEN COB led Size: D230mm* H99mm Cut hole: 200-210mm Bean Angle: 60° Material: Die-cast aluminium PF: 0.9 CCT: 3000K/4000K/5000k Lifespan: 50,000hours	Royal /TA KoEnergies LTD
LIG81984	PS-COBDL-30W-C16(8inch)	PS-DL-30W-C16(8inch)	Voltage: AC100-240V LED: Original CITIZEN COB led Size: D230mm* H99mm Cut hole: 200-210mm Bean Angle: 60° Material: Die-cast aluminium PF: 0.9 CCT: 3000K/4000K/5000k Lifespan: 50,000hours	Royal /TA KoEnergies LTD
LIG82001	IND138-C10-SM	VLUMA Highbay	83W Vluma Highbay, 840, 1-10V, Microwave Sensor	Venture Lighting Europe Ltd
LIG82002	96666162	96666162	CHAL PRO LED5000-840 HFI MB W6 MSF	Thorn Lighting
LIG82003	96666160	96666160	CHAL PRO LED5000-840 HF MB W6 MSF	Thorn Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG82004	96242241	PP3000Z4F	POPPACK LED3000-840 HF L1200	Thorn Lighting
LIG77402	140057154	LED Downlight Rc-P-HG R150-11.5W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77403	140057155	LED Downlight-P-HG R150-11.5W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77404	140057152	LED Downlight-P-HG R200-15W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77405	140057153	LED Downlight-P-HG R200-15W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77406	140057156	LED Downlight-P-HG R200-23W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77407	140057157	LED Downlight-P-HG R200-23W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77408	140057158	LED Downlight-P-HG R200-33W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77409	140057159	LED Downlight-P-HG R200-33W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77410	140057162	LED Downlight-P-HG R150-11.5W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77411	140057163	LED Downlight-P-HG R150-11.5W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77412	140057160	LED Downlight-P-HG R200-15W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77413	140057161	LED Downlight-P-HG R200-15W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77414	140057164	LED Downlight-P-HG R200-23W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77415	140057165	LED Downlight-P-HG R200-23W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77416	140057166	LED Downlight-P-HG R200-33W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77417	140057167	LED Downlight-P-HG R200-33W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77418	140057170	LED Downlight-P-MW R150-11.5W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77419	140057171	LED Downlight-P-MW R150-11.5W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77420	140057168	LED Downlight-P-MW R200-15W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77421	140057169	LED Downlight-P-MW R200-15W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77422	140057172	LED Downlight-P-MW R200-23W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77423	140057173	LED Downlight-P-MW R200-23W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77424	140057174	LED Downlight-P-MW R200-33W-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77425	140057175	LED Downlight-P-MW R200-33W-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77426	140057178	LED Downlight-P-MW R150-11.5W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77427	140057179	LED Downlight-P-MW R150-11.5W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77428	140057176	LED Downlight-P-MW R200-15W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77429	140057177	LED Downlight-P-MW R200-15W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77430	140057180	LED Downlight-P-MW R200-23W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77431	140057181	LED Downlight-P-MW R200-23W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77432	140057182	LED Downlight-P-MW R200-33W-DALI-3000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77433	140057183	LED Downlight-P-MW R200-33W-DALI-4000	Available in different light colours and with DALI dimming. Including protective foil for IP44. Diffuse light distribution with low glare UGR 19 for most versions.	OPPLE Lighting
LIG77434	140062700	LED PanelRc-S-E2 Sq595-34W-3000-WH	Flicker-free light. Lifespan of 50,000 hours. Slim design, thickness of 8 mm.	OPPLE Lighting
LIG77435	140062701	LED PanelRc-S-E2 Sq595-34W-4000-WH	Flicker-free light. Lifespan of 50,000 hours. Slim design, thickness of 8 mm.	OPPLE Lighting
LIG77436	140062706	LED PanelRc-S-E2 Re295-34W-3000-WH	Flicker-free light. Lifespan of 50,000 hours. Slim design, thickness of 8 mm.	OPPLE Lighting
LIG77437	140062707	LED PanelRc-S-E2 Re295-34W-4000-WH	Flicker-free light. Lifespan of 50,000 hours. Slim design, thickness of 8 mm.	OPPLE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77438	140059962	LED PanelRe-SI-E Sq595-37W-6500-WH	Flicker-free light. Lifespan of 50,000 hours. Slim design, thickness of 8 mm.	OPPLE Lighting
LIG77439	140059963	LED PanelRe-SI-E Re295-37W-6500-WH	Flicker-free light. Lifespan of 50,000 hours. Slim design, thickness of 8 mm.	OPPLE Lighting
LIG77440	140054491	LED Flood-E Re250-30W-4000	Slim aluminium body with integrated heatsink. IK08 and IP65. Including connection wire of 1 meter.	OPPLE Lighting
LIG77441	140054492	LED Flood-E Re280-50W-4000	Slim aluminium body with integrated heatsink. IK08 and IP65. Including connection wire of 1 meter.	OPPLE Lighting
LIG77442	140054493	LED Flood-E Re280-70W-4000	Slim aluminium body with integrated heatsink. IK08 and IP65. Including connection wire of 1 meter.	OPPLE Lighting
LIG77443	140062610	LED P T8 glass 600 8W 100pct 3000K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77444	140062611	LED P T8 glass 600 8W 100pct 4000K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77445	140062612	LED P T8 glass 600 8W 100pct 6500K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77446	140062613	LED P T8 glass 1200 16W 100pct 3000K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77447	140062614	LED P T8 glass 1200 16W 100pct 4000K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77448	140062615	LED P T8 glass 1200 16W 100pct 6500K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77449	140062616	LED P T8 glass 1500 23W 100pct 3000K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77450	140062617	LED P T8 glass 1500 23W 100pct 4000K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting
LIG77451	140062618	LED P T8 glass 1500 23W 100pct 6500K CT	Single-ended full IEC compliant with patented driver. Full glass.	OPPLE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77452	140057960	LEDHighbay-P3 80W-4000-60D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77453	140057961	LEDHighbay-P3 80W-4000-100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77454	140057962	LEDHighbay-P3 80W-4000-60+100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77455	140057963	LEDHighbay-P3 120W-4000-60D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77456	140057964.	LEDHighbay-P3 120W-4000-100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77457	140057965	LEDHighbay-P3 120W-4000-60+100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77458	140057966	LEDHighbay-P3 160W-4000-60D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77459	140057967	LEDHighbay-P3 160W-4000-100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77460	140057968	LEDHighbay-P3 160W-4000-60+100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77461	140057969	LEDHighbay-P3 80W-DALI-4000-60D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77462	140057970	LEDHighbay-P3 80W-DALI-4000-100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77463	140057971	LEDHighbay-P3 80W-DALI-4000-60+100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77464	140057972	LEDHighbay-P3 120W-DALI-4000-60D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77465	140057973	LEDHighbay-P3 120W-DALI-4000-100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77466	140057974	LEDHighbay-P3 120W-DALI-4000-60+100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77467	140057975	LEDHighbay-P3 160W-DALI-4000-60D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77468	140057976	LEDHighbay-P3 160W-DALI-4000-100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77469	140057977	LEDHighbay-P3 160W-DALI-4000-60+100D-GY	Efficacy of 125 lm/W. IP65 and IK08. Lifespan of up to 70.000 hours. Easy installation.	OPPLE Lighting
LIG77481	96630234	JULIE 1200 LED IP65 4000 840 COR MWS	LED Vapour Proof with Sensor and corridor function	Thorn Lighting
LIG77215	VER-LGD90-7-CT	FALCON Low Glare Downlight 3.5inch	FALCON Low-glare downlight, 3.5inch, 7W, CCT switchable	Verde LED ltd
LIG77216	VER-LGD165-13-CT	FALCON Low Glare Downlight 6inch	FALCON Low-glare downlight, 6inch, 13W, CCT switchable	Verde LED ltd
LIG77217	VER-LGD205-18-CT	FALCON Low Glare Downlight 8inch	FALCON Low-glare downlight, 8inch, 18W, CCT switchable	Verde LED ltd
LIG77704	EN-BN1240/40	EnPac 1200mm 40W Polycarbonate LED Batten 4000k	1200mm 40w Polycarbonate LED Batten. IK08 with low glare diffuser. 4200 lumens. Ceiling or wall mount. 3-year warranty	Aurora Lighting Limited
LIG77705	EN-BN1545/40	EnPac 1500mm 45W Polycarbonate LED Batten 4000k	1500mm 45w Polycarbonate LED Batten. IK08 with low glare diffuser. 4750 lumens. Ceiling or wall mount. 3-year warranty	Aurora Lighting Limited
LIG77706	EN-HB100C/40	Ariah PRO 100W Dimmable IP65 LED Highbay 4000k	100w dimmable IP65 LED highbay. Provides over 65% energy savings compared to traditional technology. 15000 lumens	Aurora Lighting Limited
LIG77707	EN-HB150C/40	Ariah PRO 150W Dimmable IP65 LED Highbay 4000k	150w dimmable IP65 LED highbay. Provides over 65% energy savings compared to traditional technology. 22500 lumens	Aurora Lighting Limited
LIG77708	EN-HB200C/40	Ariah PRO 200W IP65 LED Highbay 4000k	150w dimmable IP65 LED highbay. Provides over 65% energy savings compared to traditional technology. 30000 lumens	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77709	AOXLED2X4	Oxford 2X4	LED Twin 4ft Surface Linear	ANSELL LIGHTING
LIG77710	AOXLED2X5	Oxford 2X5	LED Twin 5ft Surface Linear	ANSELL LIGHTING
LIG77711	AOLEDL55	Opti-Lux LED Linear 55	LED Linear Low / High Bay	ANSELL LIGHTING
LIG77712	AOLEDL80	Opti-lux LED Linear 80	LED Linear Low / High Bay	ANSELL LIGHTING
LIG77713	258ED	Beghelli BS100 LED ED 2x58W IP66 Fitting	51W BS100 LED 2X58W (1581MM) EQUIVALENT IP65 FITTING 7700/6800LM - 4000K	Beghelli Spa
LIG77714	236ED	Beghelli BS100 LED ED 2x36W IP66 Fitting	42W BS100 LED 2X36W (1280MM) EQUIVALENT IP65 FITTING 5800/5200LM - 4000K	Beghelli Spa
LIG77715	218ED	Beghelli BS100 LED ED 2x18W IP66 Fitting	19W BS100 LED 2X18W (671MM) EQUIVALENT IP65 FITTING 2900/2600LM - 4000K	Beghelli Spa
LIG77716	280SD	Beghelli BS100 LED SD 2x80W IP66 Fitting	68W BS100 LED 2X80W (1581MM) EQUIVALENT IP65 FITTING C/W DAYLIGHT DIMMING 11000/8500LM - 4000K	Beghelli Spa
LIG77717	258SD	Beghelli BS100 LED SD 2x58W IP66 Fitting	59W BS100 LED 2X58W (1581MM) EQUIVALENT IP65 FITTING C/W DAYLIGHT DIMMING 9250/7500LM - 4000K	Beghelli Spa
LIG77718	236SD	Beghelli BS100 LED SD 2x36W IP66 Fitting	42W BS100 LED 2X36W (1280MM) EQUIVALENT IP65 FITTING C/W DAYLIGHT DIMMING 7000/5500LM - 4000K	Beghelli Spa
LIG77719	218SD	Beghelli BS100 LED SD 2x18W IP66 Fitting	19W BS100 LED 2X18W (671MM) EQUIVALENT IP65 FITTING C/W DAYLIGHT DIMMING 3300/2750LM - 4000K	Beghelli Spa
LIG77720	S250EXSD	Beghelli STRATA 250W Street light	250W EQUIVALENT 120W STRATA STREET LIGHT 110lm/W 14,000lm - 4000K	Beghelli Spa
LIG77721	S150EXSD	Beghelli STRATA 150W Street light	150W EQUIVALENT 94W STRATA STREET LIGHT 105lm/W 11,500lm - 4000K	Beghelli Spa
LIG77722	S100EXSD	Beghelli STRATA 100W Street light	100W EQUIVALENT 66W STRATA STREET LIGHT 112lm/W 8,000lm - 4000K	Beghelli Spa

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77723	S70EXSD	Beghelli STRATA 70W Street light	70W EQUIVALENT 47W STRATA STREET LIGHT 110lm/W 5,600lm - 4000K	Beghelli Spa
LIG77724	S50EXSD	Beghelli STRATA 50W Street light	50W EQUIVALENT 32W STRATA STREET LIGHT 115lm/W 4,000lm - 4000K	Beghelli Spa
LIG77725	MGUFO150W	UFO LED HIGH/LOW BAY	Led low, high bay light fixture	SNC
LIG77726	PNL013-KIT01	VLuma Edgelit Panel	27W VLUMA Edgelit Panel, 600 x 600mm, 840, Driver	Venture Lighting Europe Ltd
LIG77727	EN-RSP324/40	Apex Retail Wallwasher 30w 4000k	Adjustable recessed wallwasher to highlight displays and wall features. 3000lm from 30w, perfect replacement for 35w metal halide. 3-year warranty	Aurora Lighting Limited
LIG77728	EN-FP6060C/40	E6060 600 x 600mm 36W LED Flat Panel 4000k	36w 60x60 LED flat panel. 3400 lumens. 3-year warranty	Aurora Lighting Limited
LIG77729	EN-FP1230C/40	E1230 1200mm x 300mm 36W LED Light Panel 4000k	36w 1200x30 LED flat panel. 3400 lumens. 3-year warranty	Aurora Lighting Limited
LIG77730	EN-FP1260C/40	E1260 1200 x 600mm 50W LED Light Panel 4000k	50w 1200x600 LED flat panel. 5500 lumens. 3-year warranty	Aurora Limited
LIG77731	LT8P2-524-840	AZCEL Professional T8 LED Tube	5ft 24watt LED Tubes 3000lumens 4000k	Az-lite
LIG77732	LT8P2-524-865	AZCEL Professional T8 LED Tube 6500k	5ft 24watt LED Tubes 3000lumens 6500k	Az-lite
LIG77737	ML929001346402	ML9290013464 02	MAS LED Expert Colour 3.9-35W GU10 927 25D	Philips Lighting
LIG77738	ML929001346502	ML9290013465 02	MAS LED Expert Colour 3.9-35W GU10 930 25D	Philips Lighting
LIG77739	ML929001346602	ML9290013466 02	MAS LED Expert Colour 3.9-35W GU10 940 25D	Philips Lighting
LIG77740	ML929001346802	ML9290013468 02	MAS LED Expert Colour 3.9-35W GU10 930 36D	Philips Lighting
LIG77741	ML929001346902	ML9290013469 02	MAS LED Expert Colour 3.9-35W GU10 940 36D	Philips Lighting
LIG77742	ML929001350002	ML9290013500 02	MAS LED spot VLE DT 3.7-35W GU10 927 36D	Philips Lighting
LIG77743	ML929001348202	ML9290013482 02	MAS LED spot VLE D 3.7-35W GU10 927 36D	Philips Lighting
LIG77744	ML929001348302	ML9290013483 02	MAS LED spot VLE D 3.7-35W GU10 930 36D	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77745	ML929001348402	ML929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	Philips Lighting
LIG77746	ML929001350302	ML929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	Philips Lighting
LIG77747	ML929001348802	ML929001348802	MAS LED spot VLE D 4.9-50W GU10 927 36D	Philips Lighting
LIG77748	ML929001348902	ML929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	Philips Lighting
LIG77749	ML929001349002	ML929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	Philips Lighting
LIG77750	ML929001349402	ML929001349402	MAS LED spot VLE D 7-80W GU10 830 36D	Philips Lighting
LIG77751	ML929001349502	ML929001349502	MAS LED spot VLE D 7-80W GU10 840 36D	Philips Lighting
LIG77752	ML929001349602	ML929001349602	MAS LED spot VLE D 7-80W GU10 865 36D	Philips Lighting
LIG77753	ML929001364102	ML929001364102	CorePro LEDspot 5-50W GU10 827 36D DIM	Philips Lighting
LIG77754	ML929001364202	ML929001364202	CorePro LEDspot 5-50W GU10 830 36D DIM	Philips Lighting
LIG77755	ML929001364302	ML929001364302	CorePro LEDspot 5-50W GU10 840 36D DIM	Philips Lighting
LIG77756	ML929001215232	ML929001215232	Corepro LEDspot CLA 4.6-50W GU10 827 36D	Philips Lighting
LIG77757	ML929001218102	ML929001218102	Corepro LEDspot CLA 4.6-50W GU10 830 36D	Philips Lighting
LIG77758	ML929001218202	ML929001218202	Corepro LEDspot CLA 4.6-50W GU10 840 36D	Philips Lighting
LIG77759	ML929001218302	ML929001218302	Corepro LEDspot CLA 4.6-50W GU10 865 36D	Philips Lighting
LIG77760	ML929001341702	ML929001341702	MAS LED ExpertColor 6.5-35W MR16 927 10D	Philips Lighting
LIG77761	ML929001341802	ML929001341802	MAS LED ExpertColor 6.5-35W MR16 930 10D	Philips Lighting
LIG77762	ML929001341902	ML929001341902	MAS LED ExpertColor 6.5-35W MR16 940 10D	Philips Lighting
LIG77763	ML929001342002	ML929001342002	MAS LED ExpertColor 6.5-35W MR16 927 24D	Philips Lighting
LIG77764	ML929001342102	ML929001342102	MAS LED ExpertColor 6.5-35W MR16 930 24D	Philips Lighting
LIG77765	ML929001342202	ML929001342202	MAS LED ExpertColor 6.5-35W MR16 940 24D	Philips Lighting
LIG77766	ML929001386002	ML929001386002	MAS LED ExpertColor 7.5-43W MR16 927 24D	Philips Lighting
LIG77767	ML929001386102	ML929001386102	MAS LED ExpertColor 7.5-43W MR16 930 24D	Philips Lighting
LIG77768	ML929001386202	ML929001386202	MAS LED ExpertColor 7.5-43W MR16 940 24D	Philips Lighting
LIG77769	ML929001342302	ML929001342302	MAS LED ExpertColor 6.5-35W MR16 927 36D	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77770	ML929001342402	ML929001342402	MAS LED ExpertColor 6.5-35W MR16 930 36D	Philips Lighting
LIG77771	ML929001342502	ML929001342502	MAS LED ExpertColor 6.5-35W MR16 940 36D	Philips Lighting
LIG77772	ML929001386302	ML929001386302	MAS LED ExpertColor 7.5-43W MR16 927 36D	Philips Lighting
LIG77773	ML929001386402	ML929001386402	MAS LED ExpertColor 7.5-43W MR16 930 36D	Philips Lighting
LIG77774	ML929001386502	ML929001386502	MAS LED ExpertColor 7.5-43W MR16 940 36D-	Philips Lighting
LIG77775	ML929001325902	ML929001325902	MAS LED spot VLE D 5.5-35W MR16 827 36D	Philips Lighting
LIG77776	ML929001326002	ML929001326002	MAS LED spot VLE D 5.5-35W MR16 830 36D	Philips Lighting
LIG77777	ML929001326502	ML929001326502	MAS LED SPOT VLE D 7-50W MR16 827 36D	Philips Lighting
LIG77778	ML929001326602	ML929001326602	MAS LED SPOT VLE D 7-50W MR16 830 36D	Philips Lighting
LIG77779	ML929001344902	ML929001344902	CorePro LED spot ND 8-50W MR16 827 36D	Philips Lighting
LIG77780	ML929001345002	ML929001345002	CorePro LED spot ND 8-50W MR16 830 36D	Philips Lighting
LIG77781	ML929001170902	ML929001170902	MAS LEDspotLV D 20-100W 830 AR111 24D	Philips Lighting
LIG77782	ML929001171002	ML929001171002	MAS LEDspotLV D 20-100W 840 AR111 24D	Philips Lighting
LIG77783	ML929001171302	ML929001171302	MAS LEDspotLV D 20-100W 840 AR111 40D	Philips Lighting
LIG77784	ML929001322502	ML929001322502	MAS LEDspot CLA D 13-100W 827 PAR38 25D	Philips Lighting
LIG77785	ML929001244302	ML929001244302	CorePro LEDcapsuleLV 1.2-10W G4 827	Philips Lighting
LIG77786	ML929001244402	ML929001244402	CorePro LEDcapsuleLV 2-20W G4 827	Philips Lighting
LIG77787	ML929001235302	ML929001235302	CorePro LEDcapsuleLV 2-20W G4 827 D	Philips Lighting
LIG77788	ML929001323802	ML929001323802	CorePro LEDcapsule ND 1.9-25W G9 827	Philips Lighting
LIG77789	ML929001232002	ML929001232002	CorePro LEDcapsuleMV 2.3-25W G9 827 D	Philips Lighting
LIG77790	ML929001357702	ML929001357702	CorePro LEDcapsule ND 2.8-35W G9 827	Philips Lighting
LIG77791	ML929001150802	ML929001150802	MAS LEDbulb DT 6-40W E27 A60 CL	Philips Lighting
LIG77792	ML929001150602	ML929001150602	MAS LEDbulb DT 6-40W B22 A60 CL	Philips Lighting
LIG77793	ML929001150932	ML929001150932	MAS LEDbulb DT 8.5-60W E27 A60 CL	Philips Lighting
LIG77794	ML929001150732	ML929001150732	MAS LEDbulb DT 8.5-60W B22 A60 CL	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77795	ML929001200502	ML929001200502	MAS LEDbulb DT 11-75W A67 E27 827 FR	Philips Lighting
LIG77796	ML929001200402	ML929001200402	MAS LEDbulb DT 11-75W A67 B22 827 FR	Philips Lighting
LIG77797	ML929001184402	ML929001184402	MAS LEDbulb DT 15-100W A67 E27 827 FR	Philips Lighting
LIG77798	ML929001200302	ML929001200302	MAS LEDbulb DT 15-100W A67 B22 827 FR	Philips Lighting
LIG77799	ML929001352402	ML929001352402	CorePro LEDbulb D 5.5-40W A60 E27 827	Philips Lighting
LIG77800	ML929001352902	ML929001352902	CorePro LEDbulb D 5.5-40W A60 B22 827	Philips Lighting
LIG77801	ML929001352502	ML929001352502	CorePro LEDbulb D 8.5-60W A60 E27 827	Philips Lighting
LIG77802	ML929001353002	ML929001353002	CorePro LEDbulb D 8.5-60W A60 B22 827	Philips Lighting
LIG77803	ML929001352702	ML929001352702	CorePro LEDbulb D 11-75W A60 E27 827	Philips Lighting
LIG77804	ML929001353202	ML929001353202	CorePro LEDbulb D 11-75W A60 B22 827	Philips Lighting
LIG77805	ML929001352802	ML929001352802	CorePro LEDbulb D 13.5-100W A67 E27 827	Philips Lighting
LIG77806	ML929001351202	ML929001351202	CorePro LEDbulb D 13.5-100W A67 B22 827	Philips Lighting
LIG77807	ML929001234202	ML929001234202	CorePro LEDbulb ND 5.5-40W A60 E27 827	Philips Lighting
LIG77808	ML929001233802	ML929001233802	CorePro LEDbulb ND 5.5-40W A60 B22 827	Philips Lighting
LIG77809	ML929001234302	ML929001234302	CorePro LEDbulb ND 8-60W A60 E27 827	Philips Lighting
LIG77810	ML929001233902	ML929001233902	CorePro LEDbulb ND 8-60W A60 B22 827	Philips Lighting
LIG77811	ML929001234402	ML929001234402	CorePro LEDbulb ND 11-75W A60 E27 827	Philips Lighting
LIG77812	ML929001234002	ML929001234002	CorePro LEDbulb ND 11-75W A60 B22 827	Philips Lighting
LIG77813	ML929001234502	ML929001234502	CorePro LEDbulb ND 13-100W A60 E27 827	Philips Lighting
LIG77814	ML929001234102	ML929001234102	CorePro LEDbulb ND 13-100W A60 B22 827	Philips Lighting
LIG77815	910503910199	910503910199	LEDINAIRE PANEL - RC065B LED32S/840 PSU W60L60 NOC	Philips Lighting
LIG77816	912401483175	912401483175	LEDINAIRE PANEL OFFICE COMPLIANT - RC065V LED34S/840 PSU W60L60 OC	Philips Lighting
LIG77817	910503910206	910503910206	LEDINAIRE SURFACE - SM060C LED32S/840 PSU W20L120	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77818	910503910296	910503910296	LEDINAIRE WATERPROOF - WT060C LED36S/840 PSU TW1 L1200	Philips Lighting
LIG77819	910503910298	910503910298	LEDINAIRE WATERPROOF - WT060C LED56S/840 PSU TW1 L1200	Philips Lighting
LIG77820	911401532231	911401532231	LEDINAIRE DOWNLIGHT - DN060B LED8S/840 PSU WH	Philips Lighting
LIG77821	911401532131	911401532131	LEDINAIRE DOWNLIGHT - DN060B LED18S/840 PSU WH	Philips Lighting
LIG77822	910503910331	910503910331	LEDINAIRE SLIM DOWNLIGHT - DN065B LED10S/830 PSU II WH	Philips Lighting
LIG77823	910503910332	910503910332	LEDINAIRE SLIM DOWNLIGHT - DN065B LED10S/840 PSU II WH	Philips Lighting
LIG77824	910503910333	910503910333	LEDINAIRE SLIM DOWNLIGHT - DN065B LED20S/830 PSU II WH	Philips Lighting
LIG77825	910503910334	910503910334	LEDINAIRE SLIM DOWNLIGHT - DN065B LED20S/840 PSU II WH	Philips Lighting
LIG77826	910503910183	910503910183	LEDINAIRE ACCENT - RS060B LED5-36-/840 PSR II WH	Philips Lighting
LIG77827	910503910185	910503910185	LEDINAIRE ACCENT - RS061B LED5-36-/840 PSR II WH	Philips Lighting
LIG77828	912401483116	912401483116	LEDINAIRE FLOOD - BVP105 LED9/840 PSU VWB100	Philips Lighting
LIG77829	912401483117	912401483117	LEDINAIRE FLOOD - BVP105 LED25/840 PSU VWB100	Philips Lighting
LIG77830	912401483118	912401483118	LEDINAIRE FLOOD - BVP105 LED45/840 PSU VWB100	Philips Lighting
LIG77831	912401483114	912401483114	LEDINAIRE FLOOD - BVP106 LED100/740 PSU VWB100	Philips Lighting
LIG77832	912401483115	912401483115	LEDINAIRE FLOOD - BVP106 LED200/740 PSU VWB100	Philips Lighting
LIG77834	ML929001331002	ML929001331002	CLA LEDBulb D 5.5-40W A60 E27 827 CL	Philips Lighting
LIG77835	ML929001331102	ML929001331102	CLA LEDBulb D 5.5-40W A60 B22 827 CL	Philips Lighting
LIG77836	ML929001331202	ML929001331202	CLA LEDBulb D 8-60W A60 E27 827 CL	Philips Lighting
LIG77837	ML929001331302	ML929001331302	CLA LEDBulb D 8-60W A60 B22 827 CL	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77838	ML929001332902	ML929001332902	CLA LEDBulb D 7.5-48W A60 E27 820 GOLD	Philips Lighting
LIG77839	ML929001333002	ML929001333002	CLA LEDBulb D 7.5-48W A60 B22 820 GOLD	Philips Lighting
LIG77840	ML929001228602	ML929001228602	CLA LEDBulb D 7-60W ST64 E27 827 CL	Philips Lighting
LIG77841	ML929001228802	ML929001228802	CLA LEDBulb D 7-60W ST64 B22 827 CL	Philips Lighting
LIG77842	ML929001229002	ML929001229002	CLA LEDGlobe D 7-60W G93 E27 827 CL	Philips Lighting
LIG77843	ML929001229102	ML929001229102	CLA LEDGlobe D 7-50W G120 E27 820 GOLD	Philips Lighting
LIG77844	ML929001257902	ML929001257902	CLA LEDGlobe D 7-50W G120 B22 820 GOLD	Philips Lighting
LIG77845	ML929001332102	ML929001332102	CLA LEDCandle D 5-40W B35 E14 827 CL	Philips Lighting
LIG77846	ML929001332802	ML929001332802	CLA LEDCandle D 5-40W BA35 E14 827 CL	Philips Lighting
LIG77847	ML929001332202	ML929001332202	CLA LEDCandle D 5-40W B35 B22 827 CL	Philips Lighting
LIG77848	ML929001332502	ML929001332502	CLA LED Golfball D 5-40W P45 E14 827 CL	Philips Lighting
LIG77849	ML929001332602	ML929001332602	CLA LED Golfball D 5-40W P45 E27 827 CL	Philips Lighting
LIG77850	ML929001332702	ML929001332702	CLA LED Golfball D 5-40W P45 B22 827 CL	Philips Lighting
LIG77851	ML929001228902	ML929001228902	CLA LEDBulb D 7-50W ST64 E27 820 GOLD	Philips Lighting
LIG77852	ML929001228402	ML929001228402	CLA LEDBulb D 7-50W ST64 B22 820 GOLD	Philips Lighting
LIG77853	ML929001140402	ML929001140402	MAS LEDcandle DT 6-40W E14 B38 CL	Philips Lighting
LIG77854	ML929001157902	ML929001157902	MAS LEDcandle DT 6-40W E27 B38 CL	Philips Lighting
LIG77855	ML929001140302	ML929001140302	MAS LEDcandle DT 6-40W B15 B38 CL	Philips Lighting
LIG77856	ML929001140802	ML929001140802	MAS LEDcandle DT 6-40W B22 B38 CL	Philips Lighting
LIG77857	ML929001140602	ML929001140602	MAS LEDlustre DT 6-40W E14 P48 CL	Philips Lighting
LIG77858	ML929001140702	ML929001140702	MAS LEDlustre DT 6-40W E27 P48 CL	Philips Lighting
LIG77859	ML929001157302	ML929001157302	MAS LEDlustre DT 6-40W B22 P48 CL	Philips Lighting
LIG77860	ML929001336102	ML929001336102	MAS LED tube UN 1200mm UO 16W840 T8	Philips Lighting
LIG77861	ML929001336402	ML929001336402	MAS LED tube UN 1500mm UO 24W840 T8	Philips Lighting
LIG77862	ML929001307102	ML929001307102	MAS LED tube 600mm HO 8W840 T8	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77863	ML929001298402	ML929001298402	MAS LED tube 900mm HO 12W840 T8	Philips Lighting
LIG77864	ML929001299002	ML929001299002	MAS LED tube 1200mm HO 14W840 T8	Philips Lighting
LIG77865	ML929001298702	ML929001298702	MAS LED tube 1500mm HO 20W840 T8	Philips Lighting
LIG77866	ML929001161102	ML929001161102	MASTER LED tube 1800mm 25W 840 T8 ROT	Philips Lighting
LIG77867	ML929001297902	ML929001297902	MAS LED tube 1200mm UO 16W 840 T8	Philips Lighting
LIG77868	ML929001298202	ML929001298202	MAS LED tube 1500mm UO 24W 840 T8	Philips Lighting
LIG77869	ML929001376802	ML929001376802	MAS LED tube 1200mm UE 14.5W 840 T8	Philips Lighting
LIG77870	ML929001377002	ML929001377002	MAS LED tube 1500mm UE 21.5W 840 T8	Philips Lighting
LIG77871	ML929001338602	ML929001338602	CorePro LED tube 600mm 8W840	Philips Lighting
LIG77872	ML929001338802	ML929001338802	CorePro LED tube 1200mm 14.5W840	Philips Lighting
LIG77873	ML929001337902	ML929001337902	CorePro LED tube 1500mm 20W 840	Philips Lighting
LIG77874	ML929001219602	ML929001219602	MAS LED tube HF 600mm 10.5W840 T8	Philips Lighting
LIG77875	ML929001284102	ML929001284102	MAS LED tube HF 1200mm HO 14W840 T8	Philips Lighting
LIG77876	ML929001284402	ML929001284402	MAS LED tube HF 1500mm HO 20W840 T8	Philips Lighting
LIG77877	ML929001300002	ML929001300002	MAS LED tube HF 1200mm UO 16W840 T8	Philips Lighting
LIG77878	ML929001300302	ML929001300302	MAS LED tube HF 1500mm UO 24W840 T8	Philips Lighting
LIG78064	EAS-SL-20050	EAS-SL-20050	LED Street light 200W	EASi
LIG78065	EAS-SL-24050	EAS-SL-24050	LED Street light 240W	EASi
LIG78066	EAS-SL-28050	EAS-SL-28050	LED Street light 280W	EASi
LIG78067	EAS-P66-2840-UGR16	EAS-P66-2840-UGR16	LED Panel 28W 595*595	EASi
LIG78068	EAS-P123-2840-UGR16	EAS-P123-2840-UGR16	LED Panel 28W 295*1195	EASi
LIG78069	EAS-P66-2440HL	EAS-P66-2440HL	LED Panel 24W 595*595	EASi
LIG78070	EAS-P66-3640HL	EAS-P66-3640HL	LED Panel 36W 595*595	EASi
LIG78071	EAS-P66-2040	EAS-P66-2040	LED Panel 20W 595*595	EASi
LIG78072	EAS-DL1140-UGR19	EAS-DL1140-UGR19	LED Downlight 11W UGR19	EASi
LIG78073	EAS-DL-1940-UGR19	EAS-DL-1940-UGR19	LED Downlight 19W UGR19	EASi
LIG78074	EAS-DL190-3540	EAS-DL190-3540	LED Downlight 35W	EASi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78075	EAS-DL125-1840	EAS-DL125-1840	LED Downlight 18W	EASi
LIG78076	EAS-DL196-3540	EAS-DL196-3540	LED Downlight 35W	EASi
LIG78077	EAS-DL21540	EAS-DL21540	LED Downlight 2*15W	EASi
LIG78078	EAS-DL22540	EAS-DL22540	LED Downlight 2*25W	EASi
LIG78079	EAS-DL23040	EAS-DL23040	LED Downlight 2*30W	EASi
LIG78080	EAS-L-6040	EAS-L-6040	LED Linear 60W	EASi
LIG78081	EAS-IP67-4240	EAS-IP67-4240	LED IP67 42W	EASi
LIG78116	96628548	JU1800Z2F	Julie18002f	Thorn Lighting
LIG78117	96665577	JU4000Z4F	Julie40004f	Thorn Lighting
LIG78118	96628396	JU4000Z5F	Julie40005f	Thorn Lighting
LIG78119	96665580	JU6000Z5F	Julie60005f	Thorn Lighting
LIG78120	96665579	JU4000ZE4F	Julie40004fe	Thorn Lighting
LIG78121	96628397	JU4000ZE5F	Julie40005fe	Thorn Lighting
LIG78122	96665582	JU6000ZE5F	Julie60005fe	Thorn Lighting
LIG78123	96630252	LF75W	LEO75W	Thorn Lighting
LIG78124	96630253	LF100W	LEO100W	Thorn Lighting
LIG78125	96630254	LF150W	LEO150W	Thorn Lighting
LIG78126	96630255	LF200W	LEO200W	Thorn Lighting
LIG78127	96630066	AN3500Z4K	Anna3500Z	Thorn Lighting
LIG78128	96630068	AN3500ZE4K	Anna3500ZE	Thorn Lighting
LIG78129	K002BO2362	oPTS M DWN PRO 175083 119 ECG W03	PRETTUS M POLISHED+OPAL IP54 LED 1750lm/830 1x19W, LED DRIVER, RAL 9003	OMS
LIG78130	K002BO2429	oPTS L DWN PRO 270083 129 ECG W03	PRETTUS L POLISHED+OPAL IP54 LED 2700lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78131	K002BO2487	oPTS S DWN PRO 120083 115 ECG W03	PRETTUS S POLISHED+OPAL IP54 LED 1200lm/830 1x15W, LED DRIVER, RAL 9003	OMS
LIG78132	K002BO2512	oPTS XS DWN PRE 115084 111 ECG W03	PRETTUS XS POLISHED REF IP40 LED 1150lm/840 1x11W, LED DRIVER, RAL 9003	OMS
LIG78133	K002BO2513	oPTS XS DWN PRE 110083 111 EDA W03	PRETTUS XS POLISHED REF IP40 LED 1100lm/830 1x11W, LED DRIVER DALI, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78134	K002BO2515	oPTS XS DWN PRE 80083 18 ECG W03	PRETTUS XS POLISHED REF IP40 LED 800lm/830 1x8W, LED DRIVER, RAL 9003	OMS
LIG78135	K002BO2302	oPTS M DWN PRT 180083 119 ECG W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 1800lm/830 1x19W, LED DRIVER, RAL 9003	OMS
LIG78136	K002BO2389	oPTS L DWN PRT 275083 129 ECG W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 2750lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78137	K002BO2447	oPTS S DWN PRT 125083 115 ECG W03	PRETTUS S POLISHED+ TRANSPARENT IP54 LED 1250lm/830 1x15W, LED DRIVER, RAL 9003	OMS
LIG78138	K002BO2517	oPTS XS DWN PRE 80083 18 EDA W03	PRETTUS XS POLISHED REF IP40 LED 800lm/830 1x8W, LED DRIVER DALI, RAL 9003	OMS
LIG78139	K002BO2519	oPTS XS DWN PRT 105083 111 ECG W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 1050lm/830 1x11W, LED DRIVER, RAL 9003	OMS
LIG78140	K002BO2290	oPTS M DWN PRE 190083 119 ECG W03	PRETTUS M POLISHED REF IP40 LED 1900lm/830 1x19W, LED DRIVER, RAL 9003	OMS
LIG78141	K002BO2381	oPTS L DWN PRE 290083 129 ECG W03	PRETTUS L POLISHED REF IP40 LED 2900lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78142	K002BO2439	oPTS S DWN PRE 135083 115 ECG W03	PRETTUS S POLISHED REF IP40 LED 1350lm/830 1x15W, LED DRIVER, RAL 9003	OMS
LIG78143	K002BO2511	oPTS XS DWN PRE 110083 111 ECG W03	PRETTUS XS POLISHED REF IP40 LED 1100lm/830 1x11W, LED DRIVER, RAL 9003	OMS
LIG78144	K002BO2291	oPTS M DWN PRE 200084 119 ECG W03	PRETTUS M POLISHED REF IP40 LED 2000lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78145	K002BO2292	oPTS M DWN PRE 190083 119 EDA W03	PRETTUS M POLISHED REF IP40 LED 1900lm/830 1x19W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78146	K002BO2293	oPTS M DWN PRE 200084 119 EDA W03	PRETTUS M POLISHED REF IP40 LED 2000lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78147	K002BO2294	oPTS M DWN PRE 245083 124 ECG W03	PRETTUS M POLISHED REF IP40 LED 2450lm/830 1x24W, LED DRIVER, RAL 9003	OMS
LIG78148	K002BO2295	oPTS M DWN PRE 255084 124 ECG W03	PRETTUS M POLISHED REF IP40 LED 2550lm/840 1x24W, LED DRIVER, RAL 9003	OMS
LIG78149	K002BO2296	oPTS M DWN PRE 245083 124 EDA W03	PRETTUS M POLISHED REF IP40 LED 2450lm/830 1x24W, LED DRIVER, RAL 9003	OMS
LIG78150	K002BO2297	oPTS M DWN PRE 255084 124 EDA W03	PRETTUS M POLISHED REF IP40 LED 2550lm/840 1x24W, LED DRIVER, RAL 9003	OMS
LIG78151	K002BO2298	oPTS M DWN PRE 290083 129 ECG W03	PRETTUS M POLISHED REF IP40 LED 2900lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78152	K002BO2299	oPTS M DWN PRE 305084 129 ECG W03	PRETTUS M POLISHED REF IP40 LED 3050lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78153	K002BO2300	oPTS M DWN PRE 290083 129 EDA W03	PRETTUS M POLISHED REF IP40 LED 2900lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78154	K002BO2301	oPTS M DWN PRE 305084 129 EDA W03	PRETTUS M POLISHED REF IP40 LED 3050lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78155	K002BO2303	oPTS M DWN PRT 190084 119 ECG W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 1900lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78156	K002BO2304	oPTS M DWN PRT 180083 119 EDA W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 1800lm/830 1x19W, LED DRIVER DALI, RAL 9003	OMS
LIG78157	K002BO2305	oPTS M DWN PRT 190084 119 EDA W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 1900lm/840 1x19W, LED DRIVER DALI, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78158	K002BO2306	oPTS M DWN PRT 220083 124 ECG W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2200lm/830 1x24W, LED DRIVER, RAL 9003	OMS
LIG78159	K002BO2307	oPTS M DWN PRT 235084 124 ECG W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2350lm/840 1x24W, LED DRIVER, RAL 9003	OMS
LIG78160	K002BO2308	oPTS M DWN PRT 220083 124 EDA W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2200lm/830 1x24W, LED DRIVER DALI, RAL 9003	OMS
LIG78161	K002BO2309	oPTS M DWN PRT 235084 124 EDA W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2350lm/840 1x24W, LED DRIVER DALI, RAL 9003	OMS
LIG78162	K002BO2310	oPTS M DWN PRT 270083 129 ECG W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2700lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78163	K002BO2311	oPTS M DWN PRT 285084 129 ECG W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2850lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78164	K002BO2312	oPTS M DWN PRT 270083 129 EDA W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2700lm/830 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78165	K002BO2313	oPTS M DWN PRT 285084 129 EDA W03	PRETTUS M POLISHED+ TRANSPARENT IP54 LED 2850lm/840 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78166	K002BO2363	oPTS M DWN PRO 185084 119 ECG W03	PRETTUS M POLISHED+OPAL IP54 LED 1850lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78167	K002BO2364	oPTS M DWN PRO 175083 119 EDA W03	PRETTUS M POLISHED+OPAL IP54 LED 1750lm/830 1x19W, LED DRIVER DALI, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78168	K002BO2365	oPTS M DWN PRO 185084 119 EDA W03	PRETTUS M POLISHED+OPAL IP54 LED 1850lm/840 1x19W, LED DRIVER DALI, RAL 9003	OMS
LIG78169	K002BO2366	oPTS M DWN PRO 215083 124 ECG W03	PRETTUS M POLISHED+OPAL IP54 LED 2150lm/830 1x24W, LED DRIVER, RAL 9003	OMS
LIG78170	K002BO2367	oPTS M DWN PRO 230084 124 ECG W03	PRETTUS M POLISHED+OPAL IP54 LED 2300lm/840 1x24W, LED DRIVER, RAL 9003	OMS
LIG78171	K002BO2368	oPTS M DWN PRO 215083 124 EDA W03	PRETTUS M POLISHED+OPAL IP54 LED 2150lm/830 1x24W, LED DRIVER DALI, RAL 9003	OMS
LIG78172	K002BO2369	oPTS M DWN PRO 230084 124 EDA W03	PRETTUS M POLISHED+OPAL IP54 LED 2300lm/840 1x24W, LED DRIVER DALI, RAL 9003	OMS
LIG78173	K002BO2370	oPTS M DWN PRO 265083 129 ECG W03	PRETTUS M POLISHED+OPAL IP54 LED 2650lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78174	K002BO2371	oPTS M DWN PRO 280084 129 ECG W03	PRETTUS M POLISHED+OPAL IP54 LED 2800lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78175	K002BO2372	oPTS M DWN PRO 265083 129 EDA W03	PRETTUS M POLISHED+OPAL IP54 LED 2650lm/830 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78176	K002BO2373	oPTS M DWN PRO 280084 129 EDA W03	PRETTUS M POLISHED+OPAL IP54 LED 2800lm/840 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78177	K002BO2382	oPTS L DWN PRE 305084 129 ECG W03	PRETTUS L POLISHED REF IP40 LED 3050lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78178	K002BO2383	oPTS L DWN PRE 290083 129 EDA W03	PRETTUS L POLISHED REF IP40 LED 2900lm/830 1x29W, LED DRIVER, RAL 9003	OMS
LIG78179	K002BO2384	oPTS L DWN PRE 305084 129 EDA W03	PRETTUS L POLISHED REF IP40 LED 3050lm/840 1x29W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78180	K002BO2385	oPTS L DWN PRE 335083 133 ECG W03	PRETTUS L POLISHED REF IP40 LED 3350lm/830 1x33W, LED DRIVER, RAL 9003	OMS
LIG78181	K002BO2386	oPTS L DWN PRE 350084 133 ECG W03	PRETTUS L POLISHED REF IP40 LED 3500lm/840 1x33W, LED DRIVER, RAL 9003	OMS
LIG78182	K002BO2387	oPTS L DWN PRE 335083 133 EDA W03	PRETTUS L POLISHED REF IP40 LED 3350lm/830 1x33W, LED DRIVER, RAL 9003	OMS
LIG78183	K002BO2388	oPTS L DWN PRE 350084 133 EDA W03	PRETTUS L POLISHED REF IP40 LED 3500lm/840 1x33W, LED DRIVER, RAL 9003	OMS
LIG78184	K002BO2390	oPTS L DWN PRT 290084 129 ECG W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 2900lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78185	K002BO2391	oPTS L DWN PRT 275083 129 EDA W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 2750lm/830 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78186	K002BO2392	oPTS L DWN PRT 290084 129 EDA W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 2900lm/840 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78187	K002BO2393	oPTS L DWN PRT 315083 133 ECG W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 3150lm/830 1x33W, LED DRIVER, RAL 9003	OMS
LIG78188	K002BO2394	oPTS L DWN PRT 330084 133 ECG W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 3300lm/840 1x33W, LED DRIVER, RAL 9003	OMS
LIG78189	K002BO2395	oPTS L DWN PRT 315083 133 EDA W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 3150lm/830 1x33W, LED DRIVER DALI, RAL 9003	OMS
LIG78190	K002BO2396	oPTS L DWN PRT 330084 133 EDA W03	PRETTUS L POLISHED+ TRANSPARENT IP54 LED 3300lm/840 1x33W, LED DRIVER DALI, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78191	K002BO2430	oPTS L DWN PRO 285084 129 ECG W03	PRETTUS L POLISHED+OPAL IP54 LED 2850lm/840 1x29W, LED DRIVER, RAL 9003	OMS
LIG78192	K002BO2431	oPTS L DWN PRO 270083 129 EDA W03	PRETTUS L POLISHED+OPAL IP54 LED 2700lm/830 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78193	K002BO2432	oPTS L DWN PRO 285084 129 EDA W03	PRETTUS L POLISHED+OPAL IP54 LED 2850lm/840 1x29W, LED DRIVER DALI, RAL 9003	OMS
LIG78194	K002BO2433	oPTS L DWN PRO 310083 133 ECG W03	PRETTUS L POLISHED+OPAL IP54 LED 3100lm/830 1x33W, LED DRIVER, RAL 9003	OMS
LIG78195	K002BO2434	oPTS L DWN PRO 325084 133 ECG W03	PRETTUS L POLISHED+OPAL IP54 LED 3250lm/840 1x33W, LED DRIVER, RAL 9003	OMS
LIG78196	K002BO2435	oPTS L DWN PRO 310083 133 EDA W03	PRETTUS L POLISHED+OPAL IP54 LED 3100lm/830 1x33W, LED DRIVER DALI, RAL 9003	OMS
LIG78197	K002BO2436	oPTS L DWN PRO 325084 133 EDA W03	PRETTUS L POLISHED+OPAL IP54 LED 3250lm/840 1x33W, LED DRIVER DALI, RAL 9003	OMS
LIG78198	K002BO2440	oPTS S DWN PRE 145084 115 ECG W03	PRETTUS S POLISHED REF IP40 LED 1450lm/840 1x15W, LED DRIVER, RAL 9003	OMS
LIG78199	K002BO2441	oPTS S DWN PRE 135083 115 EDA W03	PRETTUS S POLISHED REF IP40 LED 1350lm/830 1x15W, LED DRIVER, RAL 9003	OMS
LIG78200	K002BO2442	oPTS S DWN PRE 145084 115 EDA W03	PRETTUS S POLISHED REF IP40 LED 1450lm/840 1x15W, LED DRIVER, RAL 9003	OMS
LIG78201	K002BO2443	oPTS S DWN PRE 180083 119 ECG W03	PRETTUS S POLISHED REF IP40 LED 1800lm/830 1x19W, LED DRIVER, RAL 9003	OMS
LIG78202	K002BO2444	oPTS S DWN PRE 190084 119 ECG W03	PRETTUS S POLISHED REF IP40 LED 1900lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78203	K002BO2445	oPTS S DWN PRE 180083 119 EDA W03	PRETTUS S POLISHED REF IP40 LED 1800lm/830 1x19W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78204	K002BO2446	oPTS S DWN PRE 190084 119 EDA W03	PRETTUS S POLISHED REF IP40 LED 1900lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78205	K002BO2448	oPTS S DWN PRT 135084 115 ECG W03	PRETTUS S POLISHED+ TRANSPARENT IP54 LED 1350lm/840 1x15W, LED DRIVER, RAL 9003	OMS
LIG78206	K002BO2450	oPTS S DWN PRT 135084 115 EDA W03	PRETTUS S POLISHED+ TRANSPARENT IP54 LED 1350lm/840 1x15W, LED DRIVER, RAL 9003	OMS
LIG78207	K002BO2452	oPTS S DWN PRT 175084 119 ECG W03	PRETTUS S POLISHED+ TRANSPARENT IP54 LED 1750lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78208	K002BO2454	oPTS S DWN PRT 175084 119 EDA W03	PRETTUS S POLISHED+ TRANSPARENT IP54 LED 1750lm/840 1x19W, LED DRIVER, RAL 9003	OMS
LIG78209	K002BO2514	oPTS XS DWN PRE 115084 111 EDA W03	PRETTUS XS POLISHED REF IP40 LED 1150lm/840 1x11W, LED DRIVER DALI, RAL 9003	OMS
LIG78210	K002BO2516	oPTS XS DWN PRE 85084 18 ECG W03	PRETTUS XS POLISHED REF IP40 LED 850lm/840 1x8W, LED DRIVER, RAL 9003	OMS
LIG78211	K002BO2518	oPTS XS DWN PRE 85084 18 EDA W03	PRETTUS XS POLISHED REF IP40 LED 850lm/840 1x8W, LED DRIVER DALI, RAL 9003	OMS
LIG78212	K002BO2520	oPTS XS DWN PRT 110084 111 ECG W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 1100lm/840 1x11W, LED DRIVER, RAL 9003	OMS
LIG78213	K002BO2521	oPTS XS DWN PRT 105083 111 EDA W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 1050lm/830 1x11W, LED DRIVER DALI, RAL 9003	OMS
LIG78214	K002BO2522	oPTS XS DWN PRT 110084 111 EDA W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 1100lm/840 1x11W, LED DRIVER DALI, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78215	K002BO2523	oPTS XS DWN PRT 75083 18 ECG W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 750lm/830 1x8W, LED DRIVER, RAL 9003	OMS
LIG78216	K002BO2524	oPTS XS DWN PRT 80084 18 ECG W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 800lm/840 1x8W, LED DRIVER, RAL 9003	OMS
LIG78217	K002BO2525	oPTS XS DWN PRT 75083 18 EDA W03	PRETTUS XS POLISHED+ TRANSPARENT IP54 LED 750lm/830 1x8W, LED DRIVER DALI, RAL 9003	OMS
LIG78218	H004AG0039	uTDO II E M S/S 580083 143 ECG G35	TDO II ECO LED M OPAL LED 5800lm/830 1x43W, LED DRIVER, -	OMS
LIG78219	H004AG0042	uTDO II E L S/S 930084 168 EDA G35	TDO II ECO LED L OPAL LED 9300lm/840 1x68W, LED DRIVER, -	OMS
LIG78220	H004AG0056	uTDO II E S S/S 295083 124 ECG G35	TDO II ECO LED S OPAL LED 2950lm/830 1x24W, LED DRIVER, -	OMS
LIG78221	H004AG0071	uTDO II E M S/S 225083 120 ECG G35	TDO II ECO LED M OPAL LED 2250lm/830 1x20W, LED DRIVER, -	OMS
LIG78222	H004AG0075	uTDO II E M S/S 405083 134 ECG G35	TDO II ECO LED M OPAL LED 4050lm/830 1x34W, LED DRIVER, -	OMS
LIG78223	H004AG0059	uTDO II E XL S/S 1165084 188 EDA G35	TDO II ECO LED XL OPAL LED 11650lm/840 1x88W, LED DRIVER, -	OMS
LIG78224	H004AG0070	uTDO II E M S/S 235084 120 ECG G35	TDO II ECO LED M OPAL LED 2350lm/840 1x20W, LED DRIVER, -	OMS
LIG78225	H004AG0074	uTDO II E M S/S 420084 134 ECG G35	TDO II ECO LED M OPAL LED 4200lm/840 1x34W, LED DRIVER, -	OMS
LIG78226	H004AG0082	uTDO II E L S/S 615084 150 ECG G35	TDO II ECO LED L OPAL LED 6150lm/840 1x50W, LED DRIVER, -	OMS
LIG78227	H004AG0041	uTDO II E L S/S 930084 168 ECG G35	TDO II ECO LED L OPAL LED 9300lm/840 1x68W, LED DRIVER, -	OMS
LIG78228	H004AG0054	uTDO II E S S/S 305084 124 ECG G35	TDO II ECO LED S OPAL LED 3050lm/840 1x24W, LED DRIVER, -	OMS
LIG78229	H004AG0037	uTDO II E M S/S 600084 143 ECG G35	TDO II ECO LED M OPAL LED 6000lm/840 1x43W, LED DRIVER, -	OMS
LIG78230	H004AG0038	uTDO II E M S/S 600084 143 EDA G35	TDO II ECO LED M OPAL LED 6000lm/840 1x43W, LED DRIVER, -	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78231	H004AG0040	uTDO II E M S/S 580083 143 EDA G35	TDO II ECO LED M OPAL LED 5800lm/830 1x43W, LED DRIVER, -	OMS
LIG78232	H004AG0043	uTDO II E L S/S 895083 168 ECG G35	TDO II ECO LED L OPAL LED 8950lm/830 1x68W, LED DRIVER, -	OMS
LIG78233	H004AG0044	uTDO II E L S/S 895083 168 EDA G35	TDO II ECO LED L OPAL LED 8950lm/830 1x68W, LED DRIVER, -	OMS
LIG78234	H004AG0055	uTDO II E S S/S 305084 124 EDA G35	TDO II ECO LED S OPAL LED 3050lm/840 1x24W, LED DRIVER, -	OMS
LIG78235	H004AG0057	uTDO II E S S/S 295083 124 EDA G35	TDO II ECO LED S OPAL LED 2950lm/830 1x24W, LED DRIVER, -	OMS
LIG78236	H004AG0061	uTDO II E XL S/S 1120083 188 EDA G35	TDO II ECO LED XL OPAL LED 11200lm/830 1x88W, LED DRIVER, -	OMS
LIG78237	H004AG0072	uTDO II E M S/S 235084 120 EDA G35	TDO II ECO LED M OPAL LED 2350lm/840 1x20W, LED DRIVER, -	OMS
LIG78238	H004AG0073	uTDO II E M S/S 225083 120 EDA G35	TDO II ECO LED M OPAL LED 2250lm/830 1x20W, LED DRIVER, -	OMS
LIG78239	H004AG0076	uTDO II E M S/S 420084 134 EDA G35	TDO II ECO LED M OPAL LED 4200lm/840 1x34W, LED DRIVER, -	OMS
LIG78240	H004AG0077	uTDO II E M S/S 405083 134 EDA G35	TDO II ECO LED M OPAL LED 4050lm/830 1x34W, LED DRIVER, -	OMS
LIG78241	H004AG0078	uTDO II E L S/S 340084 130 ECG G35	TDO II ECO LED L OPAL LED 3400lm/840 1x30W, LED DRIVER, -	OMS
LIG78242	H004AG0079	uTDO II E L S/S 325083 130 ECG G35	TDO II ECO LED L OPAL LED 3250lm/830 1x30W, LED DRIVER, -	OMS
LIG78243	H004AG0080	uTDO II E L S/S 340084 130 EDA G35	TDO II ECO LED L OPAL LED 3400lm/840 1x30W, LED DRIVER, -	OMS
LIG78244	H004AG0081	uTDO II E L S/S 325083 130 EDA G35	TDO II ECO LED L OPAL LED 3250lm/830 1x30W, LED DRIVER, -	OMS
LIG78245	H004AG0083	uTDO II E L S/S 590083 150 ECG G35	TDO II ECO LED L OPAL LED 5900lm/830 1x50W, LED DRIVER, -	OMS
LIG78246	H004AG0084	uTDO II E L S/S 615084 150 EDA G35	TDO II ECO LED L OPAL LED 6150lm/840 1x50W, LED DRIVER, -	OMS
LIG78247	H004AG0085	uTDO II E L S/S 590083 150 EDA G35	TDO II ECO LED L OPAL LED 5900lm/830 1x50W, LED DRIVER, -	OMS
LIG78248	K019AK0218	oSML 1.5 MDS LWE 555084 137 ECG W03	SMART-L MDS LSMW LED 5550lm/840, LED DRIVER, WHITE	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78249	K019AK0219	oSML 1.5 MDS LWE 540083 137 EDA W03	SMART-L MDS LSMW LED 5400lm/830, LED DRIVER DALI, WHITE	OMS
LIG78250	K019AK0243	oSML 1.5 MDS LWE 810083 158 EDA W03	SMART-L MDS LSMW LED 8100lm/830, LED DRIVER DALI, WHITE	OMS
LIG78251	K019AK0265	oSML 1.5 MDS LWE 1000083 177 ECG W03	SMART-L MDS LSMW LED 10000lm/830, LED DRIVER, WHITE	OMS
LIG78252	K019AK0217	oSML 1.5 MDS LWE 540083 137 ECG W03	SMART-L MDS LSMW LED 5400lm/830, LED DRIVER, WHITE	OMS
LIG78253	K019AK0221	oSML 1.5 MDS LME 545083 137 ECG W03	SMART-L MDS LSDE LED 5450lm/830, LED DRIVER, WHITE	OMS
LIG78254	K019AK0225	oSML 1.5 MDS LA2 545083 137 ECG W03	SMART-L MDS LSDA LED 5450lm/830, LED DRIVER, WHITE	OMS
LIG78255	K019AK0293	oSML 1.5 MDS LCO 555083 137 ECG W03	SMART-L MDS LSCO LED 5550lm/830, LED DRIVER, WHITE	OMS
LIG78256	K019AK0220	oSML 1.5 MDS LWE 555084 137 EDA W03	SMART-L MDS LSMW LED 5550lm/840, LED DRIVER DALI, WHITE	OMS
LIG78257	K019AK0222	oSML 1.5 MDS LME 560084 137 ECG W03	SMART-L MDS LSDE LED 5600lm/840, LED DRIVER, WHITE	OMS
LIG78258	K019AK0223	oSML 1.5 MDS LME 545083 137 EDA W03	SMART-L MDS LSDE LED 5450lm/830, LED DRIVER DALI, WHITE	OMS
LIG78259	K019AK0224	oSML 1.5 MDS LME 560084 137 EDA W03	SMART-L MDS LSDE LED 5600lm/840, LED DRIVER DALI, WHITE	OMS
LIG78260	K019AK0226	oSML 1.5 MDS LA2 560084 137 ECG W03	SMART-L MDS LSDA LED 5600lm/840, LED DRIVER, WHITE	OMS
LIG78261	K019AK0227	oSML 1.5 MDS LA2 545083 137 EDA W03	SMART-L MDS LSDA LED 5450lm/830, LED DRIVER DALI, WHITE	OMS
LIG78262	K019AK0228	oSML 1.5 MDS LA2 560084 137 EDA W03	SMART-L MDS LSDA LED 5600lm/840, LED DRIVER DALI, WHITE	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78263	K019AK0241	oSML 1.5 MDS LWE 810083 158 ECG W03	SMART-L MDS LSMW LED 8100lm/830, LED DRIVER, WHITE	OMS
LIG78264	K019AK0242	oSML 1.5 MDS LWE 835084 158 ECG W03	SMART-L MDS LSMW LED 8350lm/840, LED DRIVER, WHITE	OMS
LIG78265	K019AK0244	oSML 1.5 MDS LWE 835084 158 EDA W03	SMART-L MDS LSMW LED 8350lm/840, LED DRIVER DALI, WHITE	OMS
LIG78266	K019AK0249	oSML 1.5 MDS LME 815083 158 ECG W03	SMART-L MDS LSDE LED 8150lm/830, LED DRIVER, WHITE	OMS
LIG78267	K019AK0250	oSML 1.5 MDS LME 840084 158 ECG W03	SMART-L PROFILE MOUNTING LG LENSES DEEP LED 8400lm/840 1x58W	OMS
LIG78268	K019AK0251	oSML 1.5 MDS LME 815083 158 EDA W03	SMART-L MDS LSDE LED 8150lm/830, LED DRIVER DALI, WHITE	OMS
LIG78269	K019AK0252	oSML 1.5 MDS LME 840084 158 EDA W03	SMART-L MDS LSDE LED 8400lm/840, LED DRIVER DALI, WHITE	OMS
LIG78270	K019AK0257	oSML 1.5 MDS LA2 815083 158 ECG W03	SMART-L MDS LSDA LED 8150lm/830, LED DRIVER, WHITE	OMS
LIG78271	K019AK0258	oSML 1.5 MDS LA2 840084 158 ECG W03	SMART-L MDS LSDA LED 8400lm/840, LED DRIVER, WHITE	OMS
LIG78272	K019AK0259	oSML 1.5 MDS LA2 815083 158 EDA W03	SMART-L MDS LSDA LED 8150lm/830, LED DRIVER DALI, WHITE	OMS
LIG78273	K019AK0260	oSML 1.5 MDS LA2 840084 158 EDA W03	SMART-L MDS LSDA LED 8400lm/840, LED DRIVER DALI, WHITE	OMS
LIG78274	K019AK0266	oSML 1.5 MDS LWE 1030084 177 ECG W03	SMART-L MDS LSMW LED 10300lm/840, LED DRIVER, WHITE	OMS
LIG78275	K019AK0267	oSML 1.5 MDS LWE 1000083 177 EDA W03	SMART-L MDS LSMW LED 10000lm/830, LED DRIVER DALI, WHITE	OMS
LIG78276	K019AK0268	oSML 1.5 MDS LWE 1030084 177 EDA W03	SMART-L MDS LSMW LED 10300lm/840, LED DRIVER DALI, WHITE	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78277	K019AK0273	oSML 1.5 MDS LME 1005083 177 ECG W03	SMART-L MDS LSDE LED 10050lm/830, LED DRIVER, WHITE	OMS
LIG78278	K019AK0274	oSML 1.5 MDS LME 1035084 177 ECG W03	SMART-L MDS LSDE LED 10350lm/840, LED DRIVER, WHITE	OMS
LIG78279	K019AK0275	oSML 1.5 MDS LME 1005083 177 EDA W03	SMART-L MDS LSDE LED 10050lm/830, LED DRIVER DALI, WHITE	OMS
LIG78280	K019AK0276	oSML 1.5 MDS LME 1035084 177 EDA W03	SMART-L MDS LSDE LED 10350lm/840, LED DRIVER DALI, WHITE	OMS
LIG78281	K019AK0281	oSML 1.5 MDS LA2 1005083 177 ECG W03	SMART-L MDS LSDA LED 10050lm/830, LED DRIVER, WHITE	OMS
LIG78282	K019AK0282	oSML 1.5 MDS LA2 1035084 177 ECG W03	SMART-L MDS LSDA LED 10350lm/840, LED DRIVER, WHITE	OMS
LIG78283	K019AK0283	oSML 1.5 MDS LA2 1005083 177 EDA W03	SMART-L MDS LSDA LED 10050lm/830, LED DRIVER DALI, WHITE	OMS
LIG78284	K019AK0284	oSML 1.5 MDS LA2 1035084 177 EDA W03	SMART-L MDS LSDA LED 10350lm/840, LED DRIVER DALI, WHITE	OMS
LIG78285	K019AK0294	oSML 1.5 MDS LCO 570084 137 ECG W03	SMART-L MDS LSCO LED 5700lm/840, LED DRIVER, WHITE	OMS
LIG78286	K019AK0295	oSML 1.5 MDS LCO 555083 137 EDA W03	SMART-L MDS LSCO LED 5550lm/830, LED DRIVER DALI, WHITE	OMS
LIG78287	K019AK0296	oSML 1.5 MDS LCO 570084 137 EDA W03	SMART-L MDS LSCO LED 5700lm/840, LED DRIVER DALI, WHITE	OMS
LIG78288	K019AK0301	oSML 1.5 MDS LCO 815083 158 ECG W03	SMART-L MDS LSCO LED 8150lm/830, LED DRIVER, WHITE	OMS
LIG78289	K019AK0302	oSML 1.5 MDS LCO 840084 158 ECG W03	SMART-L MDS LSCO LED 8400lm/840, LED DRIVER, WHITE	OMS
LIG78290	K019AK0303	oSML 1.5 MDS LCO 815083 158 EDA W03	SMART-L MDS LSCO LED 8150lm/830, LED DRIVER DALI, WHITE	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78291	K019AK0304	oSML 1.5 MDS LCO 840084 158 EDA W03	SMART-L MDS LSCO LED 8400lm/840, LED DRIVER DALI, WHITE	OMS
LIG78292	K019AK0309	oSML 1.5 MDS LCO 1030083 177 ECG W03	SMART-L MDS LSCO LED 10300lm/830, LED DRIVER, WHITE	OMS
LIG78293	K019AK0310	oSML 1.5 MDS LCO 1060084 177 ECG W03	SMART-L MDS LSCO LED 10600lm/840, LED DRIVER, WHITE	OMS
LIG78294	K019AK0311	oSML 1.5 MDS LCO 1030083 177 EDA W03	SMART-L MDS LSCO LED 10300lm/830, LED DRIVER DALI, WHITE	OMS
LIG78295	K019AK0312	oSML 1.5 MDS LCO 1060084 177 EDA W03	SMART-L MDS LSCO LED 10600lm/840, LED DRIVER DALI, WHITE	OMS
LIG78296	K032AE0318	oFRN II SS4 MCD 410083 131 EDA W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78297	K032AE0312	oFRN II SS1 MCD 410083 131 ECG W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78298	K032AE0359	oFRN II PV1 MCD 410083 131 EDA W03	FREYN II PV/PR-1 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78299	K032AE0367	oFRN II PR1 MCD 410083 131 EDA W03	FREYN II PV/PR-1 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78300	K032AE0375	oFRN II PV4 MCD 410083 131 EDA W03	FREYN II PV/PR-4 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78301	K032AE0383	oFRN II PR4 MCD 410083 131 EDA W03	FREYN II PV/PR-4 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78302	K032AE0310	oFRN II SS1 MCD 410083 131 EDA W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78303	K032AE0311	oFRN II SS1 MCD 425084 131 EDA W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78304	K032AE0313	oFRN II SS1 MCD 425084 131 ECG W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78305	K032AE0319	oFRN II SS4 MCD 425084 131 EDA W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78306	K032AE0320	oFRN II SS4 MCD 410083 131 ECG W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78307	K032AE0321	oFRN II SS4 MCD 425084 131 ECG W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78308	K032AE0326	oFRN II SS1 MCD 300083 122 EDA W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78309	K032AE0327	oFRN II SS1 MCD 310084 122 EDA W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78310	K032AE0328	oFRN II SS1 MCD 300083 122 ECG W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78311	K032AE0329	oFRN II SS1 MCD 310084 122 ECG W03	FREYN II SUR./SUS. SS1 MICROPRISMA LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78312	K032AE0334	oFRN II SS4 MCD 300083 122 EDA W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78313	K032AE0335	oFRN II SS4 MCD 310084 122 EDA W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78314	K032AE0336	oFRN II SS4 MCD 300083 122 ECG W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78315	K032AE0337	oFRN II SS4 MCD 310084 122 ECG W03	FREYN II SUR./SUS. SS4 MICROPRISMA LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78316	K032AE0360	oFRN II PV1 MCD 425084 131 EDA W03	FREYN II PV/PR-1 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78317	K032AE0361	oFRN II PV1 MCD 410083 131 ECG W03	FREYN II PV/PR-1 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78318	K032AE0362	oFRN II PV1 MCD 425084 131 ECG W03	FREYN II PV/PR-1 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78319	K032AE0368	oFRN II PR1 MCD 425084 131 EDA W03	FREYN II PV/PR-1 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78320	K032AE0369	oFRN II PR1 MCD 410083 131 ECG W03	FREYN II PV/PR-1 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78321	K032AE0370	oFRN II PR1 MCD 425084 131 ECG W03	FREYN II PV/PR-1 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78322	K032AE0376	oFRN II PV4 MCD 425084 131 EDA W03	FREYN II PV/PR-4 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78323	K032AE0377	oFRN II PV4 MCD 410083 131 ECG W03	FREYN II PV/PR-4 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78324	K032AE0378	oFRN II PV4 MCD 425084 131 ECG W03	FREYN II PV/PR-4 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78325	K032AE0384	oFRN II PR4 MCD 425084 131 EDA W03	FREYN II PV/PR-4 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78326	K032AE0385	oFRN II PR4 MCD 410083 131 ECG W03	FREYN II PV/PR-4 LED 4100lm/830 1x31W, LED DRIVER, RAL 9003	OMS
LIG78327	K032AE0386	oFRN II PR4 MCD 425084 131 ECG W03	FREYN II PV/PR-4 LED 4250lm/840 1x31W, LED DRIVER, RAL 9003	OMS
LIG78328	K032AE0398	oFRN II PV1 MCD 300083 122 EDA W03	FREYN II PV/PR-1 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78329	K032AE0399	oFRN II PV1 MCD 310084 122 EDA W03	FREYN II PV/PR-1 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78330	K032AE0400	oFRN II PV1 MCD 300083 122 ECG W03	FREYN II PV/PR-1 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78331	K032AE0401	oFRN II PV1 MCD 310084 122 ECG W03	FREYN II PV/PR-1 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78332	K032AE0406	oFRN II PV4 MCD 300083 122 EDA W03	FREYN II PV/PR-4 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78333	K032AE0407	oFRN II PV4 MCD 310084 122 EDA W03	FREYN II PV/PR-4 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78334	K032AE0408	oFRN II PV4 MCD 300083 122 ECG W03	FREYN II PV/PR-4 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78335	K032AE0409	oFRN II PV4 MCD 310084 122 ECG W03	FREYN II PV/PR-4 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78336	K032AE0414	oFRN II PR1 MCD 300083 122 EDA W03	FREYN II PV/PR-1 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78337	K032AE0415	oFRN II PR1 MCD 310084 122 EDA W03	FREYN II PV/PR-1 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78338	K032AE0416	oFRN II PR1 MCD 300083 122 ECG W03	FREYN II PV/PR-1 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78339	K032AE0417	oFRN II PR1 MCD 310084 122 ECG W03	FREYN II PV/PR-1 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78340	K032AE0422	oFRN II PR4 MCD 300083 122 EDA W03	FREYN II PV/PR-4 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78341	K032AE0423	oFRN II PR4 MCD 310084 122 EDA W03	FREYN II PV/PR-4 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78342	K032AE0424	oFRN II PR4 MCD 300083 122 ECG W03	FREYN II PV/PR-4 LED 3000lm/830 1x22W, LED DRIVER, RAL 9003	OMS
LIG78343	K032AE0425	oFRN II PR4 MCD 310084 122 ECG W03	FREYN II PV/PR-4 LED 3100lm/840 1x22W, LED DRIVER, RAL 9003	OMS
LIG78344	K021AS0194	oLMA M SSD MCD 380083 135 EDA W03	LAMBDA LED DIF SUS. M MICROPRISMA LED 3800lm/830 1x35W, LED DRIVER, RAL 9003	OMS
LIG78345	K021AS0196	oLMA M SSD MCD 465083 144 EDA W03	LAMBDA LED DIF SUS. M MICROPRISMA LED 4650lm/830 1x44W, LED DRIVER, RAL 9003	OMS
LIG78346	K021AS0210	oLMA L SSD MCD 475083 142 EDA W03	LAMBDA LED DIF SUS. L MICROPRISMA LED 4750lm/830 1x42W, LED DRIVER, RAL 9003	OMS
LIG78347	K021AS0171	oLMA M DI SSD MCD 555083 139 EDAW03	LAMBDA LED D-I M MICROPRISMA LED 5550lm/830 1x39W, LED DRIVER, RAL 9003	OMS
LIG78348	K021AS0177	oLMA L DI SSD MCD 630083 144 ECG W03	LAMBDA LED D-I L MICROPRISMA LED 6300lm/830 1x44W, LED DRIVER, RAL 9003	OMS
LIG78349	K021AS0169	oLMA M DI SSD MCD 555083 139 ECG W03	LAMBDA LED D-I M MICROPRISMA LED 5550lm/830 1x39W, LED DRIVER, RAL 9003	OMS
LIG78350	K021AS0170	oLMA M DI SSD MCD 580084 139 ECG W03	LAMBDA LED D-I M MICROPRISMA LED 5800lm/840 1x39W, LED DRIVER, RAL 9003	OMS
LIG78351	K021AS0172	oLMA M DI SSD MCD 580084 139 EDA W03	LAMBDA LED D-I M MICROPRISMA LED 5800lm/840 1x39W, LED DRIVER, RAL 9003	OMS
LIG78352	K021AS0178	oLMA L DI SSD MCD 660084 144 ECG W03	LAMBDA LED D-I L MICROPRISMA LED 6600lm/840 1x44W, LED DRIVER, RAL 9003	OMS
LIG78353	K021AS0179	oLMA L DI SSD MCD 630083 144 EDA W03	LAMBDA LED D-I L MICROPRISMA LED 6300lm/830 1x44W, LED DRIVER, RAL 9003	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78354	K021AS0180	oLMA L DI SSD MCD 660084 144 EDA W03	LAMBDA LED D-I L MICROPRISMA LED 6600lm/840 1x44W, LED DRIVER, RAL 9003	OMS
LIG78355	K021AS0195	oLMA M SSD MCD 390084 135 EDA W03	LAMBDA LED DIF SUS. M MICROPRISMA LED 3900lm/840 1x35W, LED DRIVER, RAL 9003	OMS
LIG78356	K021AS0197	oLMA M SSD MCD 480084 144 EDA W03	LAMBDA LED DIF SUS. M MICROPRISMA LED 4800lm/840 1x44W, LED DRIVER, RAL 9003	OMS
LIG78357	K021AS0211	oLMA L SSD MCD 485084 142 EDA W03	LAMBDA LED DIF SUS. L MICROPRISMA LED 4850lm/840 1x42W, LED DRIVER, RAL 9003	OMS
LIG78358	K021AS0212	oLMA L SSD MCD 585083 154 EDA W03	LAMBDA LED DIF SUS. L MICROPRISMA LED 5850lm/830 1x54W, LED DRIVER, RAL 9003	OMS
LIG78359	K021AS0213	oLMA L SSD MCD 600084 154 EDA W03	LAMBDA LED DIF SUS. L MICROPRISMA LED 6000lm/840 1x54W, LED DRIVER, RAL 9003	OMS
LIG78360	K011AO0045	uPLC H S S/S OPD 140084 117 ECG W03	PLAST H LED S OPAL LED 1400lm/840 1x17W, LED DRIVER, -	OMS
LIG78361	K011AO0048	uPLC H M S/S OPD 350083 139 ECG W03	PLAST H LED M OPAL LED 3500lm/830 1x39W, LED DRIVER, -	OMS
LIG78362	K011AO0046	uPLC H S S/S OPD 135083 117 EDA W03	PLAST H LED S OPAL LED 1350lm/830 1x17W, LED DRIVER, -	OMS
LIG78363	K011AO0044	uPLC H S S/S OPD 135083 117 ECG W03	PLAST H LED S OPAL LED 1350lm/830 1x17W, LED DRIVER, -	OMS
LIG78364	K011AO0054	uPLC H L S/S OPD 440083 150 EDA W03	PLAST H LED L OPAL LED 4400lm/830 1x50W, LED DRIVER, -	OMS
LIG78365	K011AO0052	uPLC H L S/S OPD 440083 150 ECG W03	PLAST H LED L OPAL LED 4400lm/830 1x50W, LED DRIVER, -	OMS
LIG78366	K011AO0047	uPLC H S S/S OPD 140084 117 EDA W03	PLAST H LED S OPAL LED 1400lm/840 1x17W, LED DRIVER, -	OMS
LIG78367	K011AO0049	uPLC H M S/S OPD 365084 139 ECG W03	PLAST H LED M OPAL LED 3650lm/840 1x39W, LED DRIVER, -	OMS
LIG78368	K011AO0050	uPLC H M S/S OPD 350083 139 EDA W03	PLAST H LED M OPAL LED 3500lm/830 1x39W, LED DRIVER, -	OMS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78369	K011AO0051	uPLC H M S/S OPD 365084 139 EDA W03	PLAST H LED M OPAL LED 3650lm/840 1x39W, LED DRIVER, -	OMS
LIG78370	K011AO0053	uPLC H L S/S OPD 455084 150 ECG W03	PLAST H LED L OPAL LED 4550lm/840 1x50W, LED DRIVER, -	OMS
LIG78371	K011AO0055	uPLC H L S/S OPD 455084 150 EDA W03	PLAST H LED L OPAL LED 4550lm/840 1x50W, LED DRIVER, -	OMS
LIG78372	K011AO0056	uPLC H S S/S TRD 225083 117 ECG W03	PLAST H LED S PRISMA LED 2250lm/830 1x17W, LED DRIVER, -	OMS
LIG78373	K011AO0057	uPLC H S S/S TRD 235084 117 ECG W03	PLAST H LED S PRISMA LED 2350lm/840 1x17W, LED DRIVER, -	OMS
LIG78374	K011AO0058	uPLC H S S/S TRD 225083 117 EDA W03	PLAST H LED S PRISMA LED 2250lm/830 1x17W, LED DRIVER, -	OMS
LIG78375	K011AO0059	uPLC H S S/S TRD 235084 117 EDA W03	PLAST H LED S PRISMA LED 2350lm/840 1x17W, LED DRIVER, -	OMS
LIG78376	K011AO0060	uPLC H M S/S TRD 580083 139 ECG W03	PLAST H LED M PRISMA LED 5800lm/830 1x39W, LED DRIVER, -	OMS
LIG78377	K011AO0061	uPLC H M S/S TRD 595084 139 ECG W03	PLAST H LED M PRISMA LED 5950lm/840 1x39W, LED DRIVER, -	OMS
LIG78378	K011AO0062	uPLC H M S/S TRD 580083 139 EDA W03	PLAST H LED M PRISMA LED 5800lm/830 1x39W, LED DRIVER, -	OMS
LIG78379	K011AO0063	uPLC H M S/S TRD 595084 139 EDA W03	PLAST H LED M PRISMA LED 5950lm/840 1x39W, LED DRIVER, -	OMS
LIG78380	K011AO0064	uPLC H L S/S TRD 725083 150 ECG W03	PLAST H LED L PRISMA LED 7250lm/830 1x50W, LED DRIVER, -	OMS
LIG78381	K011AO0065	uPLC H L S/S TRD 745084 150 ECG W03	PLAST H LED L PRISMA LED 7450lm/840 1x50W, LED DRIVER, -	OMS
LIG78382	K011AO0066	uPLC H L S/S TRD 725083 150 EDA W03	PLAST H LED L PRISMA LED 7250lm/830 1x50W, LED DRIVER, -	OMS
LIG78383	K011AO0067	uPLC H L S/S TRD 745084 150 EDA W03	PLAST H LED L PRISMA LED 7450lm/840 1x50W, LED DRIVER, -	OMS
LIG78384	512 161-1 30W	Surface mounted down light 30W, IP54.	Ø 146XH192mm IP54. Philips 1203/830, 3000lm, CRI 80 PF ≥ 0.9 4000K 50/60Hz Philips Certa Driver, 30W	Royal /TA KoEnergies LTD
LIG78385	PLG6624NW	MODLED LG PRO PLG6624NW	600mm x 600mm LED panel with VDT optic	Tamlite Lighting
LIG78386	PLG12640NW	MODLED LG PRO PLG12640NW	1200mm x 600mm LED panel with VDT optic	Tamlite Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78387	XCBT631NW	xcite XCBT631NW	1800mm LED Batten with diffuser	Tamlite Lighting
LIG78388	XCBT673NW	xcite XCBT673NW	1800mm LED Batten with diffuser	Tamlite Lighting
LIG78389	96666101	LAS800ZW4K	LARA LED 250 800 840 WH	Thorn Lighting
LIG78390	96666103	LAS800ZWE4K	LARA LED 250 800 840 WH E3	Thorn Lighting
LIG78391	96666102	LAS800ZB4K	LARA LED 250 800 840 BLK	Thorn Lighting
LIG78392	96666104	LAS800ZBE4K	LARA LED 250 800 840 BLK E3	Thorn Lighting
LIG78393	96666105	LAL1200ZW4K	LARA LED 300 1200 840 WH	Thorn Lighting
LIG78394	96666107	LAL1200ZWE 4K	LARA LED 300 1200 840 WH E3	Thorn Lighting
LIG78395	96666106	LAL1200ZB 4K	LARA LED 300 1200 840 BLK	Thorn Lighting
LIG78396	96666108	LAL1200ZBE 4K	LARA LED 300 1200 840 BLK E3	Thorn Lighting
LIG78397	96628900	LAL1000ZW4 KBEZW	LARA LED 300 1000 840 COMPLETE WITH BEZEL TRIM WH	Thorn Lighting
LIG78398	96629752	LAXL1900Z W4K	LARA LED 330 2000 840 WH	Thorn Lighting
LIG78399	96629755	LAXL1900ZE W4K	LARA LED 330 2000 840 WH E3	Thorn Lighting
LIG78400	96630323	GO12000Z4K	GEORGE LED 330 12000 840	Thorn Lighting
LIG78401	96630324	GO18000Z4K	GEORGE LED 330 18000 840	Thorn Lighting
LIG78402	96630325	GO24000Z4K	GEORGE LED 390 24000 840	Thorn Lighting
LIG78403	96630326	GO30000Z4K	GEORGE LED 390 30000 840	Thorn Lighting
LIG78404	22172901-00	EcoLex 6	recessed LED downlighter	Disano Ireland
LIG78405	96665583	AY800Z3K	AMY 100 LED DL 800 830	Thorn Lighting
LIG78406	96628352	AY1000Z3K	AMY 150 LED DL 1000 830	Thorn Lighting
LIG78407	96665585	AY1500Z3K	AMY 150 LED DL 1500 830	Thorn Lighting
LIG78408	96665587	AY2000Z3K	AMY 200 LED DL 2000 830	Thorn Lighting
LIG78409	96665848	AY1000ZE3K	AMY 150 LED DL 1000 830 E3	Thorn Lighting
LIG78410	96665844	AY1500ZE3K	AMY 150 LED DL 1500 830 E3	Thorn Lighting
LIG78411	96665846	AY2000ZE3K	AMY 200 LED DL 2000 830 E3	Thorn Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG78412	96665584	AY800Z4K	AMY 100 LED DL 800 840	Thorn Lighting
LIG78413	96628353	AY1000Z4K	AMY 150 LED DL 1000 840	Thorn Lighting
LIG78414	96665586	AY1500Z4K	AMY 150 LED DL 1500 840	Thorn Lighting
LIG78415	96665588	AY2000Z4K	AMY 200 LED DL 2000 840	Thorn Lighting
LIG78416	96665849	AY1000ZE4K	AMY 150 LED DL 1000 840 E3	Thorn Lighting
LIG78417	96665845	AY1500ZE4K	AMY 150 LED DL 1500 840 E3	Thorn Lighting
LIG78418	96665847	AY2000ZE4K	AMY 200 LED DL 2000 840 E3	Thorn Lighting
LIG74961	101LNT.1.01-I192	Lentie 1	Lentie LED. Wall mounted luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi
LIG74962	101LNT.1.01-I199	Lentie 2	Lentie LED. Wall mounted luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi
LIG74963	110TMB.1.01-I191	Timbal 1	Timbal LED. Surface mounted luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi
LIG74964	111TMB.1.01-I214	Timbal 2	Timbal LED. Surface mounted luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi
LIG74965	104TMS.1.01-I192	Timbal SQ 1	Timbal SQ LED. Surface mounted luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74966	105TMS.1.01-I218	Timbal SQ 2	Timbal SQ LED. Surface mounted luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable ((CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi
LIG74967	101JET.1.01-I192	Jet 1	Jet LED. Surface mounted Projector. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi
LIG74968	109JET.1.01-I214	Jet 2	Jet LED. Surface mounted Projector. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi
LIG74969	101JTS.1.01-I192	Jet SQ 1	Jet SQ LED. Surface mounted Projector. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi
LIG74970	102JTS.1.01-I218	Jet SQ 2	Jet SQ LED. Surface mounted Projector. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi
LIG74971	101CMT.1.01-I192	Commet 1	Commet LED. Suspension mounted Luminaire Direct. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): > 80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi
LIG74972	109CMT.1.01-I214	Commet 2	Commet LED. Suspension mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74973	101CMS.1.01-I191	Commet SQ 1	Commet SQ LED. Suspension mounted Luminaire Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP65.	Rovasi
LIG74974	102CMS.1.01-I218	Commet SQ 2	Commet SQ LED. Suspension mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP65.	Rovasi
LIG74975	101LTH.8.01-I192	Lithos 1	Lithos LED. Recessed buried Luminaire Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP68.	Rovasi
LIG74976	102LTH.8.01-I214	Lithos 2	Commet SQ LED. Recessed Buried Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP68.	Rovasi
LIG74977	102TER.8.01-I192	Terra 1	Terra LED. Recessed buried Luminaire Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP68.	Rovasi
LIG74978	118TER.8.01-I214	Terra 2	Terra SQ LED. Recessed Buried Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP68.	Rovasi
LIG74979	101TSQ.8.01-I192	Terra SQ 1	Terra SQ LED. Recessed buried Luminaire Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP68.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74980	101TSQ.8.01-I214	Terra SQ 2	Terra SQ SQ LED. Recessed Buried Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP68.	Rovasi
LIG74981	101PVT.4-I192	Pivot 1	Pivot LED. Semi-Recessed buried Luminaire Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP68.	Rovasi
LIG74982	101PVT.4-I205	Pivot 2	Pivot SQ LED. Semi-Recessed Buried Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP68.	Rovasi
LIG74983	101BFV.1-E139	Baffle Evolution 3	Baffle Evolution. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >85. Colour temperature: 4000K (Neutral White). LED. IP20.	Rovasi
LIG74984	122PNH.1-R210	Pinhole 3	Pinhole. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74985	134ATM.1-R210	Atomic 3	Atomic. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74986	124CLL.1-R210	Cell 3	Cell. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74987	122SHW.1-R214	Shallow 3	Shallow. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74988	116ACT.1-R199	Activo 3	Activo. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74989	105DNM.1-R199	Dynamic 3	Dynamic. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74990	110FCS.1-R210	Focus 3	Focus. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74991	140BSM.1-R210	BSM 3	BSM. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74992	102BFS.1.01-E139	Baffle Evolution Seal 3	Baffle Evolution Seal. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. (CRI): >85. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP65.	Rovasi
LIG74993	107BSE.1.01-R210	BSM Seal 3	BSM Seal. LED. Recessed mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >85. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP65.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74994	117PNS.1.01-E139	Pinhole Seal 3	Pinhole Seal. LED. Recessed mounted luminaire. Direct only light distribution. Clear diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >85. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP65.	Rovasi
LIG74995	112GRV.1-I199	Gravity 3	Gravity. LED. Pendant luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74996	103KER.1-I260	Keri 3	Keri. LED. Pendant luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP20.	Rovasi
LIG74997	110ATW.1-R212	Atomic Wallwasher 3	Atomic Wall Washer. LED. Recessed Mounted Wallwasher luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). IP20.	Rovasi
LIG74998	102QTW.1-R210	Quadratic Wallwasher 3	Quadratic Wallwasher. LED. Recessed Mounted Wallwasher. Direct only light distribution. Surface finish: White Painted. Switchable (CRI):>80. Colour temperature: 4000K (Neutral White). LED Medium-Power.IP20.	Rovasi
LIG74999	102OYT.1.01-I199	Oyster 3	Oyster. LED. Recessed Mounted luminaire. Direct only light distribution. Clear diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP65.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75000	105WTT.8.01-R210	Watertight 3	Watertight. LED. Recessed Mounted luminaire. Direct only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP65.	Rovasi
LIG75001	103WSH.8.01-R210	Watertight Shallow 3	Watertight Shallow. LED. Recessed Mounted luminaire. Direct only light distribution Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP65.	Rovasi
LIG75002	112TER.8.01-I199	Terra 3	Terra LED. Recessed Buried Luminaire. Direct Only light distribution. Clear diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP68.	Rovasi
LIG75003	102SWG.1-I401	Swing 1	Swing LED. Pendant Suspension Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP40.	Rovasi
LIG75004	104SWG.1-I575	Swing 2	Swing LED. Pendant Suspension Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED High-Power. IP40.	Rovasi
LIG75005	101LFT.1-I385	Lift 1	Lift LED. Wall Mounted Luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 3000K (Warm White). LED Low-Power. IP20.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75006	103LFT.1-I422	Lift 2	Lift LED. Wall Mounted Luminaire. Direct/Indirect light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP20.	Rovasi
LIG75007	113GRP.1-I458	Greenwich Plus 1	Greenwich Plus LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75008	117GRP.1-I625	Greenwich Plus 2	Greenwich Plus LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75009	107GPW.1-I458	Greenwich Plus WW 1	Greenwich Plus WW LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75010	107GPW.1-I584	Greenwich Plus WW 2	Greenwich Plus WW LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75011	101NLI.1-I386	Nuoli 1	Nuoli LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75012	104NLI.1-I563	Nuoli 2	Nuoli LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75013	113HZP.1-I458	Horizon Plus 1	Horizon Plus LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature:4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75014	113HZP.1-I584	Horizon Plus 2	Horizon Plus LED. Recessed Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75015	101MRP.1-I304	Meridian Plus 1	Meridian Plus LED. Surface Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75016	101MRP.1-I307	Meridian Plus 2	Meridian Plus LED. Surface Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75017	101RLP.1-I304	Rule Plus 1	Rule Plus LED. Pendant Suspension Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75018	101RLP.1-I308	Rule Plus 2	Rule Plus LED. Pendant Suspension Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75019	103RLW.1-I466	Rule WW 1	Rule WW LED. Pendant Suspension Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75020	103RLW.1-I474	Rule WW 2	Rule WW LED. Pendant Suspension Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP40.	Rovasi
LIG75021	102JON.1-I402	Joon 1	Joon LED. Wall Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Color temperature: 4000K (Neutral White). LED Low-Power. IP40.	Rovasi
LIG75022	102JON.1-I410	Joon 2	Joon LED. Wall Mounted Luminaire. Direct Only light distribution. Surface finish: White Painted. Switchable (CRI): >80. Colour temperature: 4000K (Neutral White). LED Medium-Power. IP40.	Rovasi
LIG75316	BA1OSE-840M-D200	Basic-A1.2	Basic-A1. LED. Surface mounted luminaire Direct only light distribution. Surface finish:(RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet
LIG75317	BA1OSE-840M-D300	Basic-A1.3	Basic-A1. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: (RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet
LIG75318	BA1OSE-840M-D400	Basic-A1.4	Basic-A1. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: (RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet
LIG75319	BA1OSE-840M-D500	Basic-A1.5	Basic-A1. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: (RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75320	BA1OSE-840M-D600	Basic-A1.6	Basic-A1. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: (RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet
LIG75321	BA1OSE-840M-D970	Basic-A1.97	Basic-A1. LED. Surface mounted luminaire. Surface finish: (RAL9006). Switchable (3-pole). Colour Rendering Index (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet
LIG75322	BA1OSE-840M-D1200	Basic-A1.12	Basic-A1. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: (RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20.	Lightnet
LIG75323	LA3OEE-840M-L600	Matric-A3.6	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75324	LA3OEE-840M-L890	Matric-A3.89	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75325	LA3OEE-840M-L1182	Matric-A3.11	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75326	LA3OEE-840M-L1475	Matric-A3.14	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75327	LA3OEE-840M-L1765	Matric-A3.17	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75328	LA3OEE-840M-L2350	Matric-A3.23	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75329	LA3OEE-840M-L2930	Matric-A329	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75330	LA5OEE-840M-L1475	Matric-A5.14	Matric-A5. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75331	NS1AEX-840M-L600-PS	Nomic-S.6X	Nomic-S Free standing luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Colour Rendering Index (CRI): > 83 Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75332	NS1AEM-840M-L600-PS	Nomic-S.6M	Nomic-S Free standing luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75333	NS1AER-840M-L600-PS	Nomic-S.R6	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75334	CA1OEE-840M-L900	Cubic-A1.9	Cubic-A1. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75335	CA1OEE-840M-L1200	Cubic-A1.12	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75336	CA1OEE-840M-L1500	Cubic-A1.15	Matric-A3. LED. Surface mounted luminaire. Direct only light distribution. Surface finish: (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75337	AP2OSE-840M-Q330-KS	Caleo-P2.33	Caleo-P2. LED. Pendant luminaire. Direct/indirect light distribution. Surface finish:(RAL9006). Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.IP20	Lightnet
LIG75338	AP2OSE-840M-Q430-KS	Caleo-P2.43	Caleo-P2. LED. Pendant luminaire. Direct/indirect light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.IP20	Lightnet
LIG75339	AP2OSE-840M-Q530-KS	Caleo-P2.53	Caleo-P2. LED. Pendant luminaire. Direct/indirect light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75340	AP2OSE-840M-Q630-KS	Caleo-P2.63	Caleo-P2. LED. Pendant luminaire. Direct/indirect light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75341	AP2OSE-840M-Q900-KS	Caleo-P2.90	Caleo-P2. LED. Pendant luminaire. Direct/indirect light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75342	RG1OSE-840M-D600-KS	Ringo Star-G1.6	Ringo Star-G1. LED. Pendant luminaire. Direct only light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75343	RG1OSE-840M-D900-KS	Ringo Star-G1.9	Ringo Star-G1. LED. Pendant luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75344	RG1OSE-840M-D1200-KS	Ringo Star-G1.12	Ringo Star-G1. LED. Pendant luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75345	RG1OSE-840M-D1500-KS	Ringo Star-G1.15	Ringo Star-G1.LED. Pendant luminaire. Direct only light distribution. Surface finish: Aluminium, matt silver anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75346	RG1OSE-840M-D2000-KS	Ringo Star-G1.20	Ringo Star-G1. LED. Pendant luminaire Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (3-pole). Colour Rendering Index (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75347	MA4OSE-840M-D700-W	Beam Me Up-A4.7	Beam Me Up-A4. LED. Surface wallwasher. Surface finish: RAL9006 Switchable (3-pole). Colour Rendering Index (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75348	MA4OSE-840M-1200-W	Beam Me Up-A4.12	Beam Me Up-A4. LED. Surface wallwasher. Surface finish: Aluminium, anodized. Switchable (3-pole). Colour Rendering Index (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75349	WA1OSE-840M-D600	Wax-A1.6	WAX-A1. LED. Surface mounted luminaire. Surface finish: Aluminium, anodized. Switchable (3-pole). Colour Rendering Index (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75350	CA2OEE-840M-Q530	Cubic-A2.5	Cubic-A2. LED. Surface mounted luminaire. Surface finish: Aluminium anodized. Switchable (3-pole). Colour Rendering Index (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75351	LD3OEE-840M-L1475	Matric-D3.14	Matric-D3. LED. Surface mounted luminaire. Direct/indirect light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75352	BX1OSE-840M-D600	Basic-X1.6	Basic-X1. LED. Surface mounted luminaire. Direct/indirect light distribution. Surface finish: RAL9006. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP21	Lightnet
LIG75353	RG1OSG-840M-D1200-KS	Ringo Star-P1.12	Ringo Star-P1. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75354	BP1OSE-840M-D1200-US	Basic-P1.12	Basic-P1. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75355	WO1OSE-840M-D600-W	Wax-P1.6	Wax-P1. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75356	AP3OSE-840M-Q960-W	Caleo-P3.96	Caleo-P3. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75357	CP2OEE-840M-Q630-KS	Cubic-P2.63	Cubic-P2. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75358	LR4OEE-840M-Q940-AS	Matric R.S -R4.94	Matric-Readysquare-R4. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75359	LR3OEE-840M-L1475-AS	Matric-R4.14	Matric-R3. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75360	LR5OEE-840M-L1475-AS	Matric-R5.14	Matric-R5. LED. Suspended luminaire. Direct/indirect light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75361	LG1OEE-840M-L1475-AS	Matric-G1.14	Matric-G1. LED. Suspended luminaire. Direct light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75362	LG3OEE-840M-L1475-AS	Matric-G3.14	Matric-G3. LED. Suspended luminaire. Direct light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75363	LG5OEE-840M-L1475-AS	Matric-G5.14	Matric-G5. LED. Suspended luminaire. Direct light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75364	LG3OEE-840M-Q940-KS	Matric R.S -R4.940	Matric-Readysquare-Q3. LED. Suspended luminaire. Direct light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power.	Lightnet
LIG75365	RA10SE-840M-D1200	Ringo Star-A1.12	Ringo Star-A1 Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75366	BZ10SE-840M-D300	Basic-Z1.3	Basic-Z1 Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75367	AA3OSE-840M-L1475	Caleo-A3.14	Caleo-A3 Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75368	AA30SE-840M-Q1269	Caleo Inverse-A4.12	Caleo Inverse-A4 Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75369	CA2EE-840M-Q530	Cubic-A2.53	Cubic-A2 Surface mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75370	RF30SE-840M-D1210	Ringo Star-F3.121	Ringo Star-F3 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75371	BM2OSE-840N-D500	Basic-M2.5	Basic-M4 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75372	BM4OSE-840N-D520	Basic-M4.52	Basic-M4 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75373	BM6FSE-840N-D521	Basic-M6.52	Basic-M6 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP21	Lightnet
LIG75374	BM7OSE-840N-D670	Basic-M7.6	Basic-M7 Half-Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP21	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75375	CM1OEE-840M-L1480	Cubic -M1.14	Cubic-M2 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75376	CM2OEE-840M-Q612	Cubic -M2.6	Cubic-M2 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75377	CM3OEE-840M-L1497	Cubic -M3.14	Cubic-M3 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75378	CM4OEE-840M-Q621	Cubic -M4.6	Cubic-M4 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75379	CM6OEE-840M-Q621	Cubic -M6.6	Cubic-M6 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75380	CM8OEE-840M-M600	Cubic -M8.6	Cubic-M8 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75381	CM9OEE-840M-M1200	Cubic -M9.12	Cubic-M9 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75382	LM10EE-840-L1475	Matric-M1	Matric-M1 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75383	LM30EE-840M-L1475	Matric-M3	Matric-M3 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75384	LM50EE-840M-L1475	Matric-M5	Matric-M5 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75385	LF10EE-840M-L1485	Matric-F1	Matric-F1 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75386	LF30EE-840M-L1490	Matric-F3	Matric-F3 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75387	LF3GEE-840M-L1490	Matric-F3WW	Matric-F3WW Recessed Wallwasher luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75388	LF50EE-840M-L1490	Matric-F5	Matric-F5 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75389	LL30EE-840M-L1475	Matric-L3	Matric-L3 Recessed mounted luminaire. Direct only light distribution. Surface finish: Aluminium, anodized. Switchable (CRI): >83. Colour temperature: 4000K (Cool White). LED Medium-Power. IP20	Lightnet
LIG75610	330803-00	3390 Sella 2 ST-1	Sella 2 LED Street Light	Disano
LIG75611	330804-00	3390 Sella 2 ST-2	Sella 2 LED Street Light	Disano
LIG75612	330805-00	3390 Sella 2 ST-3	Sella 2 LED Street Light	Disano
LIG75613	330813-00	3391 Sella 2 STWB-1	Sella 2 LED Street Light wide beam	Disano
LIG75614	330814-00	3391 Sella 2 STWB-2	Sella 2 LED Street Light wide beam	Disano
LIG75615	330815-00	3391 Sella 2 STWB-3	Sella 2 LED Street Light wide beam	Disano
LIG75616	330824-00	3395 Sella 2 LA-1	Sella 2 LED Street Light Large Areas	Disano
LIG75617	330825-00	3395 Sella 2 LA-2	Sella 2 LED Street Light Large Areas	Disano
LIG75618	330826-00	3395 Sella 2 LA-3	Sella 2 LED Street Light Large Areas	Disano
LIG75619	330864-00	3392 Sella 2-1	Sella 2 LED Street Light Asymmetric	Disano
LIG75620	330865-00	3392 Sella 2-2	Sella 2 LED Street Light Asymmetric	Disano
LIG75621	330866-00	3392 Sella 2-3	Sella 2 LED Street Light Asymmetric	Disano
LIG75622	330884-00	3393 Sella 2-1	Sella 2 LED Street Light Asymmetric	Disano
LIG75623	330885-00	3393 Sella 2-2	Sella 2 LED Street Light Asymmetric	Disano
LIG75624	330886-00	3393 Sella 2-3	Sella 2 LED Street Light Asymmetric	Disano
LIG75625	340250-00	3370 Stelvio-1	Stelvio High Performance Street Light	Disano
LIG75626	340251-00	3370 Stelvio-2	Stelvio High Performance Street Light	Disano
LIG75627	340252-00	3370 Stelvio-3	Stelvio High Performance Street Light	Disano
LIG75628	340260-00	3374 Stelvio-1	Stelvio High Performance Street Light	Disano
LIG75629	340261-00	3374 Stelvio-2	Stelvio High Performance Street Light	Disano
LIG75630	340262-00	3374 Stelvio-3	Stelvio High Performance Street Light	Disano
LIG75631	330440-00	3284 Rolle T5	Rolle LED Street Light	Disano

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75632	328070-00	3306 Visconti-1	Visconti Led Street Light Optic	Disano
LIG75633	328071-00	3306 Visconti-2	Visconti Led Street Light Optic	Disano
LIG75634	328030-00	3311 Visconti-1	Visconti Led Street Light Optic	Disano
LIG75635	328031-00	3311 Visconti-2	Visconti Led Street Light Optic	Disano
LIG75636	414940-00	1991 Mini Rodio-1	LED Floodlight Symmetric Wide beam	Disano
LIG75637	414941-00	1991 Mini Rodio-2	LED Floodlight Symmetric Wide beam	Disano
LIG75638	414910-00	1987 Mini Rodio	LED Floodlight Asymmetric Wide beam	Disano
LIG75639	414911-00	1987 Mini Rodio-2	LED Floodlight Asymmetric Wide beam	Disano
LIG75640	330770-00	2886 Saturno	LED Floodlight Asymmetric 45 deg	Disano
LIG75641	330771-00	2886 Saturno-1	LED Floodlight Asymmetric 45 deg	Disano
LIG75642	330780-00	2887 Saturno	LED Floodlight Asymmetric 60 deg	Disano
LIG75643	330781-00	2887 Saturno-1	LED Floodlight Asymmetric 60 deg	Disano
LIG75644	330057-00	1785 Astro	LED Floodlight Symmetric 60 deg	Disano
LIG75645	330050-00	1785 Astro-1	LED Floodlight Symmetric 60 deg	Disano
LIG75646	330053-00	1785 Astro-2	LED Floodlight Symmetric 60 deg	Disano
LIG75647	330054-00	1785 Astro-3	LED Floodlight Symmetric 60 deg	Disano
LIG75648	150206-00	842 Led Panel R	LED Panel recessed 1200x300	Disano
LIG75649	150206-39	842 LED Panel R-2	LED Panel recessed 1200x300 WW	Disano
LIG75650	150209-00	840 LED Panel R	LED Panel recessed 1200x300	Disano
LIG75651	150208-00	840 LED Panel -1	LED Panel recessed 600x600	Disano
LIG75652	150211-00	840 LED Panel -2	LED Panel recessed 600x600	Disano
LIG75653	115596-00	601 Disanlens	Surface LED Luminare	Disano
LIG75654	330730-00	2882 Saturno	Suspended LED Narrow beam	Disano
LIG75655	330731-00	2882 Saturno-1	Suspended LED Narrow beam	Disano
LIG75656	330732-00	2882 Saturno-2	Suspended LED Narrow beam	Disano
LIG75657	330740-00	2883 Saturno	Suspended LED Wide beam	Disano

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75658	330741-00	2883 Saturno-1	Suspended LED Wide beam	Disano
LIG75659	330742-00	2883 Saturno-2	Suspended LED Wide beam	Disano
LIG75660	330750-00	2885 Saturno-1	Suspended LED Wide beam	Disano
LIG75661	330751-00	2885 Saturno-2	Suspended LED Wide beam	Disano
LIG75662	330760-00	2884 Saturno-1	Suspended Elliptical Beam	Disano
LIG75663	330761-00	2884 Saturno-2	Suspended Elliptical Beam	Disano
LIG75664	330762-00	2884 Saturno-3	Suspended Elliptical Beam	Disano
LIG75665	330164-00	2786 Astro-1	Suspended Wide Beam UGR<22	Disano
LIG75666	330165-00	2786 Astro-2	Suspended Wide Beam UGR<22	Disano
LIG75667	330166-00	2786 Astro-3	Suspended Wide Beam UGR<22	Disano
LIG75668	330174-00	2787 Astro-1	Suspended Elliptical Beam UGR<22	Disano
LIG75669	330175-00	2787 Astro-2	Suspended Elliptical Beam UGR<22	Disano
LIG75670	330176-00	2787 Astro-3	Suspended Elliptical Beam UGR<22	Disano
LIG75671	330087-00	1788 Astro-1	Suspended Narrow Beam	Disano
LIG75672	330083-00	1788 Astro-2	Suspended Narrow Beam	Disano
LIG75673	330084-00	1788 Astro-3	Suspended Narrow Beam	Disano
LIG75674	330085-00	1788 Astro-4	Suspended Narrow Beam	Disano
LIG75675	330097-00	1789 Astro-1	Suspended Wide Beam	Disano
LIG75676	330093-00	1789 Astro-2	Suspended Wide Beam	Disano
LIG75677	330094-00	1789 Astro-3	Suspended Wide Beam	Disano
LIG75678	330095-00	1789 Astro-4	Suspended Wide Beam	Disano
LIG75679	330089-00	1789 Astro-5	Suspended Wide Beam	Disano
LIG75680	330157-00	2785 Astro-1	Suspended Wide Beam Polycarbonate	Disano
LIG75681	330153-00	2785 Astro-2	Suspended Wide Beam Polycarbonate	Disano
LIG75682	330154-00	2785 Astro-3	Suspended Wide Beam Polycarbonate	Disano
LIG75683	330155-00	2785 Astro-4	Suspended Wide Beam Polycarbonate	Disano
LIG75684	330147-00	2789 Astro-1	Suspended Elliptical Beam	Disano
LIG75685	330144-00	2789 Astro-2	Suspended Elliptical Beam	Disano
LIG75686	330145-00	2789 Astro-3	Suspended Elliptical Beam	Disano
LIG75687	330146-00	2789 Astro-4	Suspended Elliptical Beam	Disano
LIG75832	93053257	DM6L2SP30/C G3	DM6L2SP30/C G3	GE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75833	93053258	DM6L2SP40/C G3	DM6L2SP40/C G3	GE Lighting
LIG75834	93053259	DM6L2SP65/C G3	DM6L2SP65/C G3	GE Lighting
LIG75835	93053260	DM6L4SP30/C G3	DM6L4SP30/C G3	GE Lighting
LIG75836	93053261	DM6L4SP40/C G3	DM6L4SP40/C G3	GE Lighting
LIG75837	93053262	DM6L4SP65/C G3	DM6L4SP65/C G3	GE Lighting
LIG75838	93053263	DM8L1SP30/C G3	DM8L1SP30/C G3	GE Lighting
LIG75839	93053264	DM8L1SP40/C G3	DM8L1SP40/C G3	GE Lighting
LIG75840	93053265	DM8L1SP65/C G3	DM8L1SP65/C G3	GE Lighting
LIG75841	93053266	DM8L2SP30/C G3	DM8L2SP30/C G3	GE Lighting
LIG75842	93053267	DM8L2SP40/C G3	DM8L2SP40/C G3	GE Lighting
LIG75843	93053268	DM8L2SP65/C G3	DM8L2SP65/C G3	GE Lighting
LIG75844	93054167	EPY22-3030-7SR-21L	EPY22-3030-7SR-21L	GE Lighting
LIG75845	93054169	EPY22-3030-7SR-19L	EPY22-3030-7SR-19L	GE Lighting
LIG75846	93054168	EPY22-3040-7SR-21L	EPY22-3040-7SR-21L	GE Lighting
LIG75847	9305417	EPY22-3040-7SR-19L	EPY22-3040-7SR-19L	GE Lighting
LIG75848	93059583	EPY22-3065-7SR-21L	EPY22-3065-7SR-21L	GE Lighting
LIG75849	93059586	EPY22-3062-7SR-19L	EPY22-3062-7SR-19L	GE Lighting
LIG75850	93055967	EPY14-3040-7SR-21L	EPY14-3040-7SR-21L	GE Lighting
LIG75851	93055968	EPY14-3040-7SR-19L	EPY14-3040-7SR-19L	GE Lighting
LIG75852	93055991	MPY4F-2040-7SB-STLT	MPY4F-2040-7SB-STLT	GE Lighting
LIG75853	93055993	MPY4F-2065-7SB-STLT	MPY4F-2065-7SB-STLT	GE Lighting
LIG75854	93055995	MPY4F-3040-7SB-STLT	MPY4F-3040-7SB-STLT	GE Lighting
LIG75855	93055997	MPY4F-3065-7SB-STLT	MPY4F-3065-7SB-STLT	GE Lighting
LIG75856	93055999	MPY5F-3040-7SB-STLT	MPY5F-3040-7SB-STLT	GE Lighting
LIG75857	93056001	MPY5F-3065-7SB-STLT	MPY5F-3065-7SB-STLT	GE Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75858	93056003	MPY5F-4940-7SB-STLT	MPY5F-4940-7SB-STLT	GE Lighting
LIG75859	93056005	MPY5F-4965-7SB-STLT	MPY5F-4965-7SB-STLT	GE Lighting
LIG74176	ML929001296102	ML929001296102	MAS LED tube HF 1500mm HO 26W 830 T5	Philips Lighting
LIG74177	ML929001296202	ML929001296202	MAS LED tube HF 1500mm HO 26W 840 T5	Philips Lighting
LIG74178	ML929001296302	ML929001296302	MAS LED tube HF 1500mm HO 26W 865 T5	Philips Lighting
LIG74179	ML929001338302	ML929001338302	MAS LED tube HF 1200mm HO 26W 830 T5	Philips Lighting
LIG74180	ML929001338402	ML929001338402	MAS LED tube HF 1200mm HO 26W 840 T5	Philips Lighting
LIG74181	ML929001338502	ML929001338502	MAS LED tube HF 1200mm HO 26W 865 T5	Philips Lighting
LIG74182	ML929001346102	ML929001346102	MAS LED tube HF 1500mm UO 36W 830 T5	Philips Lighting
LIG74183	ML929001346202	ML929001346202	MAS LED tube HF 1500mm UO 36W 840 T5	Philips Lighting
LIG74184	ML929001346302	ML929001346302	MAS LED tube HF 1500mm UO 36W 865 T5	Philips Lighting
LIG74185	ML929001390702	ML929001390702	MAS LED tube HF 600mm HE 8W 830 T5	Philips Lighting
LIG74186	ML929001390802	ML929001390802	MAS LED tube HF 600mm HE 8W 840 T5	Philips Lighting
LIG74187	ML929001390902	ML929001390902	MAS LED tube HF 600mm HE 8W 865 T5	Philips Lighting
LIG74188	ML929001391002	ML929001391002	MAS LED tube HF 1200mm HE 16.5W 830 T5	Philips Lighting
LIG74189	ML929001391102	ML929001391102	MAS LEDtube HF 1200mm HE 16.5W 840 T5	Philips Lighting
LIG74190	ML929001391202	ML929001391202	MAS LED tube HF 1200mm HE 16.5W 865 T5	Philips Lighting
LIG74191	ML929001391302	ML929001391302	MAS LED tube HF 1500mm HE 20W 830 T5	Philips Lighting
LIG74192	ML929001391402	ML929001391402	MAS LED tube HF 1500mm HE 20W 840 T5	Philips Lighting
LIG74193	ML929001391502	ML929001391502	MAS LED tube HF 1500mm HE 20W 865 T5	Philips Lighting
LIG74194	ML929001350702	ML929001350702	CorePro LED PLC 4.5W 830 2P G24d-1	Philips Lighting
LIG74195	ML929001350802	ML929001350802	CorePro LED PLC 4.5W 840 2P G24d-1	Philips Lighting
LIG74196	ML929001201402	ML929001201402	CorePro LED PLC 6.5W 830 2P G24d-2	Philips Lighting
LIG74197	ML929001201502	ML929001201502	CorePro LED PLC 6.5W 840 2P G24d-2	Philips Lighting
LIG74198	ML929001201202	ML929001201202	CorePro LED PLC 8.5W 830 2P G24d-3	Philips Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74199	ML929001201302	ML929001201302	CorePro LED PLC 8.5W 840 2P G24d-3	Philips Lighting
LIG74200	ML929001351002	ML929001351002	CorePro LED PLC 4.5W 830 4P G24q-1	Philips Lighting
LIG74201	ML929001351102	ML929001351102	CorePro LED PLC 4.5W 840 4P G24q-1	Philips Lighting
LIG74202	ML929001201002	ML929001201002	CorePro LED PLC 6.5W 830 4P G24q-2	Philips Lighting
LIG74203	ML929001201102	ML929001201102	CorePro LED PLC 6.5W 840 4P G24q-2	Philips Lighting
LIG74204	ML929001200802	ML929001200802	CorePro LED PLC 9W 830 4P G24q-3	Philips Lighting
LIG74205	ML929001200902	ML929001200902	CorePro LED PLC 9W 840 4P G24q-3	Philips Lighting
LIG74206	ML929001296402	ML929001296402	TForce LED HPL ND 48-33W E27 740 CL	Philips Lighting
LIG74207	ML929001296502	ML929001296502	TForce LED HPL ND 44-33W E27 740 FR	Philips Lighting
LIG74208	ML929001296602	ML929001296602	TForce LED HPL ND 32-25W E27 740 CL	Philips Lighting
LIG74209	ML929001296702	ML929001296702	TForce LED HPL ND 29-25W E27 740 FR	Philips Lighting
LIG74210	ML929001249902	ML929001249902	CorePro LED tube HF 1200mm 15W840 T8 G	Philips Lighting
LIG74211	ML929001136502	ML929001136502	CorePro LED tube HF 1200mm 15W865 T8 G	Philips Lighting
LIG74212	ML929001249702	ML929001249702	CorePro LED tube HF 1500mm 20W840 T8 G	Philips Lighting
LIG74213	ML929001249802	ML929001249802	CorePro LED tube HF 1500mm 20W865 T8 G	Philips Lighting
LIG74214	ML929001347002	ML929001347002	MAS LED ExpertColor 5.5-50W GU10 927 25D	Philips Lighting
LIG74215	ML929001347102	ML929001347102	MAS LED ExpertColor 5.5-50W GU10 930 25D	Philips Lighting
LIG74216	ML929001347202	ML929001347202	MAS LED ExpertColor 5.5-50W GU10 940 25D	Philips Lighting
LIG74217	ML929001347302	ML929001347302	MAS LED ExpertColor 5.5-50W GU10 927 36D	Philips Lighting
LIG74218	ML929001347402	ML929001347402	MAS LED ExpertColor 5.5-50W GU10 930 36D	Philips Lighting
LIG74219	ML929001347502	ML929001347502	MAS LED ExpertColor 5.5-50W GU10 940 36D	Philips Lighting
LIG76794	96268513	R2L2S	R2L2S48L70EWS	Thorn Lighting
LIG76795	96268341	R2L2M	R2L2M72L70V2EW	Thorn Lighting
LIG76915	D880/4/4000NW/XW/DALI	D880/4/4000NW	Weather and vandal resistant linear luminaire	Designplan Lighting
LIG76916	D880/4/4000WW/XW/DALI	D880/4/4000WW	Weather and vandal resistant linear luminaire	Designplan Lighting
LIG76917	D880/4/5000NW/XW/DALI	D880/4/5000NW	Weather and vandal resistant linear luminaire	Designplan Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76918	D880/4/5000WW/ XW/DALI	D880/4/5000 WW	Weather and vandal resistant linear luminaire	Designplan Lighting
LIG76919	D880/4/6000NW/ XW/DALI	D880/4/6000 NW	Weather and vandal resistant linear luminaire	Designplan Lighting
LIG76920	D880/4/6000WW/ XW/DALI	D880/4/6000 WW	Weather and vandal resistant linear luminaire	Designplan Lighting
LIG76930	268-6295	Eddi Downlight, fixed accent luminaire, 31W, 3000lm, 4000K, med reflector, in white	Fixed downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and medium beam reflector, 5-year warranty	Aurora Lighting Limited
LIG76931	268-6295L	Eddi Downlight, fixed accent luminaire, 31W, 3000lm, 4000K, med lens, in white	Fixed downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and medium beam lens, 5- year warranty	Aurora Lighting Limited
LIG76932	268-6296	Eddi Downlight, fixed accent luminaire, 31W, 3000lm, 4000K, wide reflector, in white	Fixed downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and wide beam reflector, 5-year warranty	Aurora Lighting Limited
LIG76933	268-6296L	Eddi Downlight, fixed accent luminaire, 31W, 3000lm, 4000K, wide lens, in white	Fixed downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and wide beam lens, 5- year warranty	Aurora Lighting Limited
LIG76934	268-6545	Eddi Downlight Tilt, adjustable accent luminaire, 31W, 3000lm, 4000K, med reflector, in white	Adjustable downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K and medium beam reflector, 5- year warranty	Aurora Lighting Limited
LIG76935	295-6545L	Eddi Downlight Tilt, adjustable accent luminaire, 31W, 3000lm, 4000K, med lens, in white	Adjustable downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and medium beam lens, 5- year warranty	Aurora Lighting Limited
LIG76936	268-6546	Eddi Downlight Tilt, adjustable accent luminaire, 31W, 3000lm, 4000K, wide reflector, in white	Adjustable downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and wide beam reflector, 5-year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76937	268-6546L	Eddi Downlight Tilt, adjustable accent luminaire, 31W, 3000lm, 4000K, wide lens, in white	Adjustable downlight for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and wide beam lens, 5- year warranty	Aurora Lighting Limited
LIG77098	Eddi Gimbal Circ, accent luminaire, 31W, 3000lm, 4000K, wid lens, in white	180-6346L	Adjustable accent luminaire for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and wide beam lens, 5- year warranty	Aurora Lighting Limited
LIG77099	Eddi Gimbal Circ, accent luminaire, 31W, 3000lm, 4000K, wid reflector, in white	180-6346	Adjustable accent luminaire for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and wide beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77100	Eddi Gimbal Circ, accent luminaire, 31W, 3000lm, 4000K, med lens, in white	180-6345L	Adjustable accent luminaire for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and medium beam lens, 5- year warranty	Aurora Lighting Limited
LIG77101	Eddi Gimbal Circ, accent luminaire, 31W, 3000lm, 4000K, med reflector, in white	180-6345	Adjustable accent luminaire for recessing into ceiling, in white, complete with 31W, 3000lm, 4000K LED COB and medium beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77102	Eddi TS, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 4000K with narrow beam lens	123-3032L	Adjustable accent luminaire with 3 circuit track adaptor, in white, complete with 31W, 3000lm, 4000K LED COB and narrow beam lens, 5- year warranty	Aurora Lighting Limited
LIG77103	Eddi TS, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 4000K with narrow beam reflector	123-3032	Adjustable accent luminaire with 3 circuit track adaptor, in white, complete with 31W, 3000lm, 4000K and narrow beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77104	Eddi TS, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 3000K with narrow beam lens	123-3024L	Adjustable accent luminaire with 3 circuit track adaptor, in white, complete with 31W, 3000lm, 3000K LED COB and narrow lens, 5-year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77105	Eddi TS, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 3000K with narrow beam reflector	123-3024	Adjustable accent luminaire with 3 circuit track adaptor, in white, complete with 31W, 3000lm, 3000K LED COB and narrow beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77106	Eddi TS, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 4000K with narrow beam lens	123-2032L	Adjustable accent luminaire with 1 circuit track adaptor, in white, complete with 31W, 3000lm, 4000K LED COB and narrow beam lens, 5-year warranty	Aurora Lighting Limited
LIG77107	Eddi TS, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 4000K with narrow beam reflector	123-2032	Adjustable accent luminaire with 1 circuit track adaptor, in white, complete with 31W, 3000lm, 4000K LED COB and narrow beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77108	Eddi TS, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3000K with narrow beam lens	123-2024L	Adjustable accent luminaire with 1 circuit track adaptor, in white, complete with 31W, 3000lm, 3000K LED COB and narrow beam lens, 5-year warranty	Aurora Lighting Limited
LIG77109	Eddi TS, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3000K with narrow beam reflector	123-2024	Adjustable accent luminaire with 1 circuit track adaptor, in white, complete with 31W, 3000lm, 3000K LED COB and narrow beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77110	Eddi TS, surface mounted accent luminaire, 31W, 3000lm, 4000K with narrow beam lens	123-1032L	Adjustable accent luminaire with ceiling plate, in white, complete with 31W, 3000lm, 4000K and narrow beam lens, 5-year warranty	Aurora Lighting Limited
LIG77111	Eddi TS, surface mounted accent luminaire, 31W, 3000lm, 4000K with narrow beam reflector	123-1032	Adjustable accent luminaire with ceiling plate, in white, complete with 31W, 3000lm, 4000K LED COB and narrow beam reflector, 5-year warranty	Aurora Lighting Limited
LIG77112	Eddi TS, surface mounted accent luminaire, 31W, 3000lm, 3000K with narrow beam lens	123-1024L	Adjustable accent luminaire with ceiling plate in white, complete with 31W, 3000lm, 3000K LED COB and narrow beam lens, 5-year warranty	Aurora Lighting Limited
LIG77113	Eddi TS, surface mounted accent luminaire, 31W, 3000lm, 3000K with narrow beam reflector	123-1024	Adjustable accent luminaire with ceiling plate in white, complete with 31W, 3000lm, 3000K LED COB and narrow beam reflector, 5-year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77114	121-2025L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3000K, medium beam lens	Eddi T1, adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 3000K LED COB and medium beam lens, 5-year warranty	Aurora Lighting Limited
LIG77115	121-2026L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3000K, wide beam lens	Eddi T1, adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 3000K LED COB and wide beam lens, 5-year warranty	Aurora Lighting Limited
LIG77116	121-2029L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3500K, medium beam lens	Eddi T1, adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 3500K LED COB and medium beam lens, 5-year warranty	Aurora Lighting Limited
LIG77117	121-2033L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 4000K, medium beam lens	Eddi T1, adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 4000K LED COB and medium beam lens, 5-year warranty	Aurora Lighting Limited
LIG77118	121-2034L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 4000K, wide beam lens	Eddi T1, adjustable accent luminaire with 1 circuit, complete with 31W, 3000lm, 4000K LED COB and wide beam lens, 5-year warranty	Aurora Lighting Limited
LIG77119	180-6337L	Eddi Gimbal Circ, accent luminaire, 31W, 3000lm, 3000K, med lens, in white	Adjustable accent downlight for recessing into ceiling, complete with 31W, 3000lm, 3000K LED COB and medium beam lens, 5-year warranty	Aurora Lighting Limited
LIG77120	MT24.01	iPlan Easy	1200 x 300mm modular LED UGR19 32W 4000K 4600LM	iGuzzini Illuminazione UK LTD
LIG77226	p4040508	Sigma II LED 1	Sigma II surface/Suspended LED 545mm long LED Opal	PXF Lighting
LIG77227	p4040522	Sigma II LED 2	Sigma II surface/suspended 25W Opal LED	PXF Lighting
LIG77228	p4040536	Sigma II LED 3	Sigma II surface/suspended 36W Opal LED	PXF Lighting
LIG77229	p4040564	Sigma II LED 4	Sigma II surface/suspended 13W MPRM LED	PXF Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77230	p4040578	Sigma II LED 5	Sigma II surface/suspended 25W MPRM LED	PXF Lighting
LIG77231	p4040592	Sigma II LED 6	Sigma II surface/suspended 25W MPRM LED	PXF Lighting
LIG77232	p4040620	Sigma II LED 7	Sigma II surface/suspended 14W PAR LED	PXF Lighting
LIG77233	p4040634	Sigma II LED 8	Sigma II surface/suspended 27W PAR LED	PXF Lighting
LIG77234	p4040662	Sigma II LED 9	Sigma II DI-IN suspended 39W OPAL LED	PXF Lighting
LIG77235	p4040704	Sigma II LED 10	Sigma II DI-IN suspended 39W MPRM LED	PXF Lighting
LIG77236	p4040746	Sigma II LED 11	Sigma II DI-IN suspended 37W MPRM LED	PXF Lighting
LIG77237	p4040808	Sigma II G/K LED 1	Sigma II G/K Recessed 13W Opal LED	PXF Lighting
LIG77238	p4040822	Sigma II G/K LED 2	Sigma II G/K Recessed 25W Opal LED	PXF Lighting
LIG77239	p4040836	Sigma II G/K LED 3	Sigma II G/K Recessed 36W Opal LED	PXF Lighting
LIG77240	p4040864	Sigma II G/K LED 4	Sigma II G/K Recessed 13W MPRM LED	PXF Lighting
LIG77241	p4040878	Sigma II G/K LED 5	Sigma II G/K Recessed 25W MPRM LED	PXF Lighting
LIG77242	p4040892	Sigma II G/K LED 6	Sigma II G/K Recessed 36W MPRM LED	PXF Lighting
LIG77243	p4040920	Sigma II G/K LED 7	Sigma II G/K Recessed 14W MPRM LED	PXF Lighting
LIG77244	p4040934	Sigma II G/K LED 8	Sigma II G/K Recessed 27W MPRM LED	PXF Lighting
LIG77245	p2070108	Parabolic LED 1	Parabolic LED 40W Surface/Recessed 3x600x600	PXF Lighting
LIG77246	p2070126	Parabolic LED 2	Parabolic LED 27W Surface/Recessed 2x600x600	PXF Lighting
LIG77247	p2070122	Parabolic LED 3	Parabolic LED 27W Surface/Recessed 1x300x1200	PXF Lighting
LIG77248	p2070136	Parabolic LED 4	Parabolic LED 40W Surface/Recessed 3x NT 600x600	PXF Lighting
LIG77249	p2070164	Parabolic LED 5	Parabolic LED 27W Surface/Recessed 2x NT 600x600	PXF Lighting
LIG77250	p2070150	Parabolic LED 6	Parabolic LED 27W Surface/Recessed 1x NT 300x1200	PXF Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77251	p2070508	Parabolic LED 7	Parabolic LITE LED 42W Surface/Recessed 3x600x600	PXF Lighting
LIG77252	p2070536	Parabolic LED 8	Parabolic LITE LED 28W Surface/Recessed 2x600x600	PXF Lighting
LIG77253	p2070522	Parabolic LED 9	Parabolic LITE LED 28W Surface/Recessed 1x300x1200	PXF Lighting
LIG77254	p2070550	Parabolic LED 10	Parabolic LITE LED 42W Surface/Recessed 3x NT 600x600	PXF Lighting
LIG77255	p2070578	Parabolic LED 11	Parabolic LITE LED 28W Surface/Recessed 2x NT 600x600	PXF Lighting
LIG77256	p2070564	Parabolic LED 12	Parabolic LITE LED 28W Surface/Recessed 1x NT 300x1200	PXF Lighting
LIG77257	p2065508	Sun LED 1	Sun LED 31W Recessed 600x600 MPRM	PXF Lighting
LIG77258	p2065522	Sun LED 2	Sun LED 31W Recessed 1x 1200x300 MPRM	PXF Lighting
LIG77259	p2065536	Sun LED 3	Sun LED 31W Suspended 2x600x600 MPRM	PXF Lighting
LIG77260	p2065550	Sun LED 4	Sun LED 31W Suspended 1x1200x300 MPRM	PXF Lighting
LIG77261	p3751119	Uni LED 1	Uni LED 38W Surface/Suspended OPAL 600x600	PXF Lighting
LIG77262	p3751125	Uni LED 2	Uni LED 38W Surface/Suspended MPRM 600x600	PXF Lighting
LIG77263	p3751131	Uni LED 3	Uni LED 38W Surface/Suspended MPRM 600x600	PXF Lighting
LIG77264	p3751155	Uni LED 4	Uni LED 38W Surface/Suspended OPAL AW3H 600x600	PXF Lighting
LIG77265	p3751161	Uni LED 5	Uni LED 38W Surface/Suspended PRM AW3H 600x600	PXF Lighting
LIG77266	p3751167	Uni LED 6	Uni LED 38W Surface/Suspended MPRM AW3H 600x600	PXF Lighting
LIG77267	p2063908	Circle LED 1	Circle LED 27W 600x600 OPAL	PXF Lighting
LIG77268	p2063911	Circle LED 2	Circle LED G/K OPAL	PXF Lighting
LIG77269	p4059508	Square LED	Square LED 600x600;G/K	PXF Lighting
LIG77270	p2250122	Monza II LED 1	Monza II LED OPAL 27W	PXF Lighting
LIG77271	p2250234	Monza II LED 2	Monza II LED MPRM 27W	PXF Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77272	p2250136	Monza II LED 3	Monza II LED OPAL 35W	PXF Lighting
LIG77273	p2250248	Monza II LED 4	Monza II LED MPRM 35W	PXF Lighting
LIG77274	p2250150	Monza II LED 5	Monza II LED OPAL 42W	PXF Lighting
LIG77275	p2250262	Monza II LED 6	Monza II LED MPRM 42W	PXF Lighting
LIG77276	p2250522	Monza II LED 7	Monza II LED OPAL 27W + AW 3H	PXF Lighting
LIG77277	p2250634	Monza II LED 8	Monza II LED MPRM 27W + AW 3H	PXF Lighting
LIG77278	p2250536	Monza II LED 9	Monza II LED OPAL 35W + AW 3H	PXF Lighting
LIG77279	p2250648	Monza II LED 10	Monza II LED MPRM 35W + AW 3H	PXF Lighting
LIG77280	p2250550	Monza II LED 11	Monza II LED OPAL 42W + AW 3H	PXF Lighting
LIG77281	p2250662	Monza II LED 12	Monza II LED MPRM 42W +AW 3H	PXF Lighting
LIG77282	p2260008	Monza II LED 13	Monza II LED 14W PAR	PXF Lighting
LIG77283	p2260022	Monza II LED 14	Monza II LED 27W PAR	PXF Lighting
LIG77284	p1301108	Imola LED	Imola LED 600x600	PXF Lighting
LIG77285	p1486564	Bari DL LED 1	Bari DL LED 10W Recessed Dia 155	PXF Lighting
LIG77286	p1486512	Bari DL LED 2	Bari DL LED 11W Recessed Dia 155	PXF Lighting
LIG77287	p1486578	Bari DL LED 3	Bari DL LED 18W Recessed Dia 155	PXF Lighting
LIG77288	p1486514	Bari DL LED 4	Bari DL LED 19W Recessed Dia 155	PXF Lighting
LIG77289	p1486522	Bari DL LED 5	Bari DL LED 10W Recessed Dia 195	PXF Lighting
LIG77290	p1486508	Bari DL LED 6	Bari DL LED 11W Recessed Dia 195	PXF Lighting
LIG77291	p1486536	Bari DL LED 7	Bari DL LED 18W Recessed Dia 195	PXF Lighting
LIG77292	p1486510	Bari DL LED 8	Bari DL LED 19W Recessed Dia 195	PXF Lighting
LIG77293	p1486762	Bari DL LED 9	Bari DL LED 29W Recessed Dia 195	PXF Lighting
LIG77294	p1486766	Bari DL LED 10	Bari DL LED 10W Recessed Dia 230	PXF Lighting
LIG77295	p1486795	Bari DL LED 11	Bari DL LED 18W Recessed Dia 230	PXF Lighting
LIG77296	p1486790	Bari DL LED 12	Bari DL LED 29W Recessed Dia 230	PXF Lighting
LIG77297	p1486590	Bari Mini DL LED 1	Bari Mini DL LED 13W Recessed 20degree beam	PXF Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77298	p1486592	Bari Mini DL LED 2	Bari Mini DL LED 13W Recessed 30degree beam	PXF Lighting
LIG77299	p1486594	Bari Mini DL LED 3	Bari Mini DL LED 13W Recessed 30degree beam	PXF Lighting
LIG77300	p0907495	Finestra Ring LED 1	Finestra Ring 10W OPAL Wall/Ceiling/Dia 320	PXF Lighting
LIG77301	p0907708	Finestra Ring LED 2	Finestra Ring 46W OPAL Wall/Ceiling/Sus Dia 800	PXF Lighting
LIG77302	p0907722	Finestra Ring LED 3	Finestra Ring 77W OPAL Wall/Ceiling/Sus Dia 1065	PXF Lighting
LIG77303	p0907519	Finestra Ring LED 4	Finestra Ring 10W MPRM Wall/Ceiling/Sus Dia 320	PXF Lighting
LIG77304	p0907525	Finestra Ring LED 5	Finestra Ring 24W MPRM Wall/Ceiling/Sus Dia 440	PXF Lighting
LIG77305	p0907535	Finestra Ring LED 6	Finestra Ring 24W MPRM Wall/Ceiling/Sus Dia 520	PXF Lighting
LIG77306	p2040151	Fibra LED 1	Fibra LED 17W 662x95 surf/sus	PXF Lighting
LIG77307	p2040157	Fibra LED 2	Fibra LED 31W 1272x95 surf/sus	PXF Lighting
LIG77308	p2040163	Fibra LED 3	Fibra LED 38W 1572x95 surf/sus	PXF Lighting
LIG77309	p2040187	Fibra LED 4	Fibra LED 31W 662x145 surf/sus	PXF Lighting
LIG77310	p2040193	Fibra LED 5	Fibra LED 60W 1272x145 surf/sus	PXF Lighting
LIG77311	p2040199	Fibra LED 6	Fibra LED 74W 1572x145 surf/sus	PXF Lighting
LIG77312	p2063871	Flash New LED 1	Flash New LED 135W 30 degree	PXF Lighting
LIG77313	p2063878	Flash New LED 2	Flash New LED 135W 50 degree	PXF Lighting
LIG77314	p2063885	Flash New LED 3	Flash New LED 135W 70 degree	PXF Lighting
LIG77315	p0866950	Track Pro LED	Track New LED 42W 4000K	PXF Lighting
LIG77316	p2065740	Ledisk LED	Ledisk 21W Suspended Opal	PXF Lighting
LIG77317	p4020115	Milena LED 1	Milena LED 35W MPRM Suspended	PXF Lighting
LIG77318	p4020122	Milena LED 2	Milena LED 45W MPRM Suspended	PXF Lighting
LIG77319	p0890152	TT LED	TT LED 600x600 33W	PXF Lighting
LIG77320	p3760036	Torino LED 1	Torino LED 24W MPRM 600x600	PXF Lighting
LIG77321	p3760078	Torino LED 2	Torino LED 38W MPRM 600x600	PXF Lighting
LIG77322	p3760120	Torino LED 3	Torino LED 27W MPRM 1195x1195	PXF Lighting
LIG77323	p3760162	Torino LED 4	Torino LED 43W MPRM 1195x1195	PXF Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77324	p3760236	Torino LED 5	Torino LED 43W MPRM 335x335	PXF Lighting
LIG77325	p3718036	Roma LED 1	Roma LED 24W MPRM 596x596	PXF Lighting
LIG77326	p3718146	Roma LED 2	Roma LED 38W MPRM 596x596	PXF Lighting
LIG77327	p3718188	Roma LED 3	Roma LED 27W MPRM 295x1195	PXF Lighting
LIG77328	p3718230	Roma LED 4	Roma LED 43W MPRM 295x1195	PXF Lighting
LIG77329	p3718272	Roma LED 5	Roma LED 46W MPRM 595x1195	PXF Lighting
LIG77330	p3718314	Roma LED 6	Roma LED 76W MPRM 595x1195	PXF Lighting
LIG77331	p3732008	Pisa LED 1	Pisa LED 24W OPAL 595x595	PXF Lighting
LIG77332	p3732050	Pisa LED 2	Pisa LED 38W OPAL 595x595	PXF Lighting
LIG77333	p3732120	Pisa LED 3	Pisa LED 27W OPAL 295x1195	PXF Lighting
LIG77334	p3732134	Pisa LED 4	Pisa LED 27W OPAL 295x1195	PXF Lighting
LIG77335	p3732176	Pisa LED 5	Pisa LED 46W OPAL 595x1195	PXF Lighting
LIG77336	p3732218	Pisa LED 6	Pisa LED 76W OPAL 595x1195	PXF Lighting
LIG77337	p3732232	Pisa LED 7	Pisa LED 76W PRM 595x1195	PXF Lighting
LIG77338	p3000241	Modena LED 1	Modena LED 19W OPAL	PXF Lighting
LIG77339	p3002241	Modena LED 2	Modena LED 19W OPAL	PXF Lighting
LIG77340	p3000213	Modena LED 3	Modena LED 25W OPAL	PXF Lighting
LIG77341	p3002227	Modena LED 4	Modena LED 25W OPAL AW 3H	PXF Lighting
LIG77342	p3004063	Modena Mini LED 1	Modena Mini LED 10W OPAL	PXF Lighting
LIG77343	p3004071	Modena Mini LED 2	Modena Mini LED 19W OPAL	PXF Lighting
LIG77344	p3005185	Modena Mini LED 3	Modena Mini LED 19W OPAL AW 3H	PXF Lighting
LIG77345	p3750508	Torino II IP65 LED 1	Torino II IP 65 LED 43W OPAL 600x600	PXF Lighting
LIG77346	p3750515	Torino II IP65 LED 2	Torino II IP 65 LED 43W OPAL 300x1200	PXF Lighting
LIG77347	p3750536	Torino II IP65 LED 3	Torino II IP 65 LED 43W MPRM 600x600	PXF Lighting
LIG77348	p3750550	Torino II IP65 LED 4	Torino II IP 65 LED 43W MPRM 300x1200	PXF Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG77349	p3750526	Torino II IP65 LED 5	Torino II IP 65 LED 100W OPAL 600x600	PXF Lighting
LIG77350	p3715008	Roma II IP65 LED 1	Roma II IP65 LED OPAL 43W 600x600	PXF Lighting
LIG77351	p3715022	Roma II IP65 LED 2	Roma II IP65 LED OPAL 43W 300x1200	PXF Lighting
LIG77352	p3715036	Roma II IP65 LED 3	Roma II IP65 LED MPRM 43W 600x600	PXF Lighting
LIG77353	p3715050	Roma II IP65 LED 4	Roma II IP65 LED MPRM 43W 300x1200	PXF Lighting
LIG77354	p3715294	Roma II IP65 LED 5	Roma II IP65 LED PAR 51W 600x600	PXF Lighting
LIG77355	p3715027	Roma II IP65 LED 6	Roma II IP65 LED OPAL 100W 600x600	PXF Lighting
LIG77356	p2066040	Solid IP65 LED	Solid IP65 LED 38W 600x600	PXF Lighting
LIG77357	p2066608	Poker LS LED 1	Poker LS LED 47W OPAL 1200x100	PXF Lighting
LIG77358	p2066664	Poker LS LED 2	Poker LS LED 47W MPRM 1200x100	PXF Lighting
LIG77359	p4010115	Matrius LED 1	Matrius LED 38W IP54 1490x62	PXF Lighting
LIG77360	p4010219	Matrius LED 2	Matrius LED 24W IP65 900x62	PXF Lighting
LIG77361	p4010225	Matrius LED 3	Matrius LED 31W IP65 1200x62	PXF Lighting
LIG77362	p4010231	Matrius LED 4	Matrius LED 38W IP65 1490x62	PXF Lighting
LIG77363	p4010384	Matrius LED 5	Matrius LED 35W IP65 45degree 900x62	PXF Lighting
LIG77364	p4010391	Matrius LED 6	Matrius LED 45W IP65 1200x62	PXF Lighting
LIG77365	p4010398	Matrius LED 7	Matrius LED 55W IP65 1490x62	PXF Lighting
LIG77366	p3750908	Torino Sport LED	Torino Sport LED 100W MPRM 1226x486	PXF Lighting

”.

4. Part 4 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LCO72817	4008321791535	Encelium SSU Server	System support unit Sever PC	Osram LTD
LCO72818	4052899016842	Encelium ECU Controller	DALI energy control unit	Osram LTD
LCO72819	4008321496461	Encelium PBC Coupler	DALI Button Coupler for switches	Osram LTD
LCO72820	4008321533364	Encelium DALI Switch	DALI 3 controlled relay unit	Osram LTD
LCO72821	4002482720001	Traxon HC1 - Sensor	DALI Sensor for large areas	Osram LTD
LCO72822	4052899921481	Encelium HF LS LI	DALI Light & pres radar detector	Osram LTD
LCO72823	4008321555311	Encelium PS30	Power supply for ECU unit	Osram LTD
LCO72824	4052899930292	DALI LS/PD CI	DALI light and presence detector	Osram LTD
LCO78000	HTDIM022L	2200W Poultry Dimmer	2200W Intelligent poultry dimmer 230V Triac dimmable with 0-10V signal control	Hontech-Wins
LCO78001	HTDIM022S	2200W Poultry Dimmer Manual	2200W dimmer 3L with 0-10V signal leading edge and trailing edge Manual dimmer	Hontech-Wins
LCO77585	ANDI	Owlet Autonomous System	Wireless Networked lighting control system	Urbis Schreder Limited
LCO77586	Owlet 2.0	Owlet Interoperable System	Lighting control telemanagement system	Urbis Schreder Limited
LCO77960	HTDIM045L	4500w Poultry Dimmer	4500W 3 Channel LED Poultry Dimming Control System 1%-100%	Hontech-Wins
LCO77961	HTDIM045S	4500w Poultry Dimmer S	4500W 3 Channel LED Poultry Dimming Control System 1%-100%	Hontech-Wins

”.

5. Part 5 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BEM77401	SDS-eM8	eM8	SDS eM8 is an advanced utility monitoring and diagnostic system, which allows building owners and users to fully connect with their main utility usage in a real-time environment.	HWM Global
BEM77381	MPV	Mach ProView LCD	Bacnet Building Controller	Reliable Controls Inc
BEM77382	MPZ	Mach ProZone	Bacnet Building Controller	Reliable Controls Inc
BEM77383	MPW	Mach ProWeb	Web enabled Bacnet building controller	Reliable Controls Inc
BEM77483	PRO	Proton	Small building energy management system	Optergy Ltd
BEM77484	OBL	Optergy Enterprise	Enterprise energy management and building management	Optergy Ltd
BEM77928	Sustainability Performance Management	Vaerial	Vaerial provides a key integration point for compliance data, energy management, sustainability programmes and Production Metrics, comprehensive reporting and auditing tools at industrial operations.	Ox Business Systems
BEM78808	X Brain	X Brain	X-Brain is a Smart Home device that not only manages/monitors devices energy consumption within the home but also provides a sophisticated Cyber Security Network over a WiFi Mesh Network.	Xunison

”.

6. Part 12 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
UPS80423	Conceptpower DPA 500 (500kW)	ABB Conceptpower DPA 500 (modular up to 500kW)	Modular up to 500kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
UPS80425	ST 40	ABB DPA UPScale ST 40 (modular up to 40kW)	Modular up to 40kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80426	ST 60	ABB DPA UPScale ST 60 (modular up to 60kW)	Modular up to 60kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80427	ST 80	ABB DPA UPScale ST 80 (modular up to 60kW)	Modular up to 80kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80428	ST 120	ABB DPA UPScale ST 120 (modular up to 120kW)	Modular up to 120kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80429	ST 200	ABB DPA UPScale ST 200 (modular up to 200kW)	Modular up to 200kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80430	RI 10	ABB DPA UPScale RI 10 (modular up to 20kW)	Modular up to 20kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80431	RI 11	ABB DPA UPScale RI 11 (modular up to 20kW)	Modular up to 20kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80432	RI 12	ABB DPA UPScale RI 12 (modular up to 20kW)	Modular up to 20kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80433	RI 20	ABB DPA UPScale RI 20 (modular up to 40kW)	Modular up to 40kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80434	RI 22	ABB DPA UPScale RI 22 (modular up to 40kW)	Modular up to 40kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80435	RI 24	ABB DPA UPScale RI 24 (modular up to 40kW)	Modular up to 40kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80436	RI 40	ABB DPA UPScale RI 40 (modular up to 80kW)	Modular up to 80kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80407	NXE 300	Riello NextEnergy NXE 300	300kVA (300kW) UPS (Uninterruptible Power Supply)	Riello UPS
UPS80408	Conceptpower DPA (250kVA)	ABB Conceptpower DPA (modular up to 250kVA)	Modular up to 250kVA UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80402	NXE 250	Riello NextEnergy NXE 250	250kVA (250kW) UPS (Uninterruptible Power Supply)	Riello UPS

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
UPS80461	PW 33 60	ABB PowerWave 33 60kW	60kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80462	PW 33 80	ABB PowerWave 33 80kW	80kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80463	PW 33 100	ABB PowerWave 33 100kW	100kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80464	PW 33 120	ABB PowerWave 33 120kW	120kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80465	PW 33 160	ABB PowerWave 33 160kW	160kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80466	PW 33 200	ABB PowerWave 33 200kW	200kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80467	PW 33 300	ABB PowerWave 33 300kW	300kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80468	PW 33 400	ABB PowerWave 33 400kW	400kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80469	PW 33 500	ABB PowerWave 33 500kW	500kW UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80470	PS 10	ABB PowerScale 10	10kVA (9kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80471	PS 15	ABB PowerScale 15	15kVA (13.5kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80472	PS 20	ABB PowerScale 20	20kVA (18kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80473	PS 25	ABB PowerScale 25	25kVA (22.5kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80474	PS 30	ABB PowerScale 30	30kVA (27kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80475	PS 40	ABB PowerScale 40	40kVA (36kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS80476	PS 50	ABB PowerScale 50	50kVA (45kW) UPS (Uninterruptible Power Supply)	ABB Power Protection SA
UPS77187	02311KTD-001	UPS5000-S-500K-SM	UPS, 500kW/000kVA in max. (HxWxD): 2x1.2x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
UPS77188	02311KTE-001	UPS5000-S-500K-FM	UPS, 500kW/000kVA in max. (HxWxD): 2x1.4x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77189	02311KTF-001	UPS5000-S-600K-SM	UPS, 500kW/000kVA in max. (HxWxD): 2x1.4x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77190	02311KTG-001	UPS5000-S-600K-FM	UPS, 500kW/000kVA in max. (HxWxD): 2x1.4x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77367	02311MAJ-001	UPS5000-S-200K-SM	UPS, 200kW/200kVA in max. (HxWxD): 2x0.6x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77368	02311KSX-001	UPS5000-S-200K-FM	UPS, 200kW/200kVA in max. (HxWxD): 2x0.6x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77369	02311KSY-001	UPS5000-S-300K-SM	UPS, 300kW/300kVA in max. (HxWxD): 2x0.6x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77370	02311KTA-001	UPS5000-S-300K-SMT	UPS, 300kW/300kVA in max. (HxWxD): 2x0.6x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77371	02311KTB-001	UPS5000-S-400K-SM	UPS, 400kW/400kVA in max. (HxWxD): 2x1.2x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
UPS77372	02311KTC-001	UPS5000-S-400K-FM	UPS, 400kW/400kVA in max. (HxWxD): 2x1.2x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77373	02311KTH-001	UPS5000-S-800K-SM	UPS, 800kW/800kVA in max. (HxWxD): 2x2.4x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS77374	02311KTJ-001	UPS5000-S-800K-FM	UPS, 800kW/800kVA in max. (HxWxD): 2x2.4x0.85m, integrates manual bypass and Modbus, SNMP. Efficient: up to 97.1%. Battery rated voltage: 360-480V.	Huawei Technologies, Co., Ltd
UPS76146	GVMSB160KHS	GVMSB160 KHS	Galaxy VM 160 kVA UPS Single 400-400 V with Backfeed protection, Start up 5x8	Schneider Electric
UPS76147	GVMPB160KHS	GVMPB160 KHS	Galaxy VM 160 kVA UPS Parallel 400-400 V with Backfeed protection, Start up 5x8	Schneider Electric
UPS76148	GVMSB200KHS	GVMSB200 KHS	Galaxy VM 200 kVA UPS Single 400-400 V with Backfeed protection, Start up 5x8	Schneider Electric
UPS76149	GVMPB200KHS	GVMPB200 KHS	Galaxy VM 200 kVA UPS Parallel 400-400 V with Backfeed protection, Start up 5x8	Schneider Electric
UPS76150	GVX1000K1000HS	GVX1000K100 0HS	Galaxy VX 1000kVA, 400V, Start up 5x8	Schneider Electric
UPS76151	GVX1000K1250HS	GVX1000K125 0HS	Galaxy VX 1000kVA Scalable to 1250kVA 400V, Start up 5x8	Schneider Electric
UPS76152	GVX1000K1500HS	GVX1000K150 0HS	Galaxy VX 1000kVA Scalable to 1500kVA 400V, Start up 5x8	Schneider Electric
UPS76153	GVX1000K750HS	GVX1000K75 0HS	Galaxy VX 750kVA N+1 Redundant UPS 400V, Start up 5x8	Schneider Electric
UPS76154	GVX1250K1000HS	GVX1250K100 0HS	Galaxy VX 1000kVA N+1 Redundant UPS 400V, Start up 5x8	Schneider Electric
UPS76155	GVX1250K1250HS	GVX1250K125 0HS	Galaxy VX 1250kVA, 400V, Start up 5x8	Schneider Electric
UPS76156	GVX1250K1500HS	GVX1250K150 0HS	Galaxy VX 1250kVA Scalable to 1500kVA 400V, Start up 5x8	Schneider Electric

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
UPS76157	GVX1500K1250HS	GVX1500K1250HS	Galaxy VX 1250kVA N+1 Redundant UPS 400V, Start up 5x8	Schneider Electric
UPS76158	GVX1500K1500HS	GVX1500K1500HS	Galaxy VX 1500kVA, 400V, Start up 5x8	Schneider Electric
UPS76159	GVX1750K1500HS	GVX1750K1500HS	Galaxy VX 1500kVA N+1 Redundant UPS 400V, Start up 5x8	Schneider Electric
UPS76160	GVX500K1000HS	GVX500K1000HS	Galaxy VX 500kVA Scalable to 1000kVA 400V, Start up 5x8	Schneider Electric
UPS76161	GVX500K500HS	GVX500K500HS	Galaxy VX 500kVA, 400V, Start up 5x8	Schneider Electric
UPS76162	GVX500K750HS	GVX500K750HS	Galaxy VX 500kVA Scalable to 750kVA 400V, Start up 5x8	Schneider Electric
UPS76163	GVX625K1000HS	GVX625K1000HS	Galaxy VX 625kVA Scalable to 1000kVA 400V, Start up 5x8	Schneider Electric
UPS76164	GVX625K625HS	GVX625K625HS	Galaxy VX 625kVA, 400V, Start up 5x8	Schneider Electric
UPS76165	GVX750K1000HS	GVX750K1000HS	Galaxy VX 750kVA Scalable to 1000kVA 400V, Start up 5x8	Schneider Electric
UPS76166	GVX750K500HS	GVX750K500HS	Galaxy VX 500kVA N+1 Redundant UPS 400V, Start up 5x8	Schneider Electric
UPS76167	GVX750K750HS	GVX750K750HS	Galaxy VX 750kVA, 400V, Start up 5x8	Schneider Electric

”.

7. Part 13 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CGE81988	JMS 312 GS	JMS 312 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81989	JMS 316 GS	JMS 316 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81990	JMS 320 GS	JMS 320 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CGE81991	JMS 412 GS	JMS 412 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81992	JMS 416 GS	JMS 416 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81993	JMS 420 GS	JMS 420 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81994	JMS 612 GS	JMS 612 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81995	JMS 616 GS	JMS 616 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher
CGE81996	JMS 620 GS	JMS 620 GS	Internal combustion gas engine module bespoke design for natural gas applications, emissions NOX	Jenbacher

”.

8. Part 15 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG80401	SIB933.	Alubox 430 X-treme.	Floor standing gas condensing boiler	Gassero
HWG77930	SIB500	Caha Midi 340 Boiler	The RVR CAHA Midi is a range of floor standing condensing gas boilers.	RVR Energy Technology Ltd
HWG78713	SIB936	Alubox X-treme LX 700	Floor standing gas condensing boiler	Gassero
HWG78714	SIB937	Alubox X-treme 710	Floor standing gas condensing boiler	Gassero
HWG78716	SIB939	Alubox X-treme 1065	Floor standing gas condensing boiler	Gassero

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG79655	GC-7000F-200-23-(I)	Bosch-GC7000F-200 (I)	A high performance, compact condensing boiler, with a standard efficiency of 98.0%; it has a modulation range of 18.6-100% with a 6-bar operating pressure and a left or right variant to optimise cascade footprint, clearances and access.	Bosch Thermotechnology Ltd.
HWG79656	GC-7000F-250-23-(I)	Bosch-GC7000F-250 (I)	A high performance, compact condensing boiler, with a standard efficiency of 98.0%; it has a modulation range of 18.6-100% with a 6-bar operating pressure and a left or right variant to optimise cascade footprint, clearances and access.	Bosch Thermotechnology Ltd.
HWG79657	GC-7000F-300-23-(I)	Bosch-GC7000F-300 (I)	A high performance, compact condensing boiler, with a standard efficiency of 98.0%; it has a modulation range of 18.6-100% with a 6-bar operating pressure and a left or right variant to optimise cascade footprint, clearances and access.	Bosch Thermotechnology Ltd.
HWG79658	GC-7000F-200-23-(r)	Bosch-GC7000F-200 (r)	A high performance, compact condensing boiler, with a standard efficiency of 98.0%; it has a modulation range of 18.6-100% with a 6-bar operating pressure and a left or right variant to optimise cascade footprint, clearances and access.	Bosch Thermotechnology Ltd.
HWG79659	GC-7000F-250-23-(r)	Bosch-GC7000F-250 (r)	A high performance, compact condensing boiler, with a standard efficiency of 98.0%; it has a modulation range of 18.6-100% with a 6-bar operating pressure and a left or right variant to optimise cascade footprint, clearances and access.	Bosch Thermotechnology Ltd.
HWG79660	GC-7000F-300-23-(r)	Bosch-GC7000F-300 (r)	A high performance, compact condensing boiler, with a standard efficiency of 98.0%; it has a modulation range of 18.6-100% with a 6-bar operating pressure and a left or right variant to optimise cascade footprint, clearances and access.	Bosch Thermotechnology Ltd.
HWG79393	KON 100	Unical KON 100	Modulating condensing boiler with low nox premix burner for outdoor installation.	Unical AG SpA
HWG79394	KONf 100	Unical KONf 100	Floor standing, modulating condensing boiler with low nox premix burner for indoor & outdoor installation.	Unical AG SpA

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG79395	Alkon 140	Unical ALKON 140 EXT	Modulating condensing boiler with double premix low nox burner and double heat exchanger for indoor and outdoor installations.	Unical AG SpA
HWG79423	ecoCRAFT 200	Vaillant ecoCRAFT 200	Floor standing condensing boiler	Vaillant group UK Ltd
HWG79424	ecoCRAFT 240	Vaillant ecoCRAFT 240	Floor standing condensing boiler	Vaillant group UK Ltd
HWG79425	ecoCRAFT 280	Vaillant ecoCRAFT 280	Floor standing condensing boiler	Vaillant group UK Ltd
HWG79426	ecoCRAFT 80	Vaillant ecoCRAFT 80	Floor standing condensing boiler	Vaillant group UK Ltd
HWG79427	ecoCRAFT 120	Vaillant ecoCRAFT 120	Floor standing condensing boiler	Vaillant group UK Ltd
HWG79428	ecoCRAFT 160	Vaillant ecoCRAFT 160	Floor standing condensing boiler	Vaillant group UK Ltd
HWG79430	SIB930.	Alubox 250 X-treme.	Floor standing gas condensing boiler	Gassero
HWG79431	SIB922.	Alucon 90.	Floor standing gas condensing boiler	Gassero
HWG79432	SIB925.	Alucon 150.	Floor standing gas condensing boiler	Gassero
HWG78950	0010021521	VU 606/5-5(H-GB) ecoTEC plus	ecoTEC plus 64kW. Art. 0010021521. Fully modulating condensing heating and hot water boiler, stainless steel heat exchanger, built in high efficiency pump. For large domestic or light commercial use	Vaillant group UK Ltd
HWG78951	0010021520	VU 446/5-5(H-GB) ecoTEC plus	ecoTEC plus 48kW. Art. 0010021520. Fully modulating condensing heating and hot water boiler, stainless steel heat exchanger, built in high efficiency pump. For large domestic or light commercial use.	Vaillant group UK Ltd
HWG79068	SIB923	Alucon 115	Floor standing gas condensing boiler	Gassero
HWG79069	SIB924	Alucon 125	Floor standing gas condensing boiler	Gassero
HWG79070	SIB502	Caha Midi 425	The RVR Caha Midi is a range of floor standing condensing gas boilers.	RVR Energy Technology Ltd
HWG79071	SIB504	Caha Midi 510	The RVR Caha Midi is a range of floor standing condensing gas boilers.	RVR Energy Technology Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG79072	SIB506	Caha Midi 600	The RVR Caha Midi is a range of floor standing condensing gas boilers.	RVR Energy Technology Ltd
HWG77576	CI10002	80kW Vitocrossal 100	Floor standing gas condensing boiler for natural gas with modulating Matrix cylinder burner and Lambda Pro Control	Viessmann
HWG77577	CI10004	160kW Vitocrossal 100	Floor standing gas condensing boiler for natural gas with modulating Matrix cylinder burner and Lambda Pro Control	Viessmann
HWG77578	CI10005	200kW Vitocrossal 100	Floor standing gas condensing boiler for natural gas with modulating Matrix cylinder burner and Lambda Pro Control	Viessmann
HWG77579	CI10006	240kW Vitocrossal 100	Floor standing gas condensing boiler for natural gas with modulating Matrix cylinder burner and Lambda Pro Control	Viessmann
HWG77580	CI10007	280kW Vitocrossal 100	Floor standing gas condensing boiler for natural gas with modulating Matrix cylinder burner and Lambda Pro Control	Viessmann
HWG77581	CI10008	318kW Vitocrossal 100	Floor standing gas condensing boiler for natural gas with modulating Matrix cylinder burner and Lambda Pro Control	Viessmann
HWG73580	Remeha GAS 220 Ace 160 CH	Remeha GAS 220 Ace 160	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG73581	Remeha GAS 220 Ace 200 CH	Remeha GAS 220 Ace 200	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG73582	Remeha GAS 220 Ace 250 CH	Remeha GAS 220 Ace 250	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG73583	Remeha GAS 220 Ace 300 CH	Remeha GAS 220 Ace 300	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV

9. Part 18 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY77218	SG270P	Peimar 270wp poly	Peimar Polycrystalline Solar Module with Black or Silver Frame. 30 year linear power warranty, 20 year product warranty	Peimar Srl
PSY77219	OS290M	Peimar 290wp Mono	Peimar Monocrystalline Solar Module All Black. 30 year linear power warranty, 20 year product warranty	Peimar Srl
PSY77222	SG260P	Peimar 260wp poly	Peimar Polycrystalline Solar Module All Black. 30 year linear power warranty, 20 year product warranty	Peimar Srl
PSY76420	PR0525V04	R-Volt (when used to mount a R-VOLT poly or mono PV panel, 54 cells, 250W)	Technology: Aerovoltaic Pitched Roof Installation Kit	Systovi
PSY77121	TSM-DD05A.05(ii)	Trina Solar Mono Black 290w	Trina Solar monocrystalline solar pv panels - black frame, bacl backsheet	Trina Solar
PSY71222	solm1.5dc	Solis mini 1.5kW dc	Solis by ginlong 1.5kW dc integrated inverter	Ginlong
PSY71223	solm 2dc	solis min 2kW dc	solis by ginlong 2kW dc integrated inverter	Ginlong
PSY71224	solm2.5dc	solis mini 2.5kW dc	solis by ginlong 2.5kW dc integrated inverter	Ginlong
PSY71225	sol3.6dc	solis 3.6 kW dc	solis by ginlong 3.6kW dual string inverter	Ginlong
PSY71226	sol6k	solis 6kW	Solis by ginlong 6kW three phase	Ginlong
PSY71227	sol5	solis 5kW	Solis by ginlong 5kW	Ginlong
PSY71228	TRIO-20.0-TL/27.6-TL	ABB Trio 27.6	27.6kW three phase inverter	ABB Ltd
PSY74849	eco-270m	Eco Delta 270w	Eco delta 270w mono crystalline module	Eco Delta
PSY74850	eco-275m	Eco Delta 275w	Eco delta 275w mono crystalline module	Eco Delta
PSY74851	eco-280m	Eco Delta 280w	Eco delta 280w monocrystalline module	Eco Delta
PSY74852	Eco-270p	Eco Delta 270p	Eco delta 270m polycrystalline module	Eco Delta
PSY74853	eco-275p	Eco Delta 275p	Eco delta 275p polycrystalline module	Eco Delta
PSY74854	eco-280p	Eco Delta 280p	Eco delta 280p polycrystalline module	Eco Delta
PSY77565	300N1K-G4	LG Solar 300WP	300WP 60-Cell Mono PV Module with 17.5% Efficiency	LG Electronics Inc.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY77566	LG295S1C-A5-4BB	LG MonoX Plus 295WP	295WP 60-Cell Mono PV Module with 17.2% Efficiency	LG Electronics Inc.
PSY77567	LG300S1C-A5-4BB	LG MonoX Plus 300WP	300WP 60-Cell Mono PV Module with 17.5% Efficiency	LG Electronics Inc.
PSY77568	NeON2 315N1K-A5	LG Solar NeON2 315WP	315WP 60-Cell Mono PV Module with 19.2% Efficiency	LG Electronics Inc.
PSY77569	NeON2 325N1K-A5	LG Solar NeON2 325WP	325WP 60-Cell Mono PV Module with 19.0% Efficiency	LG Electronics Inc.
PSY77570	NeON2 335N1C-A5	LG Solar NeON2 335WP	335WP 60-Cell Mono PV Module with 19.6% Efficiency	LG Electronics Inc.
PSY77571	NeON R 350N1C-A5	LG Solar NeON R 350WP	350WP 60-Cell Mono PV Module with 20.3% Efficiency	LG Electronics Inc.
PSY77572	NeON R A5 365Q1C-A5	LG Solar NeON R 365WP	365WP 60-Cell Mono PV Module with 21.1% Efficiency	LG Electronics Inc.
PSY77384	TSM-DD05A.08(ii)	Trina Solar Mono 300w	Trina Solar 300w monocrystalline	Trina Solar
PSY77702	SG300M	Peimar 300wp Mono	Peimar Monocrystalline Solar Module All Black. 30-year linear power warranty, 20 year product warranty	Peimar Srl
PSY77929	SR-M660290-B	Sunrise Monocrystalline 290W	Black mono solar panel 290W	Sunrise Solartech
PSY78774	BEM-360B	BEM-360Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 18.51%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78775	BEM-360	BEM-360Wp Prestige Power	Nr. of cells: 72. Module efficiency: 18.51%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78776	BEM-355B	BEM-355Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 18.25%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78777	BEM-355	BEM-355Wp Prestige Power	Nr. of cells: 72. Module efficiency: 18.25%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78778	BEM-350B	BEM-350Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 18.00%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78779	BEM-350	BEM-350Wp Prestige Power	Nr. of cells: 72. Module efficiency: 18.00%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78780	BEM-345B	BEM-345Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 17.74%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78781	BEM-345	BEM-345Wp Prestige Power	Nr. of cells: 72. Module efficiency: 17.74%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78782	BEM-340B	BEM-340Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 17.49%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY78783	BEM-340	BEM-340Wp Prestige Power	Nr. of cells: 72. Module efficiency: 17.49%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78784	BEM-335B	BEM-335Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 17.23%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78785	BEM-335	BEM-335Wp Prestige Power	Nr. of cells: 72. Module efficiency: 17.23%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78786	BEM-330B	BEM-330Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 16.97%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78787	BEM-330	BEM-330Wp Prestige Power	Nr. of cells: 72. Module efficiency: 16.97%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78788	BEM-305B	BEM-305Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 18.74%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78789	BEM-305	BEM-305Wp Prestige Power	Nr. of cells: 72. Module efficiency: 18.74%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78790	BEM-300B	BEM-300Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 18.44%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78791	BEM-300	BEM-300Wp Prestige Power	Nr. of cells: 72. Module efficiency: 18.44%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78792	BEM-295B	BEM-295Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 18.13%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78793	BEM-295	BEM-295Wp Prestige Power	Nr. of cells: 72. Module efficiency: 18.13%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78794	BEM-290B	BEM-290Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 17.83%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78795	BEM-290	BEM-290Wp Prestige Power	Nr. of cells: 72. Module efficiency: 17.83%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78796	BEM-285B	BEM-285Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 17.52%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78797	BEM-285	BEM-285Wp Prestige Power	Nr. of cells: 72. Module efficiency: 17.52%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78798	BEM-280B	BEM-280Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 17.21%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78799	BEM-280	BEM-280Wp Prestige Power	Nr. of cells: 72. Module efficiency: 17.21%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY78800	BEM-275B	BEM-275Wp Prestige Power Black	Nr. of cells: 72. Module efficiency: 16.90%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY78801	BEM-275	BEM-275Wp Prestige Power	Nr. of cells: 72. Module efficiency: 16.90%. Max.load: 5400Pa. Wind load:2400Pa	Bruk-Bet Solar
PSY79965	TSM-295DD05A.05 (II)	TrinaSolar 295w Mono Black	295w Mono black PV panel from TrinaSolar	Trina Solar
PSY79966	TSM-300DD05A.05 (II)	TrinaSolar 300w Mono Black	300w Mono black PV panel from TrinaSolar	Trina Solar
PSY79967	TSM-300DD05A.08 (II)	TrinaSolar 300w Mono	300w Mono PV panel from TrinaSolar	Trina Solar
PSY77214	SW1312	Solarwatt Vision 60P Style 255wp	Polycrystalline Module, Glass-Glass, 60 Cell with Black Frame.	Solarwatt GmbH
PSY78002	SW0018	Solarwatt 60P 285wp	Polycrystalline Module, Glass-Glass, 60 Cell with Silver Frame.	Solarwatt GmbH
PSY80225	ECO-300M	Eco Delta 300w Mono Panel	300w all-black mono panel	Eco Delta
PSY82006	CS3K-285P	KuPower CS3K-285P	285W polycrystalline PV Panel	canadian solar
PSY82016	CS3U-345P	345W Poly KuMax GEN3	345W 144cell silver frame polycrystalline	canadian solar
PSY80460	PLM-HONE-200MA-48	HONE Electric Module 200Watt	200 Watt (peak) Photovoltaic Panel	Perlight Solar

”.

10. Part 23 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HHR80791	ZCQ350	Zehnder ComfoQ 350	Passive House and SAP Appendix Q certified MVHR with a duty capability of 350 m ³ /h	Zehnder
HHR80792	ZCQ450	Zehnder ComfoQ 450	Passive House and SAP Appendix Q Certified MVHR with maximum duty of 450 m ³ /h	Zehnder
HHR80793	ZCQ600	Zehnder ComfoQ 600	Passive House and SAP Appendix Q certified MVHR with a duty capability of 600 m ³ /h	Zehnder
HHR80794	ZCA350	Zehnder ComfoAir 350	Passive House and SAP Appendix Q certified MVHR with a duty capability of 350 m ³ /h	Zehnder

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HHR80795	ZCA550	Zehnder ComfoAir 550	Passive House and SAP Appendix Q certified MVHR with a duty capability of 550m ³ /h	Zehnder
HHR80796	ZCA200	Zehnder ComfoAir 200	Passive House and SAP Appendix Q certified MVHR with a duty capability of 200 m ³ /h	Zehnder
HHR80797	ZCA180	Zehnder ComfoAir 180	Passive House and SAP Appendix Q certified MVHR with a duty capability of 180 m ³ /h	Zehnder
HHR80798	ZCA160	Zehnder ComfoAir 160	Passive House and SAP Appendix Q certified MVHR with a duty capability 160 m ³ /h	Zehnder
HHR80799	PMF450	Maxi Flat 450	High Duty MVHR ceiling mounted range from PAUL in the Zehnder Group with a maximum duty of 450 m ³ /h	Zehnder
HHR80800	PMF600	Maxi Flat 600	High Duty MVHR ceiling mounted range from PAUL in the Zehnder Group with a maximum duty of 600 m ³ /h	Zehnder
HHR80801	PMF1000	Maxi Flat 1000	High Duty MVHR ceiling mounted range from PAUL in the Zehnder Group with a maximum duty of 1000 m ³ /h	Zehnder
HHR80802	PMF1600	Maxi Flat 1600	High Duty MVHR ceiling mounted range from PAUL in the Zehnder Group with a maximum duty of 1600 m ³ /h	Zehnder
HHR80803	PMF2000	Maxi Flat 2000	High Duty MVHR ceiling mounted range from PAUL in the Zehnder Group with a maximum duty of 2000 m ³ /h	Zehnder
HHR80804	VCM155	Vireo 155 CM	SAP Appendix Q Certified ceiling mounted MVHR with maximum duty of 155 m ³ /h	Zehnder
HHR80805	VWM155	Vireo 155 WM	SAP Appendix Q Certified wall mounted MVHR with maximum duty of 155 m ³ /h	Zehnder
HHR80806	VWM185	Vireo 185 WM	SAP Appendix Q Certified ceiling mounted MVHR with maximum duty of 185 m ³ /h	Zehnder
HHR80807	PN300	Paul Novus 300	Passive House and SAP Appendix Q certified MVHR with a duty capability 300 m ³ /h	Zehnder
HHR80808	PN450	Paul Novus 450	Passive House and SAP Appendix Q certified MVHR with a duty capability of 450 m ³ /h	Zehnder
HHR80809	PF200	Paul Focus 200	Passive House and SAP Appendix Q certified MVHR with a duty capability of 200 m ³ /h	Zehnder

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HHR80810	PC200	Paul Climos 200	Passive House and SAP Appendix Q certified MVHR with a duty capability of 200 m3/h	Zehnder
HHR80811	ZCA70	Zehnder ComfoAir 70	Decentralised single room MVHR with a maximum duty of 70 m3/h	Zehnder
HHR80812	ZCS50	Zehnder ComfoSpot 50	Decentralised single room MVHR with a maximum duty of 50 m3/h	Zehnder
HHR80813	ZCAXL800	Zehnder ComfoAir XL 800	Passive House Certified high duty AHU type MVHR with a maximum duty of 800 m3/h	Zehnder
HHR80814	ZCAXL1500	Zehnder ComfoAir XL 1500	Passive House Certified high duty AHU type MVHR with a maximum duty of 1500 m3/h	Zehnder
HHR80815	ZCAXL2200	Zehnder ComfoAir XL 2200	Passive House Certified high duty AHU type MVHR with a maximum duty of 800 m3/h	Zehnder
HHR80827	ZCAXL3300	Zehnder ComfoAir XL 3300	Passive House Certified high duty AHU type MVHR with a maximum duty of 800 m3/h	Zehnder
HHR80895	ZCAXL4000	Zehnder ComfoAir XL 4000	Passive House Certified high duty AHU type MVHR with a maximum duty of 4000 m3/h	Zehnder
HHR80896	ZCAXL6000	Zehnder ComfoAir XL 6000	Passive House Certified high duty AHU type MVHR with a maximum duty of 6000 m3/h	Zehnder

”.

11. Part 28 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA81513	ZOE01	Renault ZOE Z.E. 40	Renault ZOE, Battery Electric Vehicle	Renault Ireland
EVA81963	KZE33	Renault Kangoo Z.E. 33	Electric van with 33kWh battery and 270km NEDC range	Renault Ireland
EVA77999	TSLACHAD EMO	Tesla Chademo	CHAdEMO adaptor	Tesla Motors Ireland Limited
EVA79373	Hyundai Ioniq PHEV	Hyundai Ioniq PHEV	Plugin Hybrid Electric Vehicle	Hyundai Cars Ireland

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA77693	8VFAPX	Audi A3 e-tron 1.4TFSI S tronic	The A3 Sportback e-tron is charged in 2.5 hours at an industrial outlet or at a public charging station using a charging port that is housed behind the four rings of the Audi single-frame, and with the charging equipment. Charging takes less than 4 hours at a household electrical outlet. The Q7 e-tron lithium-ion battery permits a 50 kilometre range during electric operation.	Audi AG
EVA77694	4MB0E3	Audi Q7 e-tron 3.0 TDI quattro tiptronic	The A3 Sportback e-tron is charged in 2.5 hours at an industrial outlet or at a public charging station using a charging port that is housed behind the four rings of the Audi single-frame, and with the charging equipment. Charging takes less than 8 hours at a household electrical outlet. The Q7 e-tron lithium-ion battery permits a 56 kilometre range during electric operation.	Audi AG
EVA77582	VWegolf	Volkswagen eGolf	Battery powered electric Volkswagen Golf	Volkswagen
EVA77583	VWGolfGTE	Volkswagen Golf GTE	The Golf GTE is a plug in hybrid vehicle	Volkswagen
EVA77584	VWPassatGTE	Volkswagen Passat GTE	The Passat GTE is a plug in hybrid vehicle	Volkswagen
EVA78693	XE	NISSAN LEAF XE	ELECTRIC VEHICLE	Nissan Ireland
EVA78694	SV	NISSAN LEAF SV	ELECTRIC VEHICLE	Nissan Ireland
EVA78695	SV PREMIUM	NISSAN LEAF SV PREMIUM	ELECTRIC VEHICLE	Nissan Ireland
EVA78696	SVE	NISSAN LEAF SVE	ELECTRIC VEHICLE	Nissan Ireland
EVA77988	MDLS75R	Model S 75	Model S 75 kWh Single Motor	Tesla Motors Ireland Limited
EVA77989	MDLS75D	Model S 75D	Model S 75 kWh Dual Motor	Tesla Motors Ireland Limited
EVA77990	MDLS90D	Model S 90D	Model S 90 kWh Dual Motor	Tesla Motors Ireland Limited
EVA77991	MDLS100D	Model S 100D	Model S 100 kWh Dual Motor	Tesla Motors Ireland Limited
EVA77992	MDLSP100D	Model S P100D	Model S 100 kWh Performance Dual Motor	Tesla Motors Ireland Limited
EVA77993	MDLX75D	Model X 75D	Model X 75 kWh Dual Motor	Tesla Motors Ireland Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA77994	MDLX90D	Model X 90D	Model X 90 kWh Dual Motor	Tesla Motors Ireland Limited
EVA77995	MDLX100D	Model X 100D	Model X 100 kWh Dual Motor	Tesla Motors Ireland Limited
EVA77996	MDLXP100D	Model X P100D	Model X 100 kWh Performance Dual Motor	Tesla Motors Ireland Limited
EVA77997	TWC	Tesla Wall Connector	home charging unit	Tesla Motors Ireland Limited
EVA76929	E1160-A45042	Elvi 3.7kW - 22kW	Elvi 3.7kW to 22kW upgradable EV charger	EV-Box
EVA77024	H1161-1001	HomeLine 1 x 3.7kW	EV-Box 1x3,7kW EV Charger - HomeLine	EV-Box
EVA77025	H1321-1001	HomeLine 1 x 7.4kW	EV-Box 1x7,4kW EV Charger - HomeLine	EV-Box
EVA77026	H3161-1001	HomeLine 1 x 11kW	EV-Box 1x11kW EV Charger - HomeLine	EV-Box
EVA77027	H3321-5101	HomeLine 1 x 22kW	EV-Box 1x22kW EV Charger - HomeLine	EV-Box
EVA77028	B1162-1001	BusinessLine 2 x 3.7kW	EV-Box 2x3,7kW EV Charger - BusinessLine Double	EV-Box
EVA77029	B1322-1001	BusinessLine 2 x 7.4kW	EV-Box 2x7,4kW EV Charger - BusinessLine Double	EV-Box
EVA77030	B3162-1001	BusinessLine 2 x 11kW	EV-Box 2x11kW EV Charger - BusinessLine Double	EV-Box
EVA77031	B1161-1001	BusinessLine 1 x 3.7kW	EV-Box 1x3,7kW EV Charger - BusinessLine Single	EV-Box
EVA77032	B1321-1001	BusinessLine 1 x 7.4kW	EV-Box 1x7,4kW EV Charger - BusinessLine Single	EV-Box
EVA77033	B3161-1001	BusinessLine 1 x 11kW	EV-Box 1x11kW EV Charger - BusinessLine Single	EV-Box
EVA77034	B3321-5001	BusinessLine 1 x 22kW	EV-Box 1x22kW EV Charger - BusinessLine Single	EV-Box
EVA77158	EM001	eoMini 16A 1-Phase Charger - Standard Socket (No Locking Pin)	Single Phase 3.6kW 16A Mini Electric Vehicle Charge-Station with Type 2 Socket	EO Charging
EVA77159	EM002	eoMini 32A 1-Phase Charger - Standard Socket (No Locking Pin)	Single Phase 7.2kW 32A Mini Electric Vehicle Charge-Station with Type 2 Socket	EO Charging
EVA77160	EG009	eoBasic 16A 1-Phase Charger - Standard Socket (No Locking Pin)	Single Phase 3.6kW 16A Electric Vehicle Charge-Station with Type 2 Socket	EO Charging

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA77161	EG009-T1	eoBasic 16A 1-Phase Charger - 5m Tethered Type 1	Single Phase 3.6kW 16A Electric Vehicle Charge-Station with Type 1 Tethered Plug	EO Charging
EVA77162	EG009-T2	eoBasic 16A 1-Phase Charger - 5m Tethered Type 2	Single Phase 3.6kW 16A Electric Vehicle Charge-Station with Type 2 Tethered Plug	EO Charging
EVA77163	EG010	eoBasic 32A 1-Phase Charger - Basic Socket (No Locking Pin)	Single Phase 7.2kW 32A Electric Vehicle Charge-Station with Type 2 Socket	EO Charging
EVA77164	EG010-T1	eoBasic 32A 1-Phase Charger - 5m Tethered Type 1	Single Phase 7.2kW 32A Electric Vehicle Charge-Station with Type 1 Tethered Plug	EO Charging
EVA77165	EG010-T2	eoBasic 32A 1-Phase Charger - 5m Tethered Type 2	Single Phase 7.2kW 32A Electric Vehicle Charge-Station with Type 2 Tethered Plug	EO Charging
EVA77166	EO003	eoBasic 16A 3-Phase Charger - Standard Socket (No Locking Pin)	Three Phase 11kW 16A Electric Vehicle Charge-Station with Type 2 Socket	EO Charging
EVA77167	EO004	eoBasic 32A 3-Phase Charger - Standard Socket (No Locking Pin)	Three Phase 22kW 32A Electric Vehicle Charge-Station with Type 2 Socket	EO Charging
EVA77168	EG001	eoGenius 16A 1-Phase Charger - Standard Socket (No Locking Pin)	Single Phase 3.6kW 16A Electric Vehicle Charge-Station with Communications & Type 2 Socket	EO Charging
EVA77169	EG002	eoGenius 32A 1-Phase Charger - Standard Socket (No Locking Pin)	Single Phase 7.2kW 32A Electric Vehicle Charge-Station with Communications & Type 2 Socket	EO Charging
EVA77170	EG003	eoGenius 16A 3-Phase Charger - Standard Socket (No Locking Pin)	Three Phase 11kW 16A Electric Vehicle Charge-Station with Communications & Type 2 Socket	EO Charging
EVA77171	EG004	eoGenius 32A 3-Phase Charger - Standard Socket (No Locking Pin)	Three Phase 22kW 32A Electric Vehicle Charge-Station with Communications & Type 2 Socket	EO Charging
EVA77172	EG001-PRO	eoGenius 16A 1-Phase Charger - Pro Socket (With Locking Pin)	Single Phase 3.6kW 16A Electric Vehicle Charge-Station With Communications & Locking Type 2 Socket	EO Charging

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA77173	EG002-PRO	eoGenius 32A 1-Phase Charger - Pro Socket (With Locking Pin)	Single Phase 7.2kW 32A Electric Vehicle Charge-Station With Communications & Locking Type 2 Socket	EO Charging
EVA77174	EG003-PRO	eoGenius 16A 3-Phase Charger - Pro Socket (With Locking Pin)	Three Phase 11kW 16A Electric Vehicle Charge-Station With Communications & Locking Type 2 Socket	EO Charging
EVA77175	EG004-PRO	eoGenius 32A 3-Phase Charger - Pro Socket (With Locking Pin)	Three Phase 22kW 32A Electric Vehicle Charge-Station With Communications & Locking Type 2 Socket	EO Charging
EVA78499	Kia Niro PHEV	Kia NIRO PHEV	Plug in electric hybrid car	Kia Motors Ireland

”.

12. Part 30 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CCU79107	114X4300	OP-MPLM028VVLP01E	Variable Speed Condensing Unit	Danfoss
CCU79108	114X4315	OP-MPLM035VVLP01E	Variable Speed Condensing Unit	Danfoss
CCU79109	114X4333	OP-MPLM044VVLP01E	Variable Speed Condensing Unit	Danfoss

”.

13. Part 31 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
RDC79924	IBA3750	3.75m Open Fronted Multi-deck Provisions; Meat and Fish Cabinet	Open fronted multi-deck chilled cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79925	IBA2500	2.5m Open Fronted Multi-deck Provisions Cabinet	Open fronted Multi-deck chilled cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79926	IBA1875	1.875m Open Fronted Multi-deck Provisions Cabinet	Open fronted multi-deck chilled cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
RDC79927	IBA2500 WAE	2.5m Open Fronted Multi-deck Provisions Cabinet (Wrap around End)	Open fronted multi-deck chilled cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79928	IDA3750	3.75m Narrow drinks Multi-deck Cabinet	Open fronted multi-deck chilled drinks cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79929	IDA2500	2.5m Narrow drinks Multi-deck Cabinet	Open fronted multi-deck chilled drinks cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79930	IDA1875	1.875m Narrow drinks Multi-deck Cabinet	Open fronted multi-deck chilled drinks cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79931	HEA3750	3.75 produce Multi-Deck Cabinet with Shelf or crated option	Open fronted Produce multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79932	HEA2500	2.5M produce Multi-Deck Cabinet with Shelf or crated option	Open fronted Produce multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79933	HEA1875	1.875m produce Multi-Deck Cabinet with Shelf or crated option	Open fronted Produce multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79934	HEA2500 WAE	2.5m Produce Multi-Deck Cabinet with Shelf or crated option (Wrap around End)	Open fronted Produce multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79935	NHA2500	2.5m Low level meat multi-deck cabinet	Open fronted low height multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79936	NHA1875	1.875 Low level meat multi-deck	Open fronted low height multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79937	NHA2500 WAE	2.5m Low level meat multi-deck cabinet (Wrap around End)	Open fronted low height multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79941	PB2500	4 Door Beers Wines and Spirits cabinet	FGD chilled multi-deck multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC79942	PB1250	2 Door Beers Wines and Spirits cabinet	FGD chilled multi-deck multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
RDC79943	PAA2500	2.5m Full Height Integral Open Fronted Multi-deck Provisions Cabinet 2018	Open fronted multi-deck cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC80579	RDGA-L4-1250	RDGA-L4-1250	1.250M 3M1 PLUG-IN MULTI-DECK WITH GLASS DOORS (2.05M HIGH, 0.9M DEEP)	JBG-2 Sp. z o.o.
RDC80580	RDGA-L4-1875	RDGA-L4-1875	1.875M 3M1 PLUG-IN MULTI-DECK WITH GLASS DOORS (2.05M HIGH, 0.9M DEEP)	JBG-2 Sp. z o.o.
RDC80581	RDGA-L4-2500	RDGA-L4-2500	2.500M 3M1 PLUG-IN MULTI-DECK WITH GLASS DOORS (2.05M HIGH, 0.9M DEEP)	JBG-2 Sp. z o.o.
RDC80582	RDGA-L4-3750	RDGA-L4-3750	3.750M 3M1 PLUG-IN MULTI-DECK WITH GLASS DOORS (2.05M HIGH, 0.9M DEEP)	JBG-2 Sp. z o.o.
RDC81693	FDB3120	4 Door FHGD Frozen Food	FGD freezer cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC81694	FDB2340	3 Door FHGD Frozen Food	FGD freezer cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd
RDC81695	FDB1560	2 Door FHGD Frozen Food (Inc Frozen Fish)	FGD freezer cabinet with close coupled water cooled condenser using R1270 refrigerant	Carter Retail Equipment Ltd

”.

15. Part 40 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CCO77654	B618100.01	SelfCooking Center 61	SelfCookingCentre, Electric, half-size, (6) 1/1 GN or (12) 1/2 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 11 kW, IPX5, CE,	Rational AG

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CCO77655	B118100.01	SelfCooking Center 101	SelfCookingCentre, Electric, half-size, (10) 1/1 GN or (20) 1/2 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 18.6 kW, IPX5, CE,	Rational AG
CCO77656	B628100.01	SelfCooking Center 62	SelfCookingCentre, Electric, full size, (6) 2/1 GN or (12) 1/1 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 22.3 kW, IPX5, CE,	Rational AG
CCO77657	B128100.01	SelfCooking Center 102	SelfCookingCentre, Electric, full size, (10) 2/1 GN or (20) 1/1 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe w/6-point measurement, retractable hand shower, USB interface, 36.7 kW, IPX5, CE,	Rational AG
CCO77658	B618300.30	SelfCooking Center 61 G	SelfCookingCentre, Gas, half-size, (6) 1/1 GN or (12) 1/2 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 13 kW, IPX5, CE,	Rational AG
CCO77659	B118300.30	SelfCooking Center 101 G	SelfCookingCentre, Gas, half-size, (10) 1/1 GN or (20) 1/2 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 22.0 kW, IPX5, CE,	Rational AG
CCO77660	B628300.30	SelfCooking Center 62 G	SelfCookingCentre, Electric, full size, (6) 2/1 GN or (12) 1/1 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 22.3 kW, IPX5, CE,	Rational AG
CCO77661	B128300.30	SelfCooking Center 102 G	SelfCookingCentre, Gas, full size, (10) 2/1 GN or (20) 1/1 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe w/6-point measurement, retractable hand shower, USB interface, 45.0 kW, IPX5, CE,	Rational AG

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CCO77662	B218300.30	SelfCooking Center 201 G	SelfCookingCentre, Gas, half-size, (20) 1/1 GN or (40) 1/2 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 44.0 kW, IPX5, CE,	Rational AG
CCO77663	B228300.30	SelfCooking Center 202G	SelfCookingCentre, Electric, full size, (20) 2/1 GN or (40) 1/1 GN capacity, (7) selfcooking controls, (3) combi-steamer modes, CareControl clean and care system, core temperature probe with 6-point measurement, retractable hand shower, USB interface, 65.5 kW, IPX5, CE,	Rational AG

”.

16. Part 49 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77888	PF 50 S	KWB 50kW Pelletfire Plus S	50kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77889	PF 55 S	KWB 55kW Pelletfire Plus S	55kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77890	PF 65 S	KWB 65kW Pelletfire Plus S	65kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77891	PF 70 S	KWB 70kW Pelletfire Plus S	70kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77892	PF 75 S	KWB 75kW Pelletfire Plus S	75kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77893	PF 95 S	KWB 95kW Pelletfire Plus S	95kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77894	PF 100 S	KWB 100kW Pelletfire Plus S	100kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77895	PF 108 S	KWB 108kW Pelletfire Plus S	108kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77896	PF 115 S	KWB 115kW Pelletfire Plus S	115kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77897	PF 135 S	KWB 135kW Pelletfire Plus S	135kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77898	PF 50 GS	KWB 50kW Pelletfire Plus GS	50kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77899	PF 55 GS	KWB 55kW Pelletfire Plus GS	55kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77900	PF 65 GS	KWB 65kW Pelletfire Plus GS	65kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77901	PF 70 GS	KWB 70kW Pelletfire Plus GS	70kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77902	PF 75 GS	KWB 75kW Pelletfire Plus GS	75kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77903	PF 95 GS	KWB 95kW Pelletfire Plus GS	95kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77904	PF 100 GS	KWB 100kW Pelletfire Plus GS	100kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77905	PF 108 GS	KWB 108kW Pelletfire Plus GS	108kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77906	PF 115 GS	KWB 115kW Pelletfire Plus GS	115kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77907	PF 135 GS	KWB 135kW Pelletfire Plus GS	135kW wood pellet boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77908	MF 50 D	KWB 50kW Multifire 2 D	50kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77909	MF 60 D	KWB 60kW Multifire 2 D	60kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77910	MF65 D	KWB 65kW Multifire 2 D	65kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77911	MF70 D	KWB 70kW Multifire 2 D	70kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77912	MF 80 D	KWB 80kW Multifire 2 D	80kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77913	MF 100 D	KWB 100kW Multifire 2 D	100kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77914	MF 108 D	KWB 108kW Multifire 2 D	108kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77915	MF 120 D	KWB 120kW Multifire 2 D	120kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77916	MF 50 ZI	KWB 50kW Multifire 2 ZI	50kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77917	MF 60 ZI	KWB 60kW Multifire 2 ZI	60kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77918	MF65 ZI	KWB 65kW Multifire 2 ZI	65kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77919	MF70 ZI	KWB 70kW Multifire 2 ZI	70kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77920	MF 80 ZI	KWB 80kW Multifire 2 ZI	80kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77921	MF 100 ZI	KWB 100kW Multifire 2 ZI	100kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77922	MF 108 ZI	KWB 108kW Multifire 2 ZI	108kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77923	MF 120 ZI	KWB 120kW Multifire 2 ZI	120kW multifuel boiler with range of automated feeding systems from fuel store. Optional dual boiler configuration for increased output. Includes KWB Comfort 4 for control of the heating system.	KWB Biomass Heating Systems
BBO77924	150 TDS	KWB 150kW Powerfire TDS	150kW pellet or wood chip boiler with range of automated feeding systems from fuel store. Includes KWB Comfort 3 for control of the heating system.	KWB Biomass Heating Systems
BBO77925	199 TDS	KWB 199kW Powerfire TDS	199kW pellet or wood chip boiler with range of automated feeding systems from fuel store. Includes KWB Comfort 3 for control of the heating system.	KWB Biomass Heating Systems
BBO77926	240 TDS	KWB 240kW Powerfire TDS	240kW pellet or wood chip boiler with range of automated feeding systems from fuel store. Includes KWB Comfort 3 for control of the heating system.	KWB Biomass Heating Systems
BBO77927	300 TDS	KWB 300kW Powerfire TDS	300kW pellet or wood chip boiler with range of automated feeding systems from fuel store. Includes KWB Comfort 3 for control of the heating system.	KWB Biomass Heating Systems
BBO77128	C50 chip	HDG Compact 50 (wood chip)	50 kW wood chip boiler	HDG Bavaria
BBO77129	C50 pellet	HDG Compact 50 (pellet)	50 kW pellet boiler	HDG Bavaria
BBO77130	C65 chip	HDG Compact 65 (wood chip)	65 kW wood chip boiler	HDG Bavaria
BBO77131	C65 pellet	HDG Compact 65 (pellet)	65 kW pellet boiler	HDG Bavaria
BBO77132	C80 chip	HDG Compact 80 (wood chip)	80 kW wood chip boiler	HDG Bavaria

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77133	C80 pellet	HDG Compact 80 (pellet)	85 kW pellet boiler	HDG Bavaria
BBO77134	C99 chip	HDG Compact 99 (wood chip)	99 kW wood chip boiler	HDG Bavaria
BBO77135	C99 pellet	HDG Compact 99 (pellet)	99 kW pellet boiler	HDG Bavaria
BBO77136	C100 chip	HDG Compact 100 (wood chip)	100 kW wood chip boiler	HDG Bavaria
BBO77137	C100 pellet	HDG Compact 100 (pellet)	100 kW pellet boiler	HDG Bavaria
BBO77138	C105 chip	HDG Compact 105 (wood chip)	105 kW wood chip boiler	HDG Bavaria
BBO77139	C105 pellet	HDG Compact 105 (pellet)	105 kW pellet boiler	HDG Bavaria
BBO77140	C115 chip	HDG Compact 115 (wood chip)	115 kW wood chip boiler	HDG Bavaria
BBO77141	C115 pellet	HDG Compact 115 (pellet)	115 kW pellet boiler	HDG Bavaria
BBO77142	C150 chip	HDG Compact 150 (wood chip)	150 kW wood chip boiler	HDG Bavaria
BBO77143	C150 pellet	HDG Compact 150 (pellet)	150 kW pellet boiler	HDG Bavaria
BBO77144	C199 chip	HDG Compact 199 (wood chip)	199 kW wood chip boiler	HDG Bavaria
BBO77145	C199 pellet	HDG Compact 199 (pellet)	199 kW pellet boiler	HDG Bavaria
BBO77146	C200 chip	HDG Compact 200 (wood chip)	200 kW wood chip boiler	HDG Bavaria
BBO77147	C200 pellet	HDG Compact 200 (pellet)	200 kW pellet boiler	HDG Bavaria
BBO77148	M299 chip	HDG M299 (wood chip)	299 kW wood chip boiler	HDG Bavaria
BBO77149	M300 chip	HDG M300 (wood chip)	310 kW wood chip boiler	HDG Bavaria
BBO77150	M300 pellet	HDG M300 (pellet)	328 kW pellet boiler	HDG Bavaria
BBO77151	M350 chip	HDG M350 (wood chip)	350 kW wood chip boiler	HDG Bavaria
BBO77152	M350 pellet	HDG M350 (pellet)	350 kW pellet boiler	HDG Bavaria

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO77153	M400 chip	HDG M400 (wood chip)	400 kW wood chip boiler	HDG Bavaria
BBO77154	M400 pellet	HDG M400 (pellet)	400 kW pellet	HDG Bavaria
BBO78063	67175	pellettop 70	this wood pellet boiler is automatically igniting and refilling the pellets from an external store. the de-ashing into an ash box automatic too.	SOLARFOCUS GmbH
BBO81040	GIK195	HPKI 195	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81041	GIK199	HPKI 199	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81042	GIK205	HPKI 205	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81043	GIK225	HPKI 225	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81044	GIK495	HPKI 495	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81045	GIK995	HPKI 995	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81046	GIK999	HPKI 999	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81047	GIK1400	HPKI 1400	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie
BBO81048	GIK2500	HPKI 2500	GILLES fully automatic wood chip and pellet heating systems, with high efficiency	GILLES Energie

”.

17. Part 50 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV77703	GW2011	Growatt 2.5kw	Single Phase 2.5kw Inverter with DC switch	Growatt New Energy Technology
INV77097	SMA STP Core 1 50-40	SMA Sunny Tri Power Core 1 50-40	50 kW, 3-phase, free-standing inverter	SMA
INV77122	Sol-Min-1000-4G	Solis Mini 1000 4G	Grid Tied inverter for PV systems	Ginlong

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV77123	Sol-Min-1500-4G	Solis Mini 1500 4G	Grid Tied inverter for PV systems	Ginlong
INV77124	Sol-Min-2000-4G	Solis Mini 2000 4G	Grid Tied inverter for PV systems	Ginlong
INV77125	Sol-Min-2500-4G	Solis Mini 2500 4G	Grid Tied inverter for PV systems	Ginlong
INV77126	Sol-Min-3000-4G	Solis Mini 3000 4G	Grid Tied inverter for PV systems	Ginlong
INV77127	Sol-Min-3600-4G	Solis Mini 3600 4G	Grid Tied inverter for PV systems	Ginlong
INV72503	FR001	Primo 3.0-1	Fronius 3kW Single Phase Inverter	Fronius
INV72504	FR002	Primo 3.5-1	Fronius 3.5kW Single Phase Inverter	Fronius
INV72505	FR003	Primo 3.6-1	Fronius 3.6kW Single Phase Inverter	Fronius
INV72506	FR004	Primo 4.0-1	Fronius 4kW Single Phase Inverter	Fronius
INV72507	FR005	Primo 4.6-1	Fronius 4.6kW Single Phase Inverter	Fronius
INV72508	FR006	Primo 5.0-1	Fronius 5kW Single Phase Inverter	Fronius
INV72509	FR007	Primo 6.0-1	Fronius 6kW Single Phase Inverter	Fronius
INV72510	FR008	Primo 8.2-1	Fronius 8.2kW Single Phase Inverter	Fronius
INV72511	FR009	Eco 25.0-3-S	Fronius 25kW Three Phase Inverter	Fronius
INV72512	FR010	Eco 27.0-3-S	Fronius 27kW Three Phase Inverter	Fronius
INV77194	18001	Growatt 1000-S Inverter	Single Phase 1kW Inverter with DC switch	Growatt New Energy Technology
INV77195	18002	Growatt 1500-S Inverter	Single Phase 1.5kW Inverter with DC switch	Growatt New Energy Technology
INV77196	18003	Growatt 2000-S Inverter	Single Phase 2kW Inverter with DC switch	Growatt New Energy Technology
INV77198	18005	Growatt 3000-S Inverter	Single Phase 3kW Inverter with DC switch	Growatt New Energy Technology
INV77199	18006	Growatt 2500 MTL Inverter	Single Phase 2.5kW Inverter with DC switch and Dual MPPT	Growatt New Energy Technology
INV77200	18007	Growatt 3000 MTL Inverter	Single Phase 3kW Inverter with DC switch and Dual MPPT	Growatt New Energy Technology
INV77201	18008	Growatt 3600 MTL Inverter	Single Phase 3.6kW Inverter with DC switch and Dual MPPT	Growatt New Energy Technology

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV77202	18009	Growatt 4200 MTL Inverter	Single Phase 4.2kW Inverter with DC switch and Dual MPPT	Growatt New Energy Technology
INV77203	18010	Growatt 5000 MTL Inverter	Single Phase 5kW Inverter with DC switch and Dual MPPT	Growatt New Energy Technology
INV77205	18012	Growatt 4000 UE Inverter	Three Phase 4kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77206	18013	Growatt 5000 UE Inverter	Three Phase 5kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77207	18014	Growatt 6000 UE Inverter	Three Phase 6kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77208	18015	Growatt 10000 UE Inverter	Three Phase 10kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77209	18016	Growatt 12000 UE Inverter	Three Phase 12kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77210	18017	Growatt 18000 UE Inverter	Three Phase 18kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77211	18018	Growatt 20000 UE Inverter	Three Phase 20kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77212	18019	Growatt 30000 TL3 Inverter	Three Phase 30kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77213	18020	Growatt 33000 TL3 Inverter	Three Phase 33kW inverter with DC Switch, Multi MPP Controller	Growatt New Energy Technology
INV77497	SE2200H	2.2kW 1PH HD Wave PV Inverter	2.2kWP Single Phase Smart PV Inverter	Solaredge
INV77498	SE3000H	3kW 1PH HD Wave PV Inverter	3.0kWP Single Phase Smart PV Inverter	Solaredge
INV77499	SE3500H	3.5kW 1PH HD Wave PV Inverter	3.5kWP Single Phase Smart PV Inverter	Solaredge
INV77500	SE3680H	3.68kW 1PH HD Wave PV Inverter	3.68kWP Single Phase Smart PV Inverter	Solaredge
INV77501	SE4000H	4.0kW 1PH HD Wave PV Inverter	4.0kWP Single Phase Smart PV Inverter	Solaredge
INV77502	SE5000H	5.0kW 1PH HD Wave PV Inverter	5.0kWP Single Phase Smart PV Inverter	Solaredge
INV77503	SE6000H	6.0kW 1PH HD Wave PV Inverter	6.0kWP Single Phase Smart PV Inverter	Solaredge
INV77504	SE-3K-E	3kW 3Phase Smart PV Inverter	3.0kWP Three Phase E-Series Smart Solar PV Inverter	Solaredge

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV77505	SE-4K-E	4kW 3Phase Smart PV Inverter	4.0kWP Three Phase E-Series Smart Solar PV Inverter	Solaredge
INV77506	SE-5K-E	5kW 3Phase Smart PV Inverter	5.0kWP Three Phase E-Series Smart Solar PV Inverter	Solaredge
INV77507	SE-7K-E	7kW 3Phase Smart PV Inverter	7.0kWP Three Phase E-Series Smart Solar PV Inverter	Solaredge
INV77508	SE-8K-E	8kW 3Phase Smart PV Inverter	8.0kWP Three Phase E-Series Smart Solar PV Inverter	Solaredge
INV77509	SE-9K	9kW 3Phase Smart PV Inverter	9.0kWP Three Phase Smart Solar PV Inverter	Solaredge
INV77510	SE-10K	10kW 3Phase Smart PV Inverter	10.0kWP Three Phase Smart Solar PV Inverter	Solaredge
INV77511	SE-12K	12.5kW 3Phase Smart PV Inverter	12.5kWP Three Phase Smart Solar PV Inverter	Solaredge
INV77512	M250	Enphase M250 Micro Inverter	AC Micro Inverter	Enphase
INV77513	Primo 3.0-1	Fronius Primo 3.0	3.0kWP 1Phase Fronius Inverter	Fronius
INV77514	Primo 3.6-1	Fronius Primo 3.6.1	3.6kWP 1Phase Fronius Inverter	Fronius
INV77515	Symo 3.0-3-S	Fronius Symo 3.0-3-S	3.0kWP 3Phase Fronius Inverter	Fronius
INV77516	Symo 3.7-3-S	Fronius Symo 3.7-3-S	3.7kWP 3Phase Fronius Inverter	Fronius
INV77517	Galvo 1.5-1	Fronius Galvo 1.5-1	1.5kWP 1Phase Fronius Inverter	Fronius
INV77518	Eco 25.0-3-M	Fronius Eco 25.0-3-M	25kWP 3Phase Fronius Inverter	Fronius
INV77519	Eco 27.0-3-M	Fronius Eco 27.0-3-M	27kWP 3Phase Fronius Inverter	Fronius
INV77520	Symo Hybrid 3.0-3-S	Fronius Symo Hybrid 3.0-3-S	3kWP 1Phase Fronius Hybrid Inverter	Fronius
INV77521	Symo Hybrid 4.0-3-S	Fronius Symo Hybrid 4.0-3-S	4kWP 1Phase Fronius Hybrid Inverter	Fronius
INV77522	Symo Hybrid 5.0-3-S	Fronius Symo Hybrid 5.0-3-S	5kWP 1Phase Fronius Hybrid Inverter	Fronius
INV77532	Sunny Boy 1.5 VL-40	SMA Sunny Boy 1.5 VL-40	1.5kWP Single Phase Solar PV Inverter	SMA Solar Technology AG
INV77533	SMA Sunny Boy 2.5 VL-40	SMA Sunny Boy 2.5 VL-40	25kWP Single Phase Solar PV Inverter	SMA Solar Technology AG
INV77534	Sunny Boy 3600-TL-21	SMA Sunny Boy 3600-TL-21	3.6kWP Single Phase Solar PV Inverter	SMA Solar Technology AG

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV77535	Sunny Boy 4000-TL-21	SMA Sunny Boy 4000-TL-21	4.0kWP Single Phase Solar PV Inverter	SMA Solar Technology AG
INV77536	Sunny Boy 5000-TL-21	SMA Sunny Boy 5000-TL-21	5.0kWP Single Phase Solar PV Inverter	SMA Solar Technology AG
INV77537	Sunny Tripower 5000TL-20	SMA Sunny Tripower 5000TL-20	5kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77538	Sunny Tripower 6000TL-20	SMA Sunny Tripower 6000TL-20	6kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77539	Sunny Tripower 7000TL-20	SMA Sunny Tripower 7000TL-20	7kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77540	Sunny Tripower 8000TL-20	SMA Sunny Tripower 8000TL-20	8kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77541	Sunny Tripower 9000TL-20	SMA Sunny Tripower 9000TL-20	9kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77542	Sunny Tripower 10000TL-20	SMA Sunny Tripower 10000TL-20	10kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77543	Sunny Tripower 15000TL-20	SMA Sunny Tripower 15000TL-20	15kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77544	Sunny Tripower 60	SMA Sunny Tripower 60	60kWP Three Phase Solar PV Inverter	SMA Solar Technology AG
INV77545	Mini X1-1.1-S-D-(N)	Solax X1 Mini X1-1.1-S-D-(N)	1kWP Single Phase Solar PV Inverter	Solax
INV77546	Mini X1-1.5-S-D-(N)	Solax X1 Mini X1-1.5-S-D-(N)	1.5kWP Single Phase Solar PV Inverter	Solax
INV77547	Mini X1-2.0-S-D-(N)	Solax X1 Mini X1-2.0-S-D-(N)	2.0kWP Single Phase Solar PV Inverter	Solax
INV77548	Air X1-2.5-S-D-(N)	Solax X1 Air X1-2.5-S-D-(N)	2.5kWP Single Phase Solar PV Inverter	Solax
INV77549	Air X1-3.0-S-D-(N)	Solax X1 Air X1-3.0-S-D-(N)	3.0kWP Single Phase Solar PV Inverter	Solax
INV77550	Air X1-3.3-S-D-(N)	Solax X1 Air X1-3.3-S-D-(N)	3.3kWP Single Phase Solar PV Inverter	Solax
INV77551	Boost X1-3.0-T	Solax X1 Boost X1-3.0-T	3.0kWP Single Phase Solar PV Inverter	Solax
INV77552	Boost X1-3.3-T	Solax X1 Boost X1-3.3-T	3.3kWP Single Phase Solar PV Inverter	Solax
INV77553	Boost X1-3.6-T	Solax X1 Boost X1-3.6-T	3.6kWP Single Phase Solar PV Inverter	Solax

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV77554	Boost X1-4.2-T	Solax X1 Boost X1-4.2-T	4.2kW Single Phase Solar PV Inverter	Solax
INV77555	Boost X1-4.6-T	Solax X1 Boost X1-4.6-T	4.6kW Single Phase Solar PV Inverter	Solax
INV77556	Boost X1-5.0-T	Solax X1 Boost X1-5.0-T	5.0kW Single Phase Solar PV Inverter	Solax
INV77557	X3 X3-5.0	Solax X3-5.0	5.0kW Three Phase Solar PV Inverter	Solax
INV77558	X3 X3-6.0	Solax X3-6.0	6.0kW Three Phase Solar PV Inverter	Solax
INV77559	X3 X3-8.0	Solax X3-8.0	8.0kW Three Phase Solar PV Inverter	Solax
INV77560	X3 ZDNY-TL- 12000	Solax X3 ZDNY-TL- 12000	12.0kW Three Phase Solar PV Inverter	Solax
INV77561	X3 ZDNY-TL- 15000	Solax X3 ZDNY-TL- 15000	15.0kW Three Phase Solar PV Inverter	Solax
INV77562	X3 ZDNY-TL- 17000	Solax X3 ZDNY-TL- 17000	17.0kW Three Phase Solar PV Inverter	Solax
INV77563	X3 ZDNY-TL- 20000	Solax X3 ZDNY-TL- 20000	20.0kW Three Phase Solar PV Inverter	Solax

”.

18. Part 51 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
STC80403	MA-0028	ALS 1808	1.8 m ² gross - Glazed flat plate collector with aluminium TiNOX absorber	Solimpeks Solar Energy Corp.
STC80404	MA-0032	ALS 2108	2.07 m ² gross - Glazed flat plate collector with aluminium TiNOX absorber	Solimpeks Solar Energy Corp.
STC80405	MA-0039	ALS 2510	2.42 m ² gross - Glazed flat plate collector with aluminium TiNOX absorber	Solimpeks Solar Energy Corp.
STC80406	MA-1484	Excell ALS	50mm thick - Glazed flat plate collector with aluminium TiNOX absorber	Solimpeks Solar Energy Corp.

”.

19. Part 52 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU81384	086L4472	MEGA S	Geothermal heat pump for advanced applications with a capacity of up to 1400 kW	Thermia
HPU77485	284599 II	GMLW 14 Plus (VHS/M)	A high efficiency air/water heat pump including Electronic expansion and Horizontal split evaporator	Ochsner
HPU77486	264600 II	GMSW 10 Plus	Monovalent heating system with heat source brine. High efficiency high temperature ground source heat pump.	Ochsner
HPU77487	254600 II	GMWW 13 Plus	Monovalent high temperature heat pump with heat source water.	Ochsner
HPU77488	264605 III	GMSW 10 Plus S	Monovalent heating system with heat source brine. High efficiency high temperature ground source heat pump.	Ochsner
HPU77489	264700 II	GMSW 15 Plus	Monovalent heating system with heat source brine. High efficiency high temperature ground source heat pump.	Ochsner
HPU77490	254700 II	GMWW 19 Plus	Monovalent heating system with heat source water.	Ochsner
HPU77491	264350 III	GMSW 28	Monovalent heating system with heat source brine. High efficiency ground source heat pump.	Ochsner
HPU77492	254350 III	GMWW 28	Monovalent high temperature heat pump with heat source water.	Ochsner
HPU77494	285640 II	Eagle 717	Split system heat pump, high temperature high efficiency modulating.	Ochsner
HPU79110	MD20D	Heat Pump Water Heater	Air Source Heat Pump Rated Heating Capacity - 7kW	Guangzhou Jin Lun Electric
HPU79111	MD30D	Heat Pump Water Heater - 12kW	Air to Water Heat Pump Rated Heating Capacity - 12kW	Guangzhou Jin Lun Electric
HPU79945	MD40D	Air Source Heat Pump - Heating Capacity 16kW,COP 4.33	Air Source Heat Pump Water Heater, 4kW Input, 16kW Heating Capacity	Guangzhou Jin Lun Electric
HPU79946	MD50D	Air Source Heat Pump - Heating Capacity 18kW,COP 4.33	Air Source Heat Pump Water Heater, Input 4.4kW, Heating Capacity 18kW	Guangzhou Jin Lun Electric

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU72852	284599	GMLW14Plus	Split air source heat pump with horizontal table evaporator for natural condensation drip off	Ochsner
HPU72853	284649	GMLW19Plus	Split air source heat pump with horizontal table evaporator for natural condensation drip off	Ochsner
HPU72854	284699	GMLW25Plus	Split air source heat pump with horizontal table evaporator for natural condensation drip off	Ochsner
HPU72855	284749	GMLW35Plus	Split air source heat pump with horizontal table evaporator for natural condensation drip off	Ochsner

”.

20. Part 2 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65505	6SL3210-5BB18-0UV0	SINAMICS V20; 6SL3210-5BB18-0UV0	SINAMICS V20; 200V to 240V 1Ø: UNFILTERED; IP20	Siemens Ltd.
VSD65506	6SL3210-5BB18-0AV0	SINAMICS V20; 6SL3210-5BB18-0AV0	SINAMICS V20; 200V to 240V 1Ø: FILTERED; IP20	Siemens Ltd.
VSD65535	6SL3210-1KE11-8UB1	SINAMICS G120C; 6SL3210-1KE11-8UB1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65536	6SL3210-1KE11-8UP1	SINAMICS G120C; 6SL3210-1KE11-8UP1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65537	6SL3210-1KE11-8UF1	SINAMICS G120C; 6SL3210-1KE11-8UF1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65538	6SL3210-1KE12-3UB1	SINAMICS G120C; 6SL3210-1KE12-3UB1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65539	6SL3210-1KE12-3UP1	SINAMICS G120C; 6SL3210-1KE12-3UP1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65540	6SL3210-1KE12-3UF1	SINAMICS G120C; 6SL3210-1KE12-3UF1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profinet; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65541	6SL3210-1KE13-2UB1	SINAMICS G120C; 6SL3210-1KE13-2UB1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65542	6SL3210-1KE13-2UP1	SINAMICS G120C; 6SL3210-1KE13-2UP1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65543	6SL3210-1KE13-2UF1	SINAMICS G120C; 6SL3210-1KE13-2UF1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65544	6SL3210-1KE14-3UB1	SINAMICS G120C; 6SL3210-1KE14-3UB1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65545	6SL3210-1KE14-3UP1	SINAMICS G120C; 6SL3210-1KE14-3UP1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65546	6SL3210-1KE14-3UF1	SINAMICS G120C; 6SL3210-1KE14-3UF1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65547	6SL3210-1KE15-8UB1	SINAMICS G120C; 6SL3210-1KE15-8UB1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65548	6SL3210-1KE15-8UP1	SINAMICS G120C; 6SL3210-1KE15-8UP1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65549	6SL3210-1KE15-8UF1	SINAMICS G120C; 6SL3210-1KE15-8UF1	SINAMICS G120C; 380V to 480V 3Ø: UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65571	6SL3210-1KE11-8AB1	SINAMICS G120C; 6SL3210-1KE11-8AB1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65572	6SL3210-1KE11-8AP1	SINAMICS G120C; 6SL3210-1KE11-8AP1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profibus; IP20	Siemens Ltd.
VSD65573	6SL3210-1KE11-8AF1	SINAMICS G120C; 6SL3210-1KE11-8AF1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profinet; IP20	Siemens Ltd.
VSD65574	6SL3210-1KE12-3AB1	SINAMICS G120C; 6SL3210-1KE12-3AB1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65575	6SL3210-1KE12-3AP1	SINAMICS G120C; 6SL3210-1KE12-3AP1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profibus; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65576	6SL3210-1KE12-3AF1	SINAMICS G120C; 6SL3210-1KE12-3AF1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profinet; IP20	Siemens Ltd.
VSD65577	6SL3210-1KE13-2AB1	SINAMICS G120C; 6SL3210-1KE13-2AB1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65578	6SL3210-1KE13-2AP1	SINAMICS G120C; 6SL3210-1KE13-2AP1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profibus; IP20	Siemens Ltd.
VSD65579	6SL3210-1KE13-2AF1	SINAMICS G120C; 6SL3210-1KE13-2AF1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profinet; IP20	Siemens Ltd.
VSD65580	6SL3210-1KE14-3AB1	SINAMICS G120C; 6SL3210-1KE14-3AB1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65581	6SL3210-1KE14-3AP1	SINAMICS G120C; 6SL3210-1KE14-3AP1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profibus; IP20	Siemens Ltd.
VSD65582	6SL3210-1KE14-3AF1	SINAMICS G120C; 6SL3210-1KE14-3AF1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profinet; IP20	Siemens Ltd.
VSD65583	6SL3210-1KE15-8AB1	SINAMICS G120C; 6SL3210-1KE15-8AB1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65584	6SL3210-1KE15-8AP1	SINAMICS G120C; 6SL3210-1KE15-8AP1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profibus; IP20	Siemens Ltd.
VSD65585	6SL3210-1KE15-8AF1	SINAMICS G120C; 6SL3210-1KE15-8AF1	SINAMICS G120C; 380V to 480V 3Ø: FILTERED; Profinet; IP20	Siemens Ltd.
VSD65607	6SL3223-0DE13-7AA1	SINAMICS G120 PM230; 6SL3223-0DE13-7AA1	SINAMICS G120 PM230; 380V to 480V 3Ø: FILTERED CLASS A; IP55	Siemens Ltd.
VSD65608	6SL3223-0DE15-5AA1	SINAMICS G120 PM230; 6SL3223-0DE15-5AA1	SINAMICS G120 PM230; 380V to 480V 3Ø: FILTERED CLASS A; IP55	Siemens Ltd.
VSD65609	6SL3223-0DE17-5AA1	SINAMICS G120 PM230; 6SL3223-0DE17-5AA1	SINAMICS G120 PM230; 380V to 480V 3Ø: FILTERED CLASS A; IP55	Siemens Ltd.
VSD65610	6SL3223-0DE21-1AA1	SINAMICS G120 PM230; 6SL3223-0DE21-1AA1	SINAMICS G120 PM230; 380V to 480V 3Ø: FILTERED CLASS A; IP55	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65611	6SL3223-0DE21-5AA1	SINAMICS G120 PM230; 6SL3223-0DE21-5AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65612	6SL3223-0DE22-2AA1	SINAMICS G120 PM230; 6SL3223-0DE22-2AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65613	6SL3223-0DE23-0AA1	SINAMICS G120 PM230; 6SL3223-0DE23-0AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65614	6SL3223-0DE24-0AA1	SINAMICS G120 PM230; 6SL3223-0DE24-0AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65615	6SL3223-0DE25-5AA1	SINAMICS G120 PM230; 6SL3223-0DE25-5AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65616	6SL3223-0DE27-5AA1	SINAMICS G120 PM230; 6SL3223-0DE27-5AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65617	6SL3223-0DE31-1AA1	SINAMICS G120 PM230; 6SL3223-0DE31-1AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65618	6SL3223-0DE31-5AA1	SINAMICS G120 PM230; 6SL3223-0DE31-5AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65619	6SL3223-0DE31-8AA1	SINAMICS G120 PM230; 6SL3223-0DE31-8AA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65620	6SL3223-0BE33-7AA0	SINAMICS G120 PM230; 6SL3223-0BE33-7AA0	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP55	Siemens Ltd.
VSD65621	6SL3223-0DE13-7BA1	SINAMICS G120 PM230; 6SL3223-0DE13-7BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65622	6SL3223-0DE15-5BA1	SINAMICS G120 PM230; 6SL3223-0DE15-5BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65623	6SL3223-0DE17-5BA1	SINAMICS G120 PM230; 6SL3223-0DE17-5BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65624	6SL3223-0DE21-1BA1	SINAMICS G120 PM230; 6SL3223-0DE21-1BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65625	6SL3223-0DE21-5BA1	SINAMICS G120 PM230; 6SL3223-0DE21-5BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65626	6SL3223-0DE22-2BA1	SINAMICS G120 PM230; 6SL3223-0DE22-2BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65627	6SL3223-0DE23-0BA1	SINAMICS G120 PM230; 6SL3223-0DE23-0BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65628	6SL3223-0DE24-0BA1	SINAMICS G120 PM230; 6SL3223-0DE24-0BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65629	6SL3223-0DE25-5BA1	SINAMICS G120 PM230; 6SL3223-0DE25-5BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65630	6SL3223-0DE27-5BA1	SINAMICS G120 PM230; 6SL3223-0DE27-5BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65631	6SL3223-0DE31-1BA1	SINAMICS G120 PM230; 6SL3223-0DE31-1BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65632	6SL3223-0DE31-5BA1	SINAMICS G120 PM230; 6SL3223-0DE31-5BA1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65633	6SL3223-0BE33-7BA0	SINAMICS G120 PM230; 6SL3223-0BE33-7BA0	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS B; IP55	Siemens Ltd.
VSD65634	6SL3210-1NE11-3UL1	SINAMICS G120 PM230; 6SL3210-1NE11-3UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; IP20	Siemens Ltd.
VSD65635	6SL3210-1NE11-7UL1	SINAMICS G120 PM230; 6SL3210-1NE11-7UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; IP20	Siemens Ltd.
VSD65636	6SL3210-1NE12-2UL1	SINAMICS G120 PM230; 6SL3210-1NE12-2UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; IP20	Siemens Ltd.
VSD65637	6SL3210-1NE13-1UL1	SINAMICS G120 PM230; 6SL3210-1NE13-1UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; IP20	Siemens Ltd.
VSD65638	6SL3210-1NE14-1UL1	SINAMICS G120 PM230; 6SL3210-1NE14-1UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65639	6SL3210-1NE15-8UL1	SINAMICS G120 PM230; 6SL3210-1NE15-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65640	6SL3210-1NE17-7UL1	SINAMICS G120 PM230; 6SL3210-1NE17-7UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65641	6SL3210-1NE21-0UL1	SINAMICS G120 PM230; 6SL3210-1NE21-0UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65642	6SL3210-1NE21-3UL1	SINAMICS G120 PM230; 6SL3210-1NE21-3UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65643	6SL3210-1NE21-8UL1	SINAMICS G120 PM230; 6SL3210-1NE21-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65644	6SL3210-1NE22-6UL1	SINAMICS G120 PM230; 6SL3210-1NE22-6UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65645	6SL3210-1NE23-2UL1	SINAMICS G120 PM230; 6SL3210-1NE23-2UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65646	6SL3210-1NE23-8UL1	SINAMICS G120 PM230; 6SL3210-1NE23-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65647	6SL3210-1NE11-3AL1	SINAMICS G120 PM230; 6SL3210-1NE11-3AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65648	6SL3210-1NE11-7AL1	SINAMICS G120 PM230; 6SL3210-1NE11-7AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65649	6SL3210-1NE12-2AL1	SINAMICS G120 PM230; 6SL3210-1NE12-2AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65650	6SL3210-1NE13-1AL1	SINAMICS G120 PM230; 6SL3210-1NE13-1AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65651	6SL3210-1NE14-1AL1	SINAMICS G120 PM230; 6SL3210-1NE14-1AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65652	6SL3210-1NE15-8AL1	SINAMICS G120 PM230; 6SL3210-1NE15-8AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65653	6SL3210-1NE17-7AL1	SINAMICS G120 PM230; 6SL3210-1NE17-7AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65654	6SL3210-1NE21-0AL1	SINAMICS G120 PM230; 6SL3210-1NE21-0AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65655	6SL3210-1NE21-3AL1	SINAMICS G120 PM230; 6SL3210-1NE21-3AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65656	6SL3210-1NE21-8AL1	SINAMICS G120 PM230; 6SL3210-1NE21-8AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65657	6SL3210-1NE22-6AL1	SINAMICS G120 PM230; 6SL3210-1NE22-6AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65658	6SL3210-1NE23-2AL1	SINAMICS G120 PM230; 6SL3210-1NE23-2AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65659	6SL3210-1NE23-8AL1	SINAMICS G120 PM230; 6SL3210-1NE23-8AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; IP20	Siemens Ltd.
VSD65660	6SL3211-1NE17-7UL1	SINAMICS G120 PM230; 6SL3211-1NE17-7UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65661	6SL3211-1NE21-8UL1	SINAMICS G120 PM230; 6SL3211-1NE21-8UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65662	6SL3211-1NE23-8UL1	SINAMICS G120 PM230; 6SL3211-1NE23-8UL1	SINAMICS G120 PM230; 380V to 480V 3Ø; UNFILTERED; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65663	6SL3211-1NE17-7AL1	SINAMICS G120 PM230; 6SL3211-1NE17-7AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65664	6SL3211-1NE21-8AL1	SINAMICS G120 PM230; 6SL3211-1NE21-8AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65665	6SL3211-1NE23-8AL1	SINAMICS G120 PM230; 6SL3211-1NE23-8AL1	SINAMICS G120 PM230; 380V to 480V 3Ø; FILTERED CLASS A; PUSHTHROUGH; IP20	Siemens Ltd.

21. Part 3 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG60785	DEW.L034	Denver Elite Wall	LED, Wall Mounted Luminaire. LM6 die-cast aluminium body, integrated thermal management design. Aluminium integral reflector and Prismatic Glass lens with asymmetric distribution. IP65 rated.	Holophane Europe Ltd
LIG60786	FTR.L064	Factor	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60787	FTR.L074	Factor.	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60788	FTS.L064	Factor Small	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60789	FTS.L074	Factor Small.	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60232	MOR222150	Modul-R600 LED 4400 HF C2 940 OP	Recessed LED 4400 lumen modular with opal diffuser	Glamox Ireland
LIG62659	MOR217616	Modul-R300X1200 LED 3600 HF 840 OP	Recessed 1200x300 LED Modular with opal diffuser	Glamox Ireland Ltd.,
LIG62660	MOR217604	Modul-R300X1200 3400 DALI 840 OP	Recessed 300x1200 LED modular 3400 lumen 4000k	Glamox Ireland Ltd.,
LIG66183	701948-5WCWT3__125W	Progressive Down Light 3_Clear 125W	Gas station canopy LED down light; clear lens	SloanLED

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG66184	701948-5WCWT3__100W	Progressive Down Light 3_Clear 100W	Gas station canopy LED down light; clear lens	SloanLED
LIG66185	701948-5WCWT3__75W	Progressive Down Light 3_Clear 75W	Gas station canopy LED down light; clear lens	SloanLED
LIG66186	701948-5WTWT3__125W	Progressive Down Light 3_Textured 125W	Gas station canopy LED down light; textured lens	SloanLED
LIG66187	701948-5WTWT3__100W	Progressive Down Light 3_Textured 100W	Gas station canopy LED down light; textured lens	SloanLED
LIG66188	701948-5WTWT3__75W	Progressive Down Light 3_Textured 75W	Gas station canopy LED down light; textured lens	SloanLED
LIG66795	Ti150	Titan 68W	Titan LED series, 68W, IP66	Nualight
LIG66777	Ti150	Titan 42W	Titan LED series, 42W, IP66	Nualight
LIG66772	Ti120	Titan 28W	Titan LED series, 28W, IP66	Nualight
LIG66723	Ti60	Titan	Titan LED series, 14W, IP66	Nualight
LIG66786	AU-HB1001A/40'	100w LED Highbay 40k'	IP65 100w 8,000 lumen highbay. 1-10v dimming. Life to L70 50,000. 5-year warranty	Aurora Lighting Limited
LIG66757	AU-LP100B/30'	40w 600x600 LED panel 30k	600x600 Recessed/Surface/Suspended & IP44 rated LED Flat Panel. Edge lit LED panel with RAL9016 Frame. High CRI (Ra) 80. Life to L70 @ 40,000 hours. 5 Year Warranty* — ErP compliant	Aurora Lighting Limited
LIG66758	AU-LP100B/40'	40w 600x600 LED panel 40k	600x600 Recessed/Surface/Suspended & IP44 rated LED Flat Panel. Edge lit LED panel with RAL9016 Frame. High CRI (Ra) 80. Life to L70 @ 40,000 hours. 5 Year Warranty* — ErP compliant	Aurora Lighting Limited
LIG66759	AU-DL10019BW/40'	19w LED Downlight 40k	IP44 19w LED downlight, integrated driver. Life to L70 at 40,000 hours, 5-year warranty	Aurora Lighting Limited

22. Part 15 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG66768	0010004140	ecoTEC 65	High efficiency modulating condensing gas boilers with stainless steel heat exchanger. Also available, controls, flues, plate heat exchangers, low loss headers, mounting rigs or cascade rigs to 260kW	Vaillant group UK Ltd

”.

23. Part 18 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY65926	Q.Pro-G4 255- 265	QCells Polycrystalline Solar Module	The new Q.PRO-G4 is the result of the continued evolution of Q.PRO Thanks to improved power yield excellent reliability & high level operational safety the new G4 generates electricity at a low cost	Hanwha Q CELLS GmbH
PSY62967	BMU-245	Multi PV 245	Surface multicrystalline PV 245 watt	Bisol
PSY62968	BMU-250	Multi PV 250	Surface multicrystalline PV 250 watt	Bisol
PSY62969	BMU-255	Multi PV 255	Surface multicrystalline PV 255 watt	Bisol
PSY62972	BMO-250	Mono PV 250	Surface monocrystalline PV 250 watt	Bisol
PSY62973	BMO-255	Mono PV 255	Surface monocrystalline PV 255 watt	Bisol
PSY62978	BSO-250	RI Mon PV 250	Roof Integrated monocrystalline PV 250 watt	Bisol
PSY62979	BSO-255	RI Mon PV 255	Roof Integrated monocrystalline PV 255 watt	Bisol
PSY63241	STP250S-20/Wdb	Suntech STP250S All Black Mono	STP250S-20/Wdb	Suntech
PSY62729	Eldora VSP.60.250.03	Eldora Ultima	Eldora VSP.60.250.03	Vikram Solar

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY62730	Eldora VSPBB.60.250.03	Eldora Ultima All Black Series	Eldora VSPBB.60.250.03	Vikram Solar

”.

24. Part 49 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO64432	13049-T	HACK 50	Multi-fuel biomass boiler (wood chip, pellets, miscanthus) 50kW	ETA

”.

25. Part 50 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV62992	Symo 3.0-3-M	Fronius Symo Inverter	Symo 3.0-3-M	Fronius
INV62993	Symo 3.7-3-M	Fronius Symo 3.7-3-M Inverter	Symo 3.7-3-M	Fronius
INV62994	Symo 4.5-3-M	Fronius Symo 4.5-3-M	Symo 4.5-3-M	Fronius
INV62995	Symo 5.0-3-M	Fronius Symo 5.0-3-M	Symo 5.0-3-M	Fronius
INV62996	Symo 6.0-3-M	Fronius Symo 6.0-3-M	Symo 6.0-3-M	Fronius
INV62997	Symo 7.0-3-M	Fronius Symo 7.0-3-M	Symo 7.0-3-M	Fronius
INV62998	Symo 8.2-3-M	Fronius Symo 8.2-3-M	Symo 8.2-3-M	Fronius
INV62999	Symo 10.0-3-M	Fronius Symo 10.0-3-M	Symo 10.0-3-M	Fronius
INV63000	Symo 12.5-3-M	Fronius Symo 12.5-3-M	Symo 12.5-3-M	Fronius
INV63001	Symo 15.0-3-M	Fronius Symo 15.0-3-M	Symo 15.0-3-M	Fronius
INV63002	Symo 17.5-3-M	Fronius Symo 17.5-3-M	Symo 17.5-3-M	Fronius
INV63003	Symo 20.0-3-M	Fronius Symo 20.0-3-M	Symo 20.0-3-M	Fronius

”.

26. Part 52 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU64466	PASRW-020B_KD	ESP Classic 6kW	Monobloc ASHP with weather compensation.	Earth Save Products Ltd
HPU64467	PASRW-030B-KD	ESP Classic 8.2kW	Monobloc ASHP with weather compensation.	Earth Save Products Ltd
HPU64468	PASRW-040-KA	ESP Classic 13kW	Dual compressor monobloc ASHP with weather compensation with automatic modulation between compressors	Earth Save Products Ltd


”.

The Minister for Finance approves the making of the foregoing Order.



GIVEN under my Official Seal,
28 August 2018.

PASCHAL DONOHOE,
Minister for Finance.



GIVEN under my Official Seal,
7 September 2018.

DENIS NAUGHTEN,
Minister for Communications, Climate Action &
Environment.

EXPLANATORY NOTE

(This note is not part of the Instrument and does not purport to be a legal interpretation)

The effect of this Order is to update, in accordance with the provisions of section 285A of the Taxes Consolidation Act 1997 (inserted by section 46 of the Finance Act 2008), those energy efficient products whose capital cost will be eligible for accelerated capital allowances and to update the energy efficiency criteria used to determine eligibility for inclusion on those product lists.

The Accelerated Capital Allowance Scheme will involve regular updates to those product lists.

BAILE ÁTHA CLIATH
ARNA FHOILSIÚ AG OIFIG AN tSOLÁTHAIR
Le ceannach díreach ó
FOILSEACHÁIN RIALTAIS,
52 FAICHE STIABHNA, BAILE ÁTHA CLIATH 2
(Teil: 01 - 6476834 nó 1890 213434; Fax: 01 - 6476843)
nó trí aon díoltóir leabhar.

DUBLIN
PUBLISHED BY THE STATIONERY OFFICE
To be purchased from
GOVERNMENT PUBLICATIONS,
52 ST. STEPHEN'S GREEN, DUBLIN 2.
(Tel: 01 - 6476834 or 1890 213434; Fax: 01 - 6476843)
or through any bookseller.

€35.56

