



STATUTORY INSTRUMENTS.

S.I. No. 593 of 2017

TAXES CONSOLIDATION ACT 1997 (ACCELERATED CAPITAL
ALLOWANCES FOR ENERGY EFFICIENT EQUIPMENT)
(AMENDMENT) (NO. 2) ORDER 2017

TAXES CONSOLIDATION ACT 1997 (ACCELERATED CAPITAL ALLOWANCES FOR ENERGY EFFICIENT EQUIPMENT) (AMENDMENT) (NO. 2) ORDER 2017

I, DENIS NAUGHTEN, Minister for Communications, Climate Action and Environment, in exercise of the powers conferred on me by section 285A (inserted by section 46 of the Finance Act 2008 (No. 3 of 2008)) of the Taxes Consolidation Act 1997 (No. 39 of 1997), with the approval of, and after consultation with, the Minister for Finance, hereby order as follows:

1. (1) This Order may be cited as the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) (Amendment) (No. 2) Order 2017.

(2) The collective citation, “the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) Orders 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017”, includes this Order.

2. In this Order “Principal Order” means the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) Order 2008 (S.I. No. 399 of 2008).

3. Part 2 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD74264	3AUA0000080511	ACH580-01-02A6-4	HVAC VSD IP21	ABB Ltd
VSD74265	3AUA0000080512	ACH580-01-03A3-4	HVAC VSD IP21	ABB Ltd
VSD74266	3AUA0000080513	ACH580-01-04A0-4	HVAC VSD IP21	ABB Ltd
VSD74267	3AUA0000080514	ACH580-01-05A6-4	HVAC VSD IP21	ABB Ltd
VSD74268	3AUA0000080515	ACH580-01-07A2-4	HVAC VSD IP21	ABB Ltd
VSD74269	3AUA0000080516	ACH580-01-09A4-4	HVAC VSD IP21	ABB Ltd
VSD74270	3AUA0000080517	ACH580-01-12A6-4	HVAC VSD IP21	ABB Ltd
VSD74271	3AUA0000080518	ACH580-01-017A-4	HVAC VSD IP21	ABB Ltd

Notice of the making of this Statutory Instrument was published in “Iris Oifigiúil” of 29th December, 2017.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD74272	3AUA0000080519	ACH580-01-025A-4	HVAC VSD IP21	ABB Ltd
VSD74273	3AUA0000080520	ACH580-01-032A-4	HVAC VSD IP21	ABB Ltd
VSD74274	3AUA0000080521	ACH580-01-038A-4	HVAC VSD IP21	ABB Ltd
VSD74275	3AUA0000080522	ACH580-01-045A-4	HVAC VSD IP21	ABB Ltd
VSD74276	3AUA0000080523	ACH580-01-062A-4	HVAC VSD IP21	ABB Ltd
VSD74277	3AUA0000080524	ACH580-01-073A-4	HVAC VSD IP21	ABB Ltd
VSD74278	3AUA0000080527	ACH580-01-088A-4	HVAC VSD IP21	ABB Ltd
VSD74279	3AUA0000080528	ACH580-01-106A-4	HVAC VSD IP21	ABB Ltd
VSD74280	3AUA0000080529	ACH580-01-145A-4	HVAC VSD IP21	ABB Ltd
VSD74281	3AUA0000080530	ACH580-01-169A-4	HVAC VSD IP21	ABB Ltd
VSD74282	3AUA0000080531	ACH580-01-206A-4	HVAC VSD IP21	ABB Ltd
VSD74283	3AUA0000080532	ACH580-01-246A-4	HVAC VSD IP21	ABB Ltd
VSD74284	3AUA0000080533	ACH580-01-293A-4	HVAC VSD IP21	ABB Ltd
VSD74285	3AUA0000080534	ACH580-01-363A-4	HVAC VSD IP21	ABB Ltd
VSD74286	3AUA0000080535	ACH580-01-430A-4	HVAC VSD IP21	ABB Ltd
VSD74287	3AUA0000083586	ACH580-01-02A6-4+B056	HVAC VSD IP55	ABB Ltd
VSD74288	3AUA0000083587	ACH580-01-03A3-4+B056	HVAC VSD IP55	ABB Ltd
VSD74289	3AUA0000083588	ACH580-01-04A0-4+B056	HVAC VSD IP55	ABB Ltd
VSD74290	3AUA0000083589	ACH580-01-05A6-4+B056	HVAC VSD IP55	ABB Ltd
VSD74291	3AUA0000083590	ACH580-01-07A2-4+B056	HVAC VSD IP55	ABB Ltd
VSD74292	3AUA0000083591	ACH580-01-09A4-4+B056	HVAC VSD IP55	ABB Ltd
VSD74293	3AUA0000083592	ACH580-01-12A6-4+B056	HVAC VSD IP55	ABB Ltd
VSD74294	3AUA0000083593	ACH580-01-017A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74295	3AUA0000083594	ACH580-01-025A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74296	3AUA0000083595	ACH580-01-032A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74297	3AUA0000083596	ACH580-01-038A-4+B056	HVAC VSD IP55	ABB Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD74298	3AUA0000083597	ACH580-01-045A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74299	3AUA0000083598	ACH580-01-062A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74300	3AUA0000083599	ACH580-01-073A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74301	3AUA0000083602	ACH580-01-088A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74302	3AUA0000083603	ACH580-01-106A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74303	3AUA0000083604	ACH580-01-145A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74304	3AUA0000083605	ACH580-01-169A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74305	3AUA0000083606	ACH580-01-206A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74306	3AUA0000083607	ACH580-01-246A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74307	3AUA0000083608	ACH580-01-293A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74308	3AUA0000083609	ACH580-01-363A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74309	3AUA0000083610	ACH580-01-430A-4+B056	HVAC VSD IP55	ABB Ltd
VSD74310	3AXD50000034587	ACQ580-01-02A6-4	Water VSD IP21	ABB Ltd
VSD74311	3AXD50000034588	ACQ580-01-03A3-4	Water VSD IP21	ABB Ltd
VSD74312	3AXD50000034589	ACQ580-01-04A0-4	Water VSD IP21	ABB Ltd
VSD74313	3AXD50000034590	ACQ580-01-05A6-4	Water VSD IP21	ABB Ltd
VSD74314	3AXD50000034591	ACQ580-01-07A2-4	Water VSD IP21	ABB Ltd
VSD74315	3AXD50000034592	ACQ580-01-09A4-4	Water VSD IP21	ABB Ltd
VSD74316	3AXD50000034593	ACQ580-01-12A6-4	Water VSD IP21	ABB Ltd
VSD74317	3AXD50000034594	ACQ580-01-017A-4	Water VSD IP21	ABB Ltd
VSD74318	3AXD50000034595	ACQ580-01-025A-4	Water VSD IP21	ABB Ltd
VSD74319	3AXD50000034596	ACQ580-01-032A-4	Water VSD IP21	ABB Ltd
VSD74320	3AXD50000034597	ACQ580-01-038A-4	Water VSD IP21	ABB Ltd
VSD74321	3AXD50000034598	ACQ580-01-045A-4	Water VSD IP21	ABB Ltd
VSD74322	3AXD50000034599	ACQ580-01-062A-4	Water VSD IP21	ABB Ltd
VSD74323	3AXD50000034600	ACQ580-01-073A-4	Water VSD IP21	ABB Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD74324	3AXD50000034601	ACQ580-01-088A-4	Water VSD IP21	ABB Ltd
VSD74325	3AXD50000034602	ACQ580-01-106A-4	Water VSD IP21	ABB Ltd
VSD74326	3AXD50000034603	ACQ580-01-145A-4	Water VSD IP21	ABB Ltd
VSD74327	3AXD50000034604	ACQ580-01-169A-4	Water VSD IP21	ABB Ltd
VSD74328	3AXD50000034605	ACQ580-01-206A-4	Water VSD IP21	ABB Ltd
VSD74329	3AXD50000034606	ACQ580-01-246A-4	Water VSD IP21	ABB Ltd
VSD74330	3AXD50000034607	ACQ580-01-293A-4	Water VSD IP21	ABB Ltd
VSD74331	3AXD50000034608	ACQ580-01-363A-4	Water VSD IP21	ABB Ltd
VSD74332	3AXD50000034609	ACQ580-01-430A-4	Water VSD IP21	ABB Ltd
VSD74333	3AXD50000034610	ACQ580-01-02A6-4+B056	Water VSD IP55	ABB Ltd
VSD74334	3AXD50000034611	ACQ580-01-03A3-4+B056	Water VSD IP55	ABB Ltd
VSD74335	3AXD50000034612	ACQ580-01-04A0-4+B056	Water VSD IP55	ABB Ltd
VSD74336	3AXD50000034613	ACQ580-01-05A6-4+B056	Water VSD IP55	ABB Ltd
VSD74337	3AXD50000034614	ACQ580-01-07A2-4+B056	Water VSD IP55	ABB Ltd
VSD74338	3AXD50000034615	ACQ580-01-09A4-4+B056	Water VSD IP55	ABB Ltd
VSD74339	3AXD50000034616	ACQ580-01-12A6-4+B056	Water VSD IP55	ABB Ltd
VSD74340	3AXD50000034617	ACQ580-01-017A-4+B056	Water VSD IP55	ABB Ltd
VSD74341	3AXD50000034618	ACQ580-01-025A-4+B056	Water VSD IP55	ABB Ltd
VSD74342	3AXD50000034619	ACQ580-01-032A-4+B056	Water VSD IP55	ABB Ltd
VSD74343	3AXD50000034620	ACQ580-01-038A-4+B056	Water VSD IP55	ABB Ltd
VSD74344	3AXD50000034621	ACQ580-01-045A-4+B056	Water VSD IP55	ABB Ltd
VSD74345	3AXD50000034622	ACQ580-01-062A-4+B056	Water VSD IP55	ABB Ltd
VSD74346	3AXD50000034623	ACQ580-01-073A-4+B056	Water VSD IP55	ABB Ltd
VSD74347	3AXD50000034624	ACQ580-01-088A-4+B056	Water VSD IP55	ABB Ltd
VSD74348	3AXD50000034625	ACQ580-01-106A-4+B056	Water VSD IP55	ABB Ltd
VSD74349	3AXD50000034626	ACQ580-01-145A-4+B056	Water VSD IP55	ABB Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD74350	3AXD50000034627	ACQ580-01-169A-4+B056	Water VSD IP55	ABB Ltd
VSD74351	3AXD50000034628	ACQ580-01-206A-4+B056	Water VSD IP55	ABB Ltd
VSD74352	3AXD50000034629	ACQ580-01-246A-4+B056	Water VSD IP55	ABB Ltd
VSD74353	3AXD50000034630	ACQ580-01-293A-4+B056	Water VSD IP55	ABB Ltd
VSD74354	3AXD50000034631	ACQ580-01-363A-4+B056	Water VSD IP55	ABB Ltd
VSD74355	3AXD50000034632	ACQ580-01-430A-4+B056	Water VSD IP55	ABB Ltd

”

4. Part 3 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73148	Ecohall 170 7G	Ecohall 170 Gold 7	Ecohall 167W highbay	Voltica Ireland
LIG72785	PLOReLED 4600	PLOReLED 4600	4,600 Safety Extra Low Voltage (SELV) Vapour-Proof fittings for operating environments such as factories, plant rooms and multi-storey car parks.	Patina Lighting Ltd.
LIG72786	PLOReLED 8000	PLOReLED 8000	5,700lm Safety Extra Low Voltage (SELV) Vapour-Proof fittings for operating environments such as factories, plant rooms and multi-storey car parks.	Patina Lighting Ltd.
LIG72787	TREAX OPTICA	TREAX OPTICA	Extruded anodised luminaire complete with 6 to 8 LED modules, utilising the latest in collimated led optical design offers the user a multifunctional lighting solution for low, medium and high bay applications.	Patina Lighting Ltd.
LIG72788	TREAX eLED	TREAX eLED	The TREAX-iLED luminaire is primarily intended for use in industrial environments, however its versatile design and styling can lend itself to almost any medium to high-bay application.	Patina Lighting Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72789	COSMOS	COSMOS	The slim and light weight fitting incorporates an occupancy and daylight tracking sensor which can be programmed to suit its intended environment.	Patina Lighting Ltd.
LIG72790	COSMOS CR-IM	COSMOS CR-IM	The Cosmos range of clean room LED Luminaires from Patina Lighting offer a high efficiency, deglaring and intelligent alternative to clean room light sources. Available in a range of sizes, in surface and recessed modules.	Patina Lighting Ltd.
LIG72791	enterprise 600x600	enterprise 600x600	The Enterprise range of LED Luminaires from Patina Lighting offers an efficient, and optionally deglaring and intelligent alternative to conventional commercial office light sources. Available in a range of sizes, in surface and recessed modules.	Patina Lighting Ltd.
LIG72792	enterprise 1200x600	enterprise 1200x600	The Enterprise range of LED Luminaires from Patina Lighting offers an efficient, and optionally deglaring and intelligent alternative to conventional commercial office light sources. Available in a range of sizes, in surface and recessed modules.	Patina Lighting Ltd.
LIG72793	SELOUS	SELOUS	The Selous Series is an extruded aluminium painted luminaire for Class 1 clean room applications. AMC approved. A pair of luminaires are driven by the one control module and equipped with an integrated sensor control module	Patina Lighting Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72794	Lufal Star 10	Lufal Star 10	The Lufal Star range offers an elegant integrated solution, whether in a domestic, office or into an atrium setting. Lufal Star helps define the overall space either on its own or by complementing natural light with a very high level of reliability to match.	Patina Lighting Ltd.
LIG72795	Lufal Star 20	Lufal Star 20	The Lufal Star range offers an elegant integrated solution, whether in a domestic, office or into an atrium setting. Lufal Star helps define the overall space either on its own or by complementing natural light with a very high level of reliability to match.	Patina Lighting Ltd.
LIG72796	EN-ANTE236/40	1200mm 36W IP65 Polycarbonate LED Anti-Corrosive	IP65, IK08, 3200 lumens, 36w, Opal diffuser, 3 year warranty	Aurora Lighting Limited
LIG72797	EN-ANTE554/40	1500mm 54W IP65 Polycarbonate LED Anti-Corrosive	IP65, IK08, 4900 lumens, 54w, Opal diffuser, 3 year warranty	Aurora Lighting Limited
LIG72798	EN-ANTE236/40EM	1200mm 36W IP65 Polycarbonate LED Anti-Corrosive - EMERGENCY	IP65, IK08, 3200 lumens, opal diffuser, 3 year warranty, Emergency, 4000k	Aurora Lighting Limited
LIG72799	EN-ANTE554/40EM	1500mm 54W IP65 Polycarbonate LED Anti-Corrosive, Emergency	IP65, IK08, 4900 lumens, 54w, 3 year warranty, Emergency	Aurora Lighting Limited
LIG72807	EN-DDLH413/40	Lumi-Fit 13w High Performance LED Downlight	13w, 100° beam angle, 1230lm, plug and play remote driver, IP54, 4000k	Aurora Lighting Limited
LIG72808	EN-DDLH618/40	Lumi-Fit 18w High Performance LED Downlight	18w, 100° beam angle, 1800lm, plug and play remote driver, IP54, 160mm cut out 4000k	Aurora Lighting Limited
LIG72809	EN-DDLH818/40	Lumi-Fit 18w High Performance LED Downlight 200mm cut out	18w, 100° beam angle, 1800lm, plug and play remote driver, IP54, 200mm cut out 4000k	Aurora Lighting Limited
LIG72810	EN-DDLH825/40	Lumi-Fit 25w High Performance LED Downlight	25w, 100° beam angle, 2500lm, plug and play remote driver, IP54, 200mm cut out 4000k	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72811	EN-DDLH840/40	Lumi-Fit 40w High Performance LED Downlight	40w, 100° beam angle, 4000lm, plug and play remote driver, IP54, 200mm cut out 4000k	Aurora Lighting Limited
LIG72812	EN-DDLH1045/40	Lumi-Fit 45w High Performance LED Downlight	45w, 100° beam angle, 4380lm, plug and play remote driver, IP54, 200mm cut out 4000k	Aurora Lighting Limited
LIG72813	EN-DDL1019/40	Spryte 10w LED Downlight	10w, 850lm, 60° beam, 90mm cut out, 3 year warranty, 100w halogen substitute, includes square/round bezel	Aurora Lighting Limited
LIG72814	AU-BH12W/40	Aurora 12w Surface Mount Bulkhead	Low profile, IP54 ceiling or wall mount, 12w, 1056lm, IK08, white body, 4000k, 3 year warranty	Aurora Lighting Limited
LIG72815	AU-BH18W/40	Aurora 18w Surface Mount Bulkhead	Low profile, IP54 ceiling or wall mount, 18w, 1620lm, IK08, white body, 4000k, 3 year warranty	Aurora Lighting Limited
LIG72816	EN-HB100B/40	Ariah HighBay - 100w	100w, 120° beam, 12350lm, IP65, -20°C to 50+°C, 4000k, 3 year warranty	Aurora Lighting Limited
LIG72688	AXG2S2 32L__690mA	AXG2S2 32L__690mA	Axia 2.2 LED luminaire.	Urbis Schreder Limited
LIG72734	AMC L20 WO C84	AMENITY PLUS LED	Amenity IP65 Bulkhead Luminaire 2000lumens	Dextra Group Plc
LIG72735	RBXRFL L40 C84 PPWR	RUBIX FLUSH	Flush 600x600 Rubix Luminaire	Dextra Group Plc
LIG72736	AXT L25 C84	AXANT LED	Axant Wall Wash Luminaire	Dextra Group Plc
LIG72737	AXT L50 C84	AXANT	Axant Wallwash Luminaire	Dextra Group
LIG72738	GYR1 L20 40 HF C84	GYROLIGHT	Square Recessed directional Downlight	Dextra Group Plc
LIG72739	PTEC D2000 HF C84 PTEC DW R	PROTEC	Downlight with White Bezel and Optispec reflector	Dextra Group Plc
LIG72740	AMC L30 WO C84	AMENITY PLUS	Amenity IP65 Bulkhead	Dextra Group Plc
LIG72741	PTEC D1100 HF C84 PTEC DW R	PROTEC D1100	Downlight Luminaire with White Bezel and Optispec reflector	Dextra Group Plc
LIG72742	PEC D2000 HF C84 PTEC DW R PTEC D IP44	PROTEC D2000	Downlight with White Bezel Optispec reflector and IP44 cover	Dextra Group Plc
LIG72743	RBXSFL L40 C84 PPWR	RUBIX FLUSH SURFACE	Surface version of the Rubx Flush 600x600 luminaire	Dextra Group Plc
LIG72744	AXTS L31 C84	AXANT SURFACE	Surface Axant Wallwash	Dextra Group Plc

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72745	PTECD L20 E C84	PROTEC DISPLAY	Directional Scoop Downlight	Dextra Group Plc
LIG72746	MODPS L35 C84	MOD LED SLIM PULL UP	600x600 Pull Up LED luminaire	Dextra Group Plc
LIG72747	MODS L35 C84	MODLED SLIM RECESSED	600x600 Recessed LED Luminaire	Dextra Group Plc
LIG72748	EPK L38 C84 R21E	ECOPACK	Surface Batten style LED Luminaire	Dextra Group Plc
LIG72749	ARCP 66 L58 E3 C84	ARCUS	600x600 pull up luminaire	Dextra Group Plc
LIG72750	ARCP 126 L166 C84	ARCUS PULL UP	1200 x 600 Recessed LED Luminaire	Dextra Group Plc
LIG72751	EPK L14 C83	ECOPACK 2FT	Surface 2ft LED Batten Luminaire	Dextra Group Plc
LIG72752	EPK L28 C83	ECOPACK 4FT	Surface 4ft LED Batten Luminaire	Dextra Group Plc
LIG72753	EPK L42 C83	ECOPACK LED 6ft	Surface 6ft LED Batten Luminaire	Dextra Group Plc
LIG72754	PTEC D L35 E C83	PROTEC DISPLAY L35	Display Downlight	Dextra Group Plc
LIG72755	MODRS L29 C84	MODLED SLIM L29	600x600 LED Luminaire	Dextra Group Plc
LIG72756	TRL L180 C84	Tracer Lowbay L180	Surface High Level LED luminaire	Dextra Group Plc
LIG72757	TRL L240 C84	Tracer Lowbay L240	LED High Level Luminaire	Dextra Group Plc
LIG72758	HYD L38 PC 4S	HYDRA L38	IP65 LED Surface Non Corrosive Luminaire	Dextra Group Plc
LIG72759	HYD L63 PC 5S	HYDRA LED L63	LED IP65 Non Corrosive Surface Luminaire	Dextra Group Plc
LIG72760	OPU2L L102 C84	OPUS FLOODLIGHT	Large OPUS LED Floodlight	Dextra Group Plc
LIG72761	MODRS 126 L136 C84	MODLED SLIM L136	1200x600 LED Recessed Luminaire	Dextra Group Plc
LIG72762	GRDR L48 OPTPA C84	GRADUATE RECSSED	Recessed 600x600 LED Luminaire	Dextra Group Plc
LIG72763	GRDR 126 L96 OPTPA C84	Graduate Recessed 1200x600	1200 x 600 Recessed LED Luminaire	Dextra Group Plc
LIG72764	GRD L87 OPTPA C84	Graduate LED	Surface Linear LED	Dextra Group Plc
LIG72765	ARCR 126 L72 C84	ARCUS L72	Recessed 1200x600 LED Luminaire	Dextra Group Plc
LIG72766	ARCR L44 C84	ARCUS L44	600x600 Recessed Luminaire	Dextra Group Plc
LIG72767	CTEC L30 C84 CTEC WR	COMTEC LED	Recessed COMTEC Downlight	Dextra Group Plc
LIG72768	GYR1 L14 40 HF C84	GYROLIGHT 1 L14	14W Single head LED Directional Downlight	Dextra Group Plc

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72769	GYR2 L20 40 HF C84	GYROLIGHT LED 2	Twin Headed Directional LED Downlight	Dextra Group Plc
LIG72770	GYR2 L14 40 HF C84	GYROLIGHT 2 L14	Twin Headed Directional Recessed Downlight	Dextra Group Plc
LIG72771	PTEC D3000 HF C84 PTEC DW R	PROTEC D3000	3000 Lumen LED Downlight	Dextra Group Plc
LIG76288	VER- USTMINI40	VERDE LED CYLON MINI 40W Streetlight	40W Streetlight 4000K, with NEMA socket	Verde LED ltd
LIG76289	PHAROS 8L__ 350mA SYM	PHAROS 8L__ 350mA SYM	PHAROS 8LED 350mA Symmetrical Bollard	Urbis Schreder Limited
LIG76291	YOAD00 8L__ 350mA	YOAD00 8L__ 350mA	YOA MIDI 8LED 350mA	Urbis Schreder Limited
LIG76292	YOAD00 8L__ 500mA	YOAD00 8L__ 500mA	YOA MIDI 8LED 500mA	Urbis Schreder Limited
LIG76293	YOAD00 8L__ 700mA	YOAD00 8L__ 700mA	YOA MIDI 8LED 700mA	Urbis Schreder Limited
LIG76294	YOAD00 16L__ 350mA	YOAD00 16L__ 350mA	YOA MIDI 16LED 350mA	Urbis Schreder Limited
LIG76295	YOAD00 16L__ 500mA	YOAD00 16L__ 500mA	YOA MIDI 16LED 500mA	Urbis Schreder Limited
LIG76296	YOAD00 16L__ 700mA	YOAD00 16L__ 700mA	YOA MIDI 16LED 700mA	Urbis Schreder Limited
LIG76297	YOAD00 24L__ 350mA	YOAD00 24L__ 350mA	YOA MIDI 24LED 350mA	Urbis Schreder Limited
LIG76298	YOAD00 24L__ 500mA	YOAD00 24L__ 500mA	YOA MIDI 24LED 500mA	Urbis Schreder Limited
LIG76299	YOAD00 24L__ 700mA	YOAD00 24L__ 700mA	YOA MIDI 24LED 700mA	Urbis Schreder Limited
LIG76300	YOAD00 32L__ 350mA	YOAD00 32L__ 350mA	YOA MIDI 32LED 350mA	Urbis Schreder Limited
LIG76301	YOAD00 32L__ 500mA	YOAD00 32L__ 500mA	YOA MIDI 32LED 500mA	Urbis Schreder Limited
LIG76302	YOAD00 32L__ 700mA	YOAD00 32L__ 700mA	YOA MIDI 32LED 700mA	Urbis Schreder Limited
LIG76303	YOAD00 40L__ 350mA	YOAD00 40L__ 350mA	YOA MIDI 40LED 350mA	Urbis Schreder Limited
LIG76304	YOAD00 40L__ 500mA	YOAD00 40L__ 500mA	YOA MIDI 40LED 500mA	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76305	YOAD00 40L__ 700mA	YOAD00 40L__ 700mA	YOA MIDI 40LED 700mA	Urbis Schreder Limited
LIG76306	YOAD00 48L__ 350mA	YOAD00 48L__ 350mA	YOA MIDI 48LED 350mA	Urbis Schreder Limited
LIG76307	YOAD00 48L__ 500mA	YOAD00 48L__ 500mA	YOA MIDI 48LED 500mA	Urbis Schreder Limited
LIG76308	YOAD00 48L__ 700mA	YOAD00 48L__ 700mA	YOA MIDI 48LED 700mA	Urbis Schreder Limited
LIG76309	YOAX00 64L__ 350mA	YOAX00 64L__ 350mA	YOA MAXI 64LED 350mA	Urbis Schreder Limited
LIG76310	YOAX00 64L__ 500mA	YOAX00 64L__ 500mA	YOA MAXI 64LED 500mA	Urbis Schreder Limited
LIG76311	YOAX00 64L__ 700mA	YOAX00 64L__ 700mA	YOA MAXI 64LED 700mA	Urbis Schreder Limited
LIG76312	YOAX00 80L__ 350mA	YOAX00 80L__ 350mA	YOA MAXI 80LED 350mA	Urbis Schreder Limited
LIG76313	YOAX00 80L__ 500mA	YOAX00 80L__ 500mA	YOA MAXI 80LED 500mA	Urbis Schreder Limited
LIG76314	YOAX00 80L__ 700mA	YOAX00 80L__ 700mA	YOA MAXI 80LED 700mA	Urbis Schreder Limited
LIG76315	YOAX00 96L__ 350mA	YOAX00 96L__ 350mA	YOA MAXI 96LED 350mA	Urbis Schreder Limited
LIG76316	YOAX00 96L__ 500mA	YOAX00 96L__ 500mA	YOA MAXI 96LED 500mA	Urbis Schreder Limited
LIG76317	YOAX00 96L__ 600mA	YOAX00 96L__ 600mA	YOA MAXI 96LED 600mA	Urbis Schreder Limited
LIG76318	KAZ 12L__ 350mA	KAZ 12L__ 350mA	KAZU 12LED 350mA	Urbis Schreder Limited
LIG76319	KAZ 12L__ 500mA	KAZ 12L__ 500mA	KAZU 12LED 500mA	Urbis Schreder Limited
LIG76320	KAZ 12L__ 700mA	KAZ 12L__ 700mA	KAZU 12LED 700mA	Urbis Schreder Limited
LIG76321	KAZ 16L__ 350mA	KAZ 16L__ 350mA	KAZU 16LED 350mA	Urbis Schreder Limited
LIG76322	KAZ 16L__ 700mA	KAZ 16L__ 700mA	KAZU 16LED 700mA	Urbis Schreder Limited
LIG76323	KAZ 16L__ 1000mA	KAZ 16L__ 1000mA	KAZU 16LED 1000mA	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76324	KAZI24L__ 350mA	KAZI24L__ 350mA	KAZU 24LED 350mA	Urbis Schreder Limited
LIG76325	KAZI24L__ 500mA	KAZI24L__ 500mA	KAZU 24LED 500mA	Urbis Schreder Limited
LIG76326	KAZI24L__ 700mA	KAZI24L__ 700mA	KAZU 24LED 700mA	Urbis Schreder Limited
LIG76327	KAZI24L__ 1000mA	KAZI24L__ 1000mA	KAZU 24LED 1000mA	Urbis Schreder Limited
LIG76328	ABB3L 16L__ 350mA	ABB3L 16L__ 350mA	ABBEY 16LED 350mA	Urbis Schreder Limited
LIG76329	ABB3L 16L__ 500mA	ABB3L 16L__ 500mA	ABBEY 16LED 500mA	Urbis Schreder Limited
LIG76330	ABB3L 16L__ 700mA	ABB3L 16L__ 700mA	ABBEY 16LED 700mA	Urbis Schreder Limited
LIG76331	ABB3L 24L__ 350mA	ABB3L 24L__ 350mA	ABBEY 24LED 350mA	Urbis Schreder Limited
LIG76332	ABB3L 24L__ 500mA	ABB3L 24L__ 500mA	ABBEY 24LED 500mA	Urbis Schreder Limited
LIG76333	ABB3L 24L__ 700mA	ABB3L 24L__ 700mA	ABBEY 24LED 700mA	Urbis Schreder Limited
LIG76334	ABB3L 32L__ 350mA	ABB3L 32L__ 350mA	ABBEY 32LED 350mA	Urbis Schreder Limited
LIG76335	ABB3L 32L__ 500mA	ABB3L 32L__ 500mA	ABBEY 32LED 500mA	Urbis Schreder Limited
LIG76336	ABB3L 32L__ 700mA	ABB3L 32L__ 700mA	ABBEY 32LED 700mA	Urbis Schreder Limited
LIG76337	ABB3L 48L__ 350mA	ABB3L 48L__ 350mA	ABBEY 48LED 350mA	Urbis Schreder Limited
LIG76338	ABB3L 48L__ 500mA	ABB3L 48L__ 500mA	ABBEY 48LED 500mA	Urbis Schreder Limited
LIG76339	ABB3L 48L__ 700mA	ABB3L 48L__ 700mA	ABBEY 48LED 700mA	Urbis Schreder Limited
LIG76370	CP55/5	Comlite IP65	Ip65 linear LED fixture	Tegral Lighting
LIG76391	130-6621	Retail Spot 20W accent LED with 2000lm, 3000K	Adjustable accent luminaire, for recessing into ceiling, with 20W 2000lm 3000K LED COB and narrow beam angle, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76392	130-6633	Retail Spot 34W accent LED with 3000lm, 3000K	Adjustable accent luminaire, for recessing into ceiling with 34W 3000lm 3000K LED COB and narrow beam angle, 5 year warranty	Aurora Lighting Limited
LIG76393	130-6625	Retail Spot 20W accent LED with 2000lm, 3500K	Adjustable accent luminaire, for recessing into ceiling, with 20W 2000lm 3500K LED COB and narrow beam angle, 5 year warranty	Aurora Lighting Limited
LIG76394	130-6637	Retail Spot 34W accent LED with 3000lm, 3500K	Adjustable accent luminaire, for recessing into ceiling, with 34W 3000lm 3500K LED COB and narrow beam angle, 5 year warranty	Aurora Lighting Limited
LIG76395	130-6629	Retail Spot 20W accent LED with 2000lm, 4000K	Adjustable accent luminaire, for recessing into ceiling, with 20W 2000lm 4000K LED COB and narrow beam angle, 5 year warranty	Aurora Lighting Limited
LIG76396	130-6641	Retail Spot 34W accent LED with 3000lm, 4000K	Adjustable accent luminaire, for recessing into ceiling, with 34W 3000lm 4000K LED COB and narrow beam angle, 5 year warranty	Aurora Lighting Limited
LIG76397	130-6800	Retail Spot Mini 12W accent LED luminaire with 1000lm, 2700K	Adjustable accent luminaire for recessing into ceiling, complete with 12W 1000lm 2700K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76398	130-6816	Retail Spot Mini 25W accent LED luminaire with 2000lm, 2700K	Adjustable accent luminaire for recessing into ceiling, complete with 25W 2000lm 2700K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76399	130-6832	Retail Spot Mini 35W accent LED luminaire with 3000lm, 2700K	Adjustable accent luminaire for recessing into ceiling, complete with 35W 3000lm 2700K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76400	130-6804	Retail Spot Mini 10W accent LED luminaire with 1000lm, 3000K	Adjustable accent luminaire for recessing into ceilings, complete with 10W 1000lm 3000K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76401	130-6820	Retail Spot Mini 22W accent LED luminaire with 2000lm, 3000K	Adjustable accent luminaire for recessing into ceiling, complete with 22W 2000lm 3000K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76402	130-6836	Retail Spot Mini 35W accent LED luminaire with 3000lm, 3000K	Adjustable accent luminaire for recessing into ceiling, complete with 35W 3000lm 3000K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76403	130-6080	Retail Spot Mini 10W accent LED luminaire with 1000lm, 3500K	Adjustable accent luminaire for recessing into ceiling, complete with 10W 1000lm 3500K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76404	130-6824	Retail Spot Mini 22W accent LED luminaire with 2000lm, 3500K	Adjustable accent luminaire for recessing into ceiling, complete with 22W 2000lm 3500K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76405	130-6840	Retail Spot Mini 35W accent LED luminaire with 3000lm, 3500K	Adjustable accent luminaire for recessing into ceiling, complete with 35W 3000lm 3500K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76406	130-6812	Retail Spot Mini 10W accent LED luminaire, 1000lm, 4000K	Adjustable accent luminaire for recessing into ceiling, complete with 10W 1000lm 4000K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76407	130-6828	Retail Spot 22W accent LED with 2000lm, 4000K	Adjustable accent luminaire for recessing into ceiling, complete with 22W 2000lm 4000K LED COB and narrow reflector beam, 5 year warranty	Aurora Lighting Limited
LIG76408	130-6844	Retail Spot Mini 35W accent LED luminaire with 3000lm, 4000K	Adjustable accent luminaire for recessing into ceiling, complete with 35W 3000lm 4000K LED COB and narrow beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76409	CAPO XL L160	CAPO XL L160	Suspended LED Pendant luminaire	Dextra Group
LIG76410	MODRS 126 L70 C84	MODRS 126 L70 C84	1200x600 Recessed Lay-in Modular LED luminaire	Dextra Group
LIG76411	MODRS 126 L90 C84	MODRS 126 L90 C84	1200x600 Recessed LED Lay-in Modular Luminaire	Dextra Group
LIG76412	MODRS L45 C84	MODRS L45 C84	600x600 Recessed Lay-in LED Modular Luminaire	Dextra Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76413	MODRS L76 C84	MODRS L76 C84	600x600 Recessed Lay-in LED Modular Luminaire	Dextra Group
LIG76414	MODRS 123 L45 C84	MODRS 123 L45 C84	1200x300 Recessed Lay-in LED Modular Luminaire	Dextra Group
LIG76415	MODSTW L45 C84 6ER	MODSTW L45 C84 6ER	Suspended Through Wire Luminaire End of Run	Dextra Group
LIG76416	MODSTW L45 C84 6ST	MODSTW L45 C84 6ST	Suspended Through Wire Luminaire Start of Run	Dextra Group
LIG76417	MODSTW L45 C84 6TW	MODSTW L45 C84 6TW	Suspended Through Wire Luminaire Through Wire	Dextra Group
LIG76418	PTECD L30 E C84	PTECD L30 E C84	Recessed Directional LED Downlight	Dextra Group
LIG76419	VLT L30 40 C84	VLT L30 40 C84	Track mounted LED Downlight	Dextra Group
LIG76421	CAP XL L160 A	CAP XL L160 A	High Level LED Pendant Luminaire with Dali Dimming	Dextra Group
LIG76422	MODRS 126L136 A C84	MODRS 126L136 A C84	LED Recessed 1200x600 Modular Luminaire	Dextra Group
LIG76423	MODRS 126L70 A C84	MODRS 126L70 A C84	LED Recessed 1200x600 Modular Luminaire	Dextra Group
LIG76424	MODRS 126L90 A C84	MODRS 126L90 A C84	LED Recessed 1200x600 Modular Luminaire with Dali Dimming	Dextra Group
LIG76425	MODRS 126L90 H C84	MODRS 126L90 H C84	LED Recessed 1200x600 Modular Luminaire with HFR dimming	Dextra Group
LIG76426	MODRS L45 A C84	MODRS L45 A C84	LED Recessed 600x600 Modular Luminaire with DALI Dimming	Dextra Group
LIG76427	MODRS L76 A C84	MODRS L76 A C84	LED Recessed 600x600 Modular Luminaire with DALI Dimming	Dextra Group
LIG76428	MODRS L76 H C84	MODRS L76 H C84	LED Recessed 600x600 Modular Luminaire With HFR Dimming	Dextra Group
LIG76429	MODS 123L45 A C84	MODS 123L45 A C84	LED Surface 1200x600 Modular Luminaire with DALI Dimming	Dextra Group
LIG76430	MODS 126L70 A C84	MODS 126L70 A C84	LED Surface 1200x600 Modular Luminaire with DALI Dimming	Dextra Group
LIG76431	AU-LP104C/30	38W 1200 x 300mm IP65 Non-Dimmable Panel	38w Versatile LED panel. 1200x300m, 3000k. IP65 front and back (driver & connections IP20). RAL9016. 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76432	MODSTW L45 A C84 6ER	MODSTW L45 A C84 6ER	LED Suspended Continuous run through wire Luminaire with DALI Dimming	Dextra Group
LIG76433	MODSTW L45 A C84 6ST	MODSTW L45 A C84 6ST	LED Suspended continuous run through wire luminaire with DALI dimming	Dextra Group
LIG76434	MODSTW L45 A C84 6TW	MODSTW L45 A C84 6TW	LED Suspended Continuous run Through Wire Luminaire with DALI Dimming	Dextra Group
LIG76435	EN-FP1230B/40	Enlite 1200mm x 300mm 40W Non-Dimmable LED Flat Panel 4000k	40w edge-lit LED Panel. 1200x300mm. UGR19, 4000k	Aurora Lighting Limited
LIG76436	PTEC D2000 HF C83 PTEC DG R	PTEC D2000 HF C83 PTEC DG R	LED Downlight	Dextra Group
LIG76437	EN-FP1260B/40	1200 x 600mm 72W Non- Dimmable LED Flat Panel 4000k	Enlite 1200x600mm edge-lit LED panel UGR19, 3 year warranty	Aurora Lighting Limited
LIG76438	TSTF 0168 10 L85 A B9	TSTF 0168 10 L85 A B9	LED Continuous recessed Trough System	Dextra Group
LIG76439	TSTF 0168 6 L68 H B6	TSTF 0168 6 L68 H B6	LED Continuous Recessed Trough System with HFR Dimming	Dextra Group
LIG76440	TSTF 0168 8 L85 A B7	TSTF 0168 8 L85 A B7	LED Continuous recessed Trough System with DALI Dimming	Dextra Group
LIG76441	TSTF 0168 9 L68 A B9	TSTF 0168 9 L68 A B8	LED Continuous recessed Trough System with DALI Dimming	Dextra Group
LIG76442	TSTF 0168 9 L68 H B8	TSTF 0168 9 L68 H B8	LED Continuous Recessed Trough System	Dextra Group
LIG76443	121-1024	Eddi T1, surface mounted accent luminaire, 31W, 3000lm, 3000K, narrow beam reflector	Adjustable accent luminaire with ceiling plate, complete with 31W, 3000lm, 3000K LED COB and narrow beam reflector	Aurora Lighting Limited
LIG76444	121-1024L	Eddi T1, surface mounted accent luminaire, 31W, 3000lm, 3000K, narrow beam lens	Adjustable accent luminaire with ceiling plate, complete with 31W, 3000lm, 3000K LED COB and narrow beam lens	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76445	121-1032	Eddi T1, surface mounted accent luminaire, 31W, 3000lm, 4000K, narrow beam reflector	Adjustable accent luminaire with ceiling plate, complete with 31W, 3000lm, 4000K LED COB and narrow beam reflector	Aurora Lighting Limited
LIG76446	121-1032L	Eddi T1, surface mounted accent luminaire, 31W, 3000lm, 4000K, narrow beam lens	Adjustable accent luminaire with ceiling plate, complete with 31W, 3000lm, 4000K LED COB and narrow beam lens	Aurora Lighting Limited
LIG76447	121-2024	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3000K, narrow beam reflector	Adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 3000K LED COB and narrow beam reflector	Aurora Lighting Limited
LIG76448	121-2024L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 3000K, narrow beam lens	Adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 3000K LED COB and narrow beam lens	Aurora Lighting Limited
LIG76449	121-2032	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 4000K, narrow beam reflector	Adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 4000K LED COB and narrow beam reflector	Aurora Lighting Limited
LIG76450	121-2032L	Eddi T1, accent luminaire with 1 circuit track adaptor, 31W, 3000lm, 4000K, narrow beam lens	Adjustable accent luminaire with 1 circuit track adaptor, complete with 31W, 3000lm, 4000K LED COB and narrow beam lens	Aurora Lighting Limited
LIG76451	121-3024	Eddi T1, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 3000K, narrow beam reflector	Adjustable accent luminaire with 3 circuit track adaptor, complete with 31W, 3000lm, 3000K LED COB and narrow beam reflector	Aurora Lighting Limited
LIG76452	121-3024L	Eddi T1, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 3000K, narrow beam lens	Adjustable accent luminaire with 3 circuit track adaptor, complete with 31W, 3000lm, 3000K COB LED and narrow beam lens	Aurora Lighting Limited
LIG76453	121-3032	Eddi T1, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 4000K, narrow beam reflector	Adjustable accent luminaire with 3 circuit track adaptor, complete with 31W, 3000lm, 4000K LED COB and narrow reflector beam	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76454	121-3032L	Eddi T1, accent luminaire with 3 circuit track adaptor, 31W, 3000lm, 4000K, narrow beam lens	Adjustable accent luminaire with 3 circuit track adaptor, complete 31W, 3000lm, 4000K LED COB and narrow beam lens	Aurora Lighting Limited
LIG76774	AU-LP103C/40	Aurora 60W 1200 x 600mm IP65 Non-Dimmable Panel 4000k	1200x600mm edge-lit LED panel. IP65 front and back (driver and connections IP20). Install in to 15 and 24mm T bar ceilings. 5500lm. 5 year warranty	Aurora Lighting Limited
LIG76776	LM-RPL08R	8W SOLARIS LED Recessed Round Panel, 4000K	8W, 115x96x13mm, CC Driver, 100-240V, 4000K(NW), IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76777	LM-RPL08RWW	8W SOLARIS LED Recessed Round Panel, 3000K	8W, 115x96x13mm, CC Driver, 100-240V, 3000K(WW), IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76778	LM-RPL10R	10W SOLARIS LED Recessed Round Panel, 4000K	10W, 145x125x13mmmm, CC Driver,100-240V, 4000K(NW), IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76779	LM-RPL10RWW	10W SOLARIS LED Recessed Round Panel, 3000K	10W, 145x125x13mmmm, CC Driver,100-240V, 3000K(WW),IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76780	LM-RPL12R	12W SOLARIS LED Recessed Round Panel, 4000K	12W, 180x160x13mmmm, CC Driver,100-240V, 4000K(NW),IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76781	LM-RPL12RWW	12W SOLARIS LED Recessed Round Panel, 3000K	12W, 180x160x13mmmm, CC Driver,100-240V, 3000K(NW),IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76782	LM-RPL12S	12W SOLARIS LED Surface Round Panel, 4000K	12W, 180x40mm, CC Driver,100-240V, 4000K(NW),IP20	ITCraftLabs Ltd T/A LUMENO
LIG76783	LM-RPL12SWW	12W SOLARIS LED Surface Round Panel, 3000K	12W, 180x40mm, CC Driver,100-240V, 3000K(NW),IP20	ITCraftLabs Ltd T/A LUMENO
LIG76784	LM-RPL18R	18W SOLARIS LED Recessed Round Panel, 4000K	18W, 220x200x13mm, CC Driver, 100-240V, 4000K(NW),IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76785	LM-RPL18RWW	18W SOLARIS LED Recessed Round Panel, 3000K	18W, 220x200x13mm, CC Driver, 100-240V, 3000K(NW), IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76786	LM-RPL18S	18W SOLARIS LED Surface Round Panel, 4000K	18W, 220x40mm, CC Driver, 100-240V, 4000K(NW),IP20	ITCraftLabs Ltd T/A LUMENO
LIG76787	LM-RPL18SWW	18W SOLARIS LED Surface Round Panel, 3000K	18W, 220x40mm, CC Driver, 100-240V, 3000K(NW), IP20	ITCraftLabs Ltd T/A LUMENO
LIG76788	LM-RPL20R	20W SOLARIS LED Recessed Round Panel, 4000K	20W, 240x220x13mm, CC Driver, 100-240V, 4000K(NW),IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76789	LM-RPL20RWW	20W SOLARIS LED Recessed Round Panel, 3000K	20W, 240x220x13mm, CC Driver, 100-240V, 3000K(NW), IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76790	LM-RPL25R	25W SOLARIS LED Recessed Round Panel, 4000K	20W, 300x280x13mm, CC Driver, 100-240V, 4000K(NW),IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76791	LM-RPL25RWW	25W SOLARIS LED Recessed Round Panel, 3000K	20W, 300x280x13mm, CC Driver, 100-240V, 3000K(NW), IP44, Rubber gasket	ITCraftLabs Ltd T/A LUMENO
LIG76792	LM-RPL25S	25W SOLARIS LED Surface Round Panel, 4000K	25W, 300x40mm, CC Driver, 100-240V, 4000K(NW),IP20	ITCraftLabs Ltd T/A LUMENO
LIG76793	LM-RPL25SWW	25W SOLARIS LED Surface Round Panel, 3000K	25W, 220x40mm, CC Driver, 100-240V, 3000K(NW), IP20	ITCraftLabs Ltd T/A LUMENO
LIG76800	RTF074	VENTURE VTRTF074 20W E27 LED CORN	20w E27 LED Corn lamp	Venture Lighting Europe Ltd
LIG76801	RTF077	RFT077 60W E27 LED CORN LAMP	60w E27 LED Corn lamp	Venture Lighting Europe Ltd
LIG76802	RTF078	RTF078 80W E40 6000K	80w E40 LED Corn lamp	Venture Lighting Europe Ltd
LIG76815	295-6400	Versa Ambi 3 LED, fixed ambient downlight, 28W, 2700lm, 3000K in silver	Fixed ambient downlight for recessing into ceiling in silver, complete with 28W, 2700lm, 3000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76816	295-6401	Versa Ambi 3 LED, fixed ambient downlight, dimmable, 28W, 2700lm, 3000K in silver	Fixed ambient dimmable downlight for recessing into ceiling in silver, complete with 28W, 2700lm, 3000K SMD LED board, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76817	295-6404	Versa Ambi 3 LED, fixed ambient downlight, 28W, 2700lm, 3000K in black	Fixed ambient downlight for recessing into ceiling in black, complete with 28W, 2700lm, 3000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76818	295-6405	Versa Ambi 3 LED, fixed ambient downlight, dimmable, 28W, 2700lm, 3000K in black	Fixed ambient dimmable downlight for recessing into ceiling in black, complete with 28W, 2700lm, 3000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76819	295-6408	Versa Ambi 3 LED, fixed ambient downlight, 28W, 2700lm, 3000K in white	Fixed ambient downlight for recessing into ceiling in white, complete in 28W, 2700lm, 3000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76820	295-6409	Versa Ambi 3 LED, fixed ambient downlight, dimmable, 28W, 2700lm, 3000K in white	Fixed ambient dimmable downlight for recessing into ceiling in white, complete with 28W, 2700lm, 3000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76821	295-6402	Versa Ambi 3 LED, fixed ambient downlight, 28W, 3000lm, 4000K in silver	Fixed ambient downlight for recessing into ceiling in silver, complete with 28W, 3000lm, 4000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76822	295-6403	Versa Ambi 3 LED, fixed ambient downlight, dimmable, 28W, 3000lm, 4000K in silver	Fixed ambient dimmable downlight for recessing into ceiling in silver, complete with 28W, 3000lm, 4000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76823	295-6406	Versa Ambi 3 LED, fixed ambient downlight, 28W, 3000lm, 4000K in black	Fixed ambient downlight for recessing into ceiling in black, complete with 28W, 3000lm, 4000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76824	295-6407	Versa Ambi 3 LED, fixed ambient downlight, dimmable, 28W, 3000lm, 4000K in black	Fixed ambient dimmable downlight for recessing into ceiling in black, complete with 28W, 3000lm, 4000K SMD LED board, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76825	295-6410	Versa Ambi 3 LED, fixed ambient downlight, 28W, 3000lm, 4000K in white	Fixed ambient downlight for recessing into ceiling in white, complete with 28W, 3000lm, 4000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76826	295-6411	Versa Ambi 3 LED, fixed ambient downlight, dimmable, 28W, 3000lm, 4000K in white	Fixed ambient dimmable downlight for recessing into ceiling in white, complete with 28W, 3000lm, 4000K SMD LED board, 5 year warranty	Aurora Lighting Limited
LIG76844	RSUF244FT-24	SULTAN 1x24W LED corrosion proof, IP65, 4ft, Grey, 5000K c/w frosted diffuser	LED replacement for 1x36W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips	LED Group
LIG76845	RSUF244FTE-24	SULTAN 1x24W LED corrosion proof, IP65, 4ft, Grey, 5000K, emergency c/w frosted diffuser	LED replacement for 1x36W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips; 3 hour emergency duration	LED Group
LIG76846	RSUF484FT-24	SULTAN 2x24W LED corrosion proof, IP65, 4ft, Grey, 5000K c/w frosted diffuser	LED replacement for 2x36W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips	LED Group
LIG76847	RSUF484FTE-24	SULTAN 2x24W LED corrosion proof, IP65, 4ft, Grey, 5000K, emergency c/w frosted diffuser	LED replacement for 2x36W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips; 3 hour emergency duration	LED Group
LIG76848	RSUF405FT-24	SULTAN 1X40W LED corrosion proof, IP65, 5ft, Grey, 5000K c/w frosted diffuser	LED replacement for 1x58W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips	LED Group
LIG76849	RSUF405FTE-24	SULTAN 1X40W LED corrosion proof, IP65, 5ft, Grey, 5000K, emergency c/w frosted diffuser	LED replacement for 1x58W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips; 3 hour emergency duration	LED Group
LIG76850	RSUF805FT-24	SULTAN 2X40W LED corrosion proof, IP65, 5ft, Grey, 5000K c/w frosted diffuser	LED replacement for 2x58W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76851	RSUF805FTE-24	SULTAN IP65 2X40W LED CORROSION PROOF, 5000K, 1500MM c/w frosted diffuser	LED replacement for 2x58W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips; 3 hour emergency duration	LED Group
LIG76852	RSUF242FT-09	SULTAN, 2X12W, LED CORROSION PROOF, IP65, 2FT, 110V, YELLOW BASE, 5000K c/w frosted diffuser	Suitable for 100-240V voltage systems, Uses surface mount LEDs, IP65, can be used for external applications, Complete with anti-corrosion clips, Impact rating of IK11	LED Group
LIG76853	RSUF242FTE-09	SULTAN 2X12W LED CORROSION PROOF, IP65 2FT 110V YELLOW BASE, 5000K, EMERGENCY c/w frosted diffuser	Suitable for 100-240V voltage systems, Uses surface mount LEDs, IP65, can be used for external applications, Complete with anti-corrosion clips, Impact rating of IK09, 3-Hour Emergency	LED Group
LIG76854	RSUF244FT-09	SULTAN, 1X24W, LED CORROSION PROOF, IP65, 4FT, 110V, YELLOW BASE, 5000K c/w frosted diffuser	Suitable for 100-240V voltage systems, Uses surface mount LEDs, IP65, can be used for external applications, Complete with anti-corrosion clips, Impact rating of IK10	LED Group
LIG76855	RSUF244FTE-09	SULTAN 1X24W LED CORROSION PROOF, IP65 4FT 110V YELLOW BASE, 5000K, EMERGENCY c/w frosted diffuser	Suitable for 100-240V voltage systems, Uses surface mount LEDs, IP65, can be used for external applications, Complete with anti-corrosion clips, Impact rating of IK09, 3-Hour Emergency	LED Group
LIG76857	PXSAT70W	SATURN HI CLOUD 70W	70q LED Highbay	AGC Lighting
LIG76862	192-6033	Eddi GP 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, med reflector, in white	Adjustable accent luminaire for recessing into ceiling in white, complete with 1 x 31W, 3000lm, 4000K LED COB and medium beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76863	192-6033L	Eddi GP 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, med lens, in white	Adjustable accent luminaire for recessing into ceiling in white, complete with 1 x 31W, 3000lm, 4000K LED COB and medium beam lens, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76864	192-6034	Eddi GP 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, wide reflector, in white	Adjustable accent luminaire for recessing into ceiling in white, complete with 1 x 31W, 3000lm, 4000K LED COB, wide beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76865	192-6034L	Eddi GP 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, wide lens, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 1 x 31W, 3000lm, 4000K LED COB, wide beam lens, 5 year warranty	Aurora Lighting Limited
LIG76866	192-6069	Eddi GP 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, med reflector, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and medium beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76867	192-6069L	Eddi GP 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, med lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and medium beam lens, 5 year warranty	Aurora Lighting Limited
LIG76868	192-6070	Eddi GP 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, wide reflector, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and wide beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76869	192-6070L	Eddi GP 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, wide lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and wide beam lens, 5 year warranty	Aurora Lighting Limited
LIG76870	192-6105	Eddi GP 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, med reflector, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and medium beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76871	192-6105L	Eddi GP 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, med lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and medium beam lens, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76872	192-6106	Eddi GP 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, wide reflector, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and wide reflector, 5 year warranty	Aurora Lighting Limited
LIG76873	192-6106L	Eddi GP 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, wide lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and wide beam lens, 5 year warranty	Aurora Lighting Limited
LIG76875	193-6033	Eddi SR 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, med reflector, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 1 x 31W, 3000lm, 4000K LED COB and medium beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76876	193-6033L	Eddi SR 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, med lens, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 1 x 31W, 3000lm, 4000K and medium beam lens, 5 year warranty	Aurora Lighting Limited
LIG76877	193-6034	Eddi SR 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, wid reflector, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 1 x 31W, 3000lm, 4000K LED COB and wide beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76878	193-6034L	Eddi SR 1 way, accent luminaire, 1 x 31W, 3000lm, 4000K, wide lens, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 1 x 31W, 3000lm, 4000K LED COB and wide beam lens, 5 year warranty	Aurora Lighting Limited
LIG76879	193-6069	Eddi SR 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, med reflector, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and medium beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76880	193-6069L	Eddi SR 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, med lens, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and medium beam lens, 5 year warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76881	193-6070	Eddi SR 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, wide reflector, in white	Adjustable accent luminaire, for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and wide beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76882	193-6070L	Eddi SR 2 way, accent luminaire, 2 x 31W, 3000lm, 4000K, wide lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 2 x 31W, 3000lm, 4000K LED COB(s) and wide beam lens, 5 year warranty	Aurora Lighting Limited
LIG76883	193-6105	Eddi SR 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, med reflector, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and medium beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76884	193-6105L	Eddi SR 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, med lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and medium beam lens, 5 year warranty	Aurora Lighting Limited
LIG76885	193-6106	Eddi SR 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, wide reflector, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and wide beam reflector, 5 year warranty	Aurora Lighting Limited
LIG76886	193-6106L	Eddi SR 3 way, accent luminaire, 3 x 31W, 3000lm, 4000K, wide lens, in white	Adjustable accent luminaire for recessing into ceiling, in white, complete with 3 x 31W, 3000lm, 4000K LED COB(s) and wide beam lens, 5 year warranty	Aurora Lighting Limited
LIG76900	PHAROS 8L 350mA ASY	PHAROS 8L 350mA ASY	PHAROS 8LED 350mA Asymmetrical Bollard	Urbis Schreder Limited
LIG76901	PHAROS 8LED 350mA ASY	PHAROS 8LED 350mA ASY	PHAROS 8LED 350mA Asymmetrical Bollard	Urbis Schreder Limited
LIG75743	NFC34/66/840	Falcon	Slim recessed LED panel, TP(a) rated, 595x595mm, 4000K	NVC Manufacturing
LIG75744	NFU34/66/840	Fulton.	Slim recessed LED panel, 595x595mm	NVC Manufacturing
LIG75745	NMY36LED/66/850	Monterey 1	Recessed LED panel, TP(a) rated, 595x595mm, 5000K	NVC Manufacturing

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75746	NMY36LED/ 123/850	Monterey 2	Recessed LED panel, TP(a) rated, 1195x295mm, 5000K	NVC Manufacturing
LIG75747	NMY72LED/ 126/850	Monterey 3	Recessed LED panel, TP(a) rated, 1195x595mm, 5000K	NVC Manufacturing
LIG75748	NHR8/840	Harsted 1	Recessed LED downlight, 4000K	NVC Manufacturing
LIG75749	NHR11/840	Harsted 2	Recessed LED downlight, 4000K	NVC Manufacturing
LIG75750	NHR14/840	Harsted 3	Recessed LED downlight, 4000K	NVC Manufacturing
LIG75751	NPO15LED/ WH/O/850	Portland	Surface mounted LED decorative bulkhead, 5000K, IP54	NVC Manufacturing
LIG75752	NPO18LED/ WH/O/850	Portland 1	Surface mounted LED decorative bulkhead, 5000K, IP54	NVC Manufacturing
LIG75753	NSP15/BK/850	Spartan	Surface mounted LED outdoor bulkhead, 5000K, IP65	NVC Manufacturing
LIG75754	NAD22LED/ WH/850	Addison	Surface mounted LED decorative bulkhead, 5000K, IP40	NVC Manufacturing
LIG75755	NPH30/LED/850	Phoenix	Surface mounted LED batten, 1200mm, 5000K	NVC Manufacturing
LIG75756	NPH40/LED/850	Phoenix 1	Surface mounted LED batten, 1500mm, 5000K	NVC Manufacturing
LIG75757	NPH50/LED/850	Phoenix 2	Surface mounted LED batten, 1800mm, 5000K	NVC Manufacturing
LIG75758	NPH55/LED/850	Phoenix 3	Surface mounted 55W high output LED batten, 1200mm, 5000K	NVC Manufacturing
LIG75759	NPH65/LED/850	Phoenix 4	Surface mounted 65W high output LED batten, 1500mm, 5000K	NVC Manufacturing
LIG75760	NPH75/LED/850	Phoenix 5	Surface mounted 75W high output LED batten, 1800mm, 5000K	NVC Manufacturing
LIG75901	RVU604015-24	VULCAN 60W, IP65 CORROSION PROOF 4000K, GREY	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x38W T8 fluorescent	LED Group
LIG75902	RVU604015DP- 24	VULCAN 60W, IP65 CORROSION PROOF 4000K, DUAL POWER, GREY	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x38W T8 fluorescent, Dual Power operation	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75903	RVU604015DP-24E	RVU604015DP-24 / VULCAN 60W, IP65 CORROSION PROOF 4000K, DUAL POWER, c/w Emergency	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x38W T8 fluorescent, 3 Hour Emergency, Dual Power operation	LED Group
LIG75904	RVU604015E-24	VULCAN 60W, IP65 CORROSION PROOF 4000K, EMERGENCY, GREY	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x38W T8 fluorescent, 3 Hour Emergency	LED Group
LIG75905	RVU604015EDP-24	VULCAN 60W, IP65 CORROSION PROOF 4000K, EMERGENCY, DUAL POWER, GREY	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x38W T8 fluorescent, 3 Hour Emergency, Dual Power operation	LED Group
LIG75906	RVUF122FT-24	VULCAN 1x12W LED corrosion proof, IP65, 2ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x18W T8 Fluorescent fittings	LED Group
LIG75907	RVUF242FT-24	VULCAN 2x12W LED corrosion proof, IP65, 2ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x18W T8 Fluorescent fittings	LED Group
LIG75908	RVUF242FTE-24	VULCAN 2 X 12W LED Corrosion Proof fitting, Emergency c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x18W T8 Fluorescent fittings, 3 Hour Emergency	LED Group
LIG75909	RVUF244FT-24	VULCAN 1x24W LED corrosion proof, IP65, 4ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x36W T8 Fluorescent fittings	LED Group
LIG75910	RVUF244FTE-24	VULCAN 1 X 24W Emergency LED Corrosion Proof fitting c/w frosted diffuser	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x36W T8 Fluorescent fittings, 3 Hour Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75911	RVUF405FT-24	VULCAN 1x40W LED corrosion proof, IP65, 5ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x58W T8 Fluorescent fittings	LED Group
LIG75912	RVUF405FTE- 24	VULCAN 1x40W LED corrosion proof, IP65, 5ft, Grey, 5000K, emergency c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x58W T8 Fluorescent fittings, 3 Hour Emergency	LED Group
LIG75913	RVUF484FT-24	VULCAN 2x24W LED corrosion proof, IP65, 4ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x36W T8 Fluorescent fittings	LED Group
LIG75914	RVUF484FTE- 24	VULCAN 2 X 24W Emergency LED Corrosion Proof fitting c/w frosted diffuser	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x36W T8 Fluorescent fittings	LED Group
LIG75915	RVUF486FT-24	VULCAN 1x48W LED corrosion proof, IP65, 6ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x70W T8 Fluorescent fittings	LED Group
LIG75916	RVUF486FTE- 24	VULCAN 1x48W LED corrosion proof, IP65, 6ft, Grey, 5000K, emergency c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 1x70W T8 Fluorescent fittings, 3 Hour Emergency	LED Group
LIG75917	RVUF805FT-24	VULCAN 2x40W LED corrosion proof, IP65, 5ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x58W T8 Fluorescent fittings	LED Group
LIG75918	RVUF805FTE- 24	VULCAN 2x40W LED corrosion proof, IP65, 5ft, Grey, 5000K, emergency c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x58W T8 Fluorescent fittings, 3 Hour Emergency	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75919	RVUF966FT-24	VULCAN 2x48W LED corrosion proof, IP65, 6ft, Grey, 5000K c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x70W T8 Fluorescent fittings	LED Group
LIG75920	RVUF966FTE- 24	VULCAN 2x48W LED corrosion proof, IP65, 6ft, Grey, 5000K, emergency c/w frosted diffuser"	IP65, can be used for external applications, High impact rating of IK08, LED Replacement for 2x70W T8 Fluorescent fittings, 3 Hour Emergency	LED Group
LIG75921	RPD12050DA- 23	PRISMOID 120W LED linear high bay, IP65, 1-10V dimmable, Silver, 600mm, 5000K	LED replacement for 200W metal halide fittings, Extruded aluminium housing with PMMA lens providing, Prewired with 350mm rubber flex, Dimmable with most of 1-10V system	LED Group
LIG75922	RPD12050DA- 23E	PRISMOID 120W LED linear high bay, IP65, 1-10V dimmable, Silver, 600mm, 5000K, Emergency	LED replacement for 200W metal halide fittings, Extruded aluminium housing with PMMA lens providing, Prewired with 350mm rubber flex, Dimmable with most of 1-10V system, 3-Hour Emergency Pack	LED Group
LIG75923	RHG15050DA- 23	HOGAN 150W LED linear high bay, IP65, 1-10V dimmable, Silver, 890mm, 5000K	LED replacement for 250W metal halide fittings, Extruded aluminium housing with PMMA lens providing, Prewired with 350mm rubber flex, Dimmable with most of 1-10V system	LED Group
LIG75924	RHG15050DA- 23E	HOGAN 150W LED linear high bay, IP65, 1-10V dimmable, Silver, 890mm, 5000K, Emergency	LED replacement for 250W metal halide fittings, Extruded aluminium housing with PMMA lens providing, Prewired with 350mm rubber flex, Dimmable with most of 1-10V system, 3-Hour Emergency Pack	LED Group
LIG75925	RAM40406060E- 01	ATMOS 40W LED panel, IP20, 600x600mm, White, 4000K, EMERGENCY"	40W LED replacement for 4x18W T8, 600 x 600 Tile, Fits into standard sizes of ceiling grid - 15mm and 24mm, 3 Hour Emergency Pack, 4000K	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75926	RAM40506060E-01	ATMOS 40W LED panel, IP20, 600x600mm, White, 5000K, EMERGENCY	40W LED replacement for 4x18W T8, 600 x 600 Tile, Fits into standard sizes of ceiling grid - 15mm and 24mm, 3 Hour Emergency Pack, 5000K	LED Group
LIG75927	RAM40306060E-01	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K, EMERGENCY	40W LED replacement for 4x18W T8, 600 x 600 Tile, Fits into standard sizes of ceiling grid - 15mm and 24mm, 3 Hour Emergency Pack, 3000K	LED Group
LIG75928	RAM40403012E-01	ATMOS 40W LED panel, IP20, 300x1200mm, White, 4000K, EMERGENCY	40W LED replacement for 4x18W T8, 300 x 1200 Tile, Fits into standard sizes of ceiling grid - 15mm and 24mm, 3 Hour Emergency Pack, 4000K	LED Group
LIG75929	RAM60406012E-01	ATMOS 60W LED panel, IP20, 600x1200mm, White, 4000K, EMERGENCY	60w LED replacement for 4x36W T8, 300 x 1200 Tile, Fits into standard sizes of ceiling grid - 15mm and 24mm, 3 Hour Emergency Pack, 4000K	LED Group
LIG75930	RSE12040-25	Streex 120W LED Street Light, IP66, 4000K, dark grey	120W LED replacement for 150W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75931	RSE12040S-25	120W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, S class beam, Dark Grey	120W LED replacement for 150W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75932	RSE20040-25	Streex 200W LED Street Light, IP66, 4000K, dark grey	200W LED replacement for 250W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75933	RSE20040S-25	200W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, S class beam, Dark Grey	200W LED replacement for 250W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75934	RSE24040S-25	240W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, S class beam, Dark Grey	200W LED replacement for 310W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75935	RSE3540-25	Streex 35W LED Street Light, IP66, 4000K, dark grey	35W LED replacement for 50W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75936	RSE3540S-25	35W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, S class beam, Dark Grey	35W LED replacement for 50W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75937	RSE6040-25	Streex 60W LED Street Light, IP66, 4000K, dark grey	60W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75938	RSE6040MS-25	60W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, Type III MEDIUM S class beam, Dark Grey	60W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75939	RSE6040S-25	60W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, S class beam, Dark Grey	60W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75940	RSE6050S-25	60W STREEX IP66 LED streetlight, 5000k, c/w 10m flex, S class beam, Dark Grey	60W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex, 5000K	LED Group
LIG75941	RSE9040-25	Streex 90W LED Street Light, IP66, 4000K, dark grey	90W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75942	RSE9040MS-25	90W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, Type III MEDIUM S class beam, Dark Grey	90W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75943	RSE9040S-25	90W STREEX IP66 LED streetlight, 4000k, c/w 10m flex, S class beam, Dark Grey	90W LED replacement for 90W SON fittings, Die cast aluminium housing with polycarbonate lens and tempered glass, High impact rating of IK08, Prewired with 10m of rubber flex	LED Group
LIG75944	RDE6P030-01	DEXTER 6W Directional non dimmable LED Downlight, IP20, 3000K, white	6W LED replacement for 50W halogen downlights, Uses SMD LEDs, Polybutylene housing with Polycarbonate trim and lens, Adjustable tilt of 60°, 3000K	LED Group
LIG75945	RDE6P040-01	DEXTER 6W Directional non dimmable LED Downlight, IP20, 4000K, white	6W LED replacement for 50W halogen downlights, Uses SMD LEDs, Polybutylene housing with Polycarbonate trim and lens, Adjustable tilt of 60°, 4000K	LED Group
LIG75946	RDE6P030D-01	DEXTER 6W Directional Dimmable LED Downlight, IP20, 3000K, white	6W LED replacement for 50W halogen downlights, Dimmable, Uses SMD LEDs, Polybutylene housing with Polycarbonate trim and lens, Adjustable tilt of 60°, 3000K	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75947	RDE6P040D-01	DEXTER 6W Directional Dimmable LED Downlight, IP20, 4000K, white	6W LED replacement for 50W halogen downlights, Dimmable, Uses SMD LEDs, Polybutylene housing with Polycarbonate trim and lens, Adjustable tilt of 60°, 4000K	LED Group
LIG75948	RRA084060-01	RAMADA 8.5W Fire Rated Downlight 4000K, 60° beam angle, IP65, dimmable, c/w White and B Chrome trim	Fire Rated Dimmable LED Downlight replacement for 50W LV halogen downlights, Complete with white and brushed chrome trims, Integrated insulation frame enabling insulation to be laid over, Dimmable with selected leading and trailing edge dimmers, 4000K	LED Group
LIG75949	RRE1030-04	REMY 10W LED flood light, IP65, Black, 3000K, c/w junction box	10W LED replacement for 20W Metal Halide/ 75W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 3000K	LED Group
LIG75950	RRE1030P-04	REMY 10W LED flood light with PIR, IP65, Black, 3000K, c/w junction box	10W LED replacement for 20W Metal Halide/ 75W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 3000K, PIR	LED Group
LIG75951	RRE1040-04	REMY 10W LED flood light, IP65, Black, 4000K, c/w junction box	10W LED replacement for 20W Metal Halide/ 75W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K	LED Group
LIG75952	RRE1040P-04	REMY 10W LED flood light with PIR, IP65, Black, 4000K, c/w junction box	10W LED replacement for 20W Metal Halide/ 75W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K, PIR	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75953	RRE2030-04	REMY 20W LED flood light, IP65, Black, 3000K, c/w junction box	20W LED replacement for 35W Metal Halide/ 150W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 3000K,	LED Group
LIG75954	RRE2040-04	REMY 20W LED flood light, IP65, Black, 4000K, c/w junction box	20W LED replacement for 35W Metal Halide/ 150W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K	LED Group
LIG75955	RRE2040P-04	REMY 20W LED flood light with PIR, IP65, Black, 4000K, c/w junction box	20W LED replacement for 35W Metal Halide/ 150W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K, PIR	LED Group
LIG75956	RRE3030-04	REMY 30W LED flood light, IP65, Black, 3000K, c/w junction box	30W LED replacement for 50W Metal Halide/ 200W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 3000K	LED Group
LIG75957	RRE3040-04	REMY 30W LED flood light, IP65, Black, 4000K, c/w junction box	30W LED replacement for 50W Metal Halide/ 200W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K	LED Group
LIG75958	RRE3040P-04	REMY 30W LED flood light with PIR, IP65, Black, 4000K, c/w junction box	30W LED replacement for 50W Metal Halide/ 200W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K, PIR	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75959	RRE5030-04	REMY 50W LED flood light, IP65, Black, 3000K, c/w junction box	50W LED replacement for 50W Metal Halide/ 200W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 3000K	LED Group
LIG75960	RRE5040-04	REMY 50W LED flood light, IP65, Black, 4000K, c/w junction box	50W LED replacement for 50W Metal Halide/ 200W Halogen flood lights, Polycarbonate housing with tempered glass providing high impact rating of IK07, Pre-drilled, angled mounting bracket, 4000K	LED Group
LIG75961	RCM10040-04	CHAMPION 100W LED flood light, IP65, Black, 4000K	100W LED replacement for 150W Metal Halide/ 800W Halogen flood lights, Die cast aluminium housing, Prewired with 1m of rubber flex, 4000K	LED Group
LIG75962	RCM15040-04	CHAMPION 150W LED flood light, IP65, Black, 4000K	150W LED replacement for 220W Metal Halide/ 1200W Halogen flood lights, Die cast aluminium housing, Prewired with 1m of rubber flex, 4000K	LED Group
LIG75963	RCM20040-04	CHAMPION 200W LED flood light, IP65, Black, 4000K	200W LED replacement for 300W Metal Halide/ 1500W Halogen flood lights, Die cast aluminium housing, Prewired with 1m of rubber flex, 4000K	LED Group
LIG75964	RCM3040-04	CHAMPION 30W LED flood light, IP65, Black, 4000K	30W LED replacement for 50W Metal Halide/ 200W Halogen flood lights, Die cast aluminium housing, Prewired with 1m of rubber flex, 4000K	LED Group
LIG75965	RCM5040-04	CHAMPION 50W LED flood light, IP65, Black, 4000K	50W LED replacement for 80W Metal Halide/ 350W Halogen flood lights, Die cast aluminium housing, Prewired with 1m of rubber flex, 4000K	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75966	R100LEDCCT3-01	GOLF 10W LED CCT selectable, IP65, White, 3000K, 4000K, 6500K	10W LED replacement for 28W 2D fluorescent fittings, Complete switch allowing to select 3000K, 4000K or 6500K colour temperature, Impact Rating of IK08	LED Group
LIG75967	R100LEDCCT3 E-01	GOLF 10W LED CCT selectable, IP65, White, 3000K, 4000K, 6500K, Emergency	10W LED replacement for 28W 2D fluorescent fittings, Complete switch allowing to select 3000K, 4000K or 6500K colour temperature, Impact Rating of IK09, Emergency	LED Group
LIG75968	R100LEDCCT3 E-01SEN	GOLF 10W LED CCT selectable, IP65, White, 3000K, 4000K, 6500K, Emergency + Sensor (Conversions)	10W LED replacement for 28W 2D fluorescent fittings, Complete switch allowing to select 3000K, 4000K or 6500K colour temperature, Impact Rating of IK08, Microwave Sensor	LED Group
LIG75969	R100LEDCCT3 S-01	GOLF 10W LED CCT selectable, IP65, White, 3000K, 4000K, 6500K, Microwave sensor	10W LED replacement for 28W 2D fluorescent fittings, Complete switch allowing to select 3000K, 4000K or 6500K colour temperature, Impact Rating of IK08, Emergency, Microwave Sensor	LED Group
LIG75970	R100LEDCCT3 ES-01	GOLF 10W LED CCT selectable, IP65, White, 3000K, 4000K, 6500K, Emergency, Microwave sensor	10W LED replacement for 28W 2D fluorescent fittings, Complete switch allowing to select 3000K, 4000K or 6500K colour temperature, Impact Rating of IK08, Microwave Sensor	LED Group
LIG75979	2755101	15W IP65 LED 1250LM WHI FITTING 4000K	15W LED Surface fitting, Utilises SMD LEDs, Opal diffuser, IK09 rating	Kellihers
LIG75980	2755102	15W IP65 LED 1250LM WHI FITTING 4000K W/ EMERGENCY	15W LED Surface fitting, Utilises SMD LEDs, Opal diffuser, IK09 rating, Complete with 3 hour emergency control gear	Kellihers
LIG75981	2755103	IP65 LED 1250LM WHI FITTING 4000K W/ MICROWAVE SENSOR	15W LED Surface fitting, Utilises SMD LEDs, Opal diffuser, IK09 rating, Complete with Microwave sensor	Kellihers

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75982	2755104	15W IP65 LED 1250LM WHI FITTING 4000K W/MICRO SENSOR/ EMERGENCY	15W LED Surface fitting, Utilises SMD LEDs, Opal diffuser, IK09 rating, Complete with Microwave sensor and 3 hour emergency control gear	Kellihers
LIG75983	2750301	1X40W LED corrosion proof, IP65, 5ft, Grey, 5000K	LED Replacement for 1x58W T8 fluorescent fittings; Polycarbonate base and diffuser; Complete with stainless steel clips	Kellihers
LIG75984	2750302	1X40W LED corrosion proof, IP65, 5ft, Grey, 5000K, Emergency	LED replacement for 1x58W T8 fluorescent fittings; Polycarbonate base/diffuser; Complete with stainless steel clips, Complete with 3 hour emergency	Kellihers
LIG75985	275302	6W Downlight 3000K, 38° beam angle,IP20, non- dim, White	LED adjustable downlight, 60° tilt, Uses SMD LEDs, 3000K	Kellihers
LIG75986	275303	6W Downlight 4000K, 38° beam angle,IP20, non- dim, White	LED adjustable downlight, 60° tilt, Uses SMD LEDs, 4000K	Kellihers
LIG75987	275304	6W Downlight 3000K, 38° beam angle,IP20, dim, White	Dimmable LED adjustable downlight, 60° tilt, Uses SMD LEDs, 3000K	Kellihers
LIG75988	275305	6W Downlight 4000K, 38° beam angle,IP20, dim, White	Dimmable LED adjustable downlight, 60° tilt, Uses SMD LEDs, 3000K	Kellihers
LIG75989	2755310	25W IP54 2130LM LED COMM DOWNLIGHT 4000K	25W LED Down Light, IP54, 4000K, Die cast aluminium housing with polycarbonate diffuser, Uses SMD LEDs, LED replacement for 2x26W Fluorescent downlights, Complete with standard driver	Kellihers
LIG75990	2755311	25W IP54 2130LM LED COMM DOWNLIGHT 4000K W/ EMERGENCY	25W LED Down Light, IP54, 4000K, Die cast aluminium housing with polycarbonate diffuser, Uses SMD LEDs, LED replacement for 2x26W Fluorescent downlights, Complete with standard driver and 3 hour Emergency Pack	Kellihers

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG75991	2751409	LED 600 X 600 PANEL 40W 3200LM 4000K W/ EMERGENCY	LED 40W Panel for 600 x 600 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 4000k, Complete with standard driver and 3 hour emergency pack	Kellihers
LIG75992	2751410	LED 600 X 600 PANEL 40W 3200LM 5000K W/ EMERGENCY	LED 40W Panel for 600 x 600 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 5000K, Complete with standard driver and 3 hour emergency pack	Kellihers
LIG75993	2751403	LED 1200 X 300 PANEL 40W 3380LM 4000K	LED 40W Panel for 1200 x 300 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 4000K, Complete with standard driver	Kellihers
LIG75994	2751404	LED 1200 X 300 PANEL 40W 3380LM 4000K W/ EMERGENCY	LED 40W Panel for 1200 x 300 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 4000K, Complete with standard driver and 3 hour emergency pack	Kellihers
LIG75995	2751405	LED 1200 X 600 PANEL 60W 5520LM 4000K	LED 40W Panel for 1200 x 600 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 4000K, Complete with standard driver	Kellihers
LIG75996	2751406	LED 1200 X 300 PANEL 40W 3380LM 5000K	LED 40W Panel for 1200 x 300 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 5000K, Complete with standard	Kellihers
LIG75997	2751407	LED 1200 X 300 PANEL 40W 3380LM 5000K W/ EMERGENCY	LED 40W Panel for 1200 x 300 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 5000K, Complete with standard driver and 3 hour emergency pack	Kellihers
LIG75998	2751408	LED 1200 X 600 PANEL 60W 5520LM 5000K	LED 40W Panel for 1200 x 600 ceilings, Fits into standard sizes of ceiling grid - 15mm and 24mm, 5000K, Complete with standard driver	Kellihers
LIG76092	NEGTLG13LED	Low UGR downlight	13w low UGR downlight	Energy Efficiency Deliveries

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76093	NEGRGBW15W	RGB Ribbon	NEG ribbon RBG	Energy Efficiency Deliveries
LIG76094	NEGTDL25-12SG/54	NEG IP54 downlight	12w recessed IP54 downlight	Energy Efficiency Deliveries
LIG76095	NEGTDL25-18SG/54	NEG IP54 downlight 18w	18w recessed IP54 downlight	Energy Efficiency Deliveries
LIG76096	NEGTSWW30 LEDNB-2000L	Recessed directional 20w NB	Narrow beam 20w directional light	Energy Efficiency Deliveries
LIG76098	NEGTSWW30 LEDWB-2000L	Recessed directional 20w WB	Recessed directional light 20w Wide beam	Energy Efficiency Deliveries
LIG76099	NEGTSWW30 LEDNB-3000L	Recessed directional 30w NB	Recessed directional fixture 30w Narrow beam	Energy Efficiency Deliveries
LIG76100	NEGTSWW30 LEDWB-3000L	Recessed directional 30w WB	Recessed directional fixture 30w Wide beam	Energy Efficiency Deliveries
LIG76101	NEGTDNL LED18	Recessed circular panel 18w	Recessed circular panel 18w	Energy Efficiency Deliveries
LIG76102	NEGLB40-65	Carpark IP65 40w fixture	Carpark Ip65 40w fixture	Energy Efficiency Deliveries
LIG76103	12706	600x300 4000k	600x300 25watt LED Panel	Pemco
LIG76104	12705	600x600 4000K	600x600 40watt LED Panel	Pemco
LIG76105	12708	1200x300 4000K	1200x300 40watt LED Panel	Pemco
LIG76106	12707	1200x600 4000K	1200x600 60watt LED Panel	Pemco
LIG76107	10922	UFO 5000K 150	150watt LED Hi-Bay	Pemco
LIG76108	10927	UFO 5000K 200	200watt LED Hi-Bay	Pemco
LIG76109	12982	Round5W 3000	5watt Round LED Panel dimmable white	Pemco
LIG76110	12993	Round5BC 3000	5watt Round LED Panel dimmable B/C	Pemco
LIG76111	12992	Round5W 4000	5watt Round LED Panel dimmable white	Pemco
LIG76112	12983	Round5BC 4000	5watt Round LED Panel dimmable B/C	Pemco
LIG76113	12984	Round9W 3000	9watt Round LED Panel dimmable white	Pemco
LIG76114	12995	Round9BC 3000	9watt Round LED Panel dimmable B/C	Pemco
LIG76115	12994	Round9W 4000	9watt Round LED Panel dimmable white	Pemco
LIG76116	12985	Round9BC 4000	9watt Round LED Panel dimmable B/C	Pemco

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76117	12986	Round12W 3000	12watt Round LED Panel dimmable white	Pemco
LIG76118	12996	Round12BC3000	12watt Round LED Panel dimmable B/C	Pemco
LIG76119	12988	Round12W4000	12watt Round LED Panel dimmable white	Pemco
LIG76120	12987	Round12BC4000	12watt Round LED Panel dimmable B/C	Pemco
LIG76121	12989	Round18W4000	18watt Round LED Panel dimmable white	Pemco
LIG76122	12997	Round18BC4000	18watt Round LED Panel dimmable B/C	Pemco
LIG76123	12990	Round24W4000	24watt Round LED Panel dimmable white	Pemco
LIG76124	12991	Round24BC4000	24watt Round LED Panel dimmable B/C	Pemco
LIG76125	12998	RoundND 4000K	24watt Round LED Panel non-Dim white	Pemco
LIG76126	12999	RoundND4000	24watt Round LED Panel non-Dim B/C	Pemco
LIG76127	PEMCO 12402	PECMO Chameleon	8watt TriColour LED D/light Mag Bezels	Pemco
LIG76128	12717	Streetlight 30	30watt LED Streetlight Epistar COB	Pemco
LIG76129	12718	Streetlight 120	120watt LED Streetlight Epistar COB	Pemco
LIG76130	12719	Spartan 3000K	6watt LED D/light M/Bezels Dim 3000K	Pemco
LIG76131	12720	Spartan 4000K	6watt LED D/light M/Bezels Dim 4000K	Pemco
LIG76132	12721	Spartan 6000K	6watt LED D/light M/Bezels Dim 6000K	Pemco
LIG76133	12722	LED Flood 10	10watt LED Slim Flood SMD 5000K	Pemco
LIG76134	12723	LED Flood 20	20watt LED Slim Flood SMD 5000K	Pemco
LIG76135	12724	LED Flood 30	30watt LED Slim Flood SMD 5000K	Pemco
LIG76136	12725	LED Flood 50	50watt LED Slim Flood SMD 5000K	Pemco
LIG76137	12504	Pro-Flood 80	80watt LED Robust Flood SMD 5000K	Pemco
LIG76138	12505	Pro-Flood 100	100watt LED Robust Flood SMD 5000K	Pemco
LIG76139	12506	Pro-Flood 150	150watt LED Roust Flood SMD 5000k	Pemco
LIG76140	12507	Pro-Flood 200	200watt LED Roust Flood SMD 5000k	Pemco
LIG76141	12950	Ceiling 3000K	15watt LED Circular Ceiling Light 3000K	Pemco

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76142	12951	Ceiling 6000K	15watt LED Circular Ceiling Light 6000K	Pemco
LIG76143	10925	Cobra	60watt LED non-corrosive	Pemco
LIG76174	PILJ24L_700mA	Pilzeo	Pilzeo 24LED 700mA NW	Urbis Schreder Limited
LIG76176	RQ2630K60	Quna A 26W 3K	Recessed LED Projector Spot-Light, 26W 3000K	Cora Light Factory
LIG76177	RQ2640K60	Quna A 26W 4K	26W LED Recessed Projector Spotlight 4000K	Cora Light Factory
LIG76178	RQ3225K36	Quna A 26W 25K	26W LED Recessed Projector Spotlight 2500K	Cora Light Factory
LIG76179	TS2630K45	Sniper 26W 3K	26W LED Track Mounted Projector Spot-Light 3000K	Cora Light Factory
LIG76180	TS2640K45	Sniper 26W 4K	26W LED Track Mounted Projector Spot-Light 4000K	Cora Light Factory
LIG76181	TS3225K45	Sniper 26W 25K	26W LED Track Mounted Projector Spot-Light 2500K	Cora Light Factory
LIG76182	153N01440119	GA-016 Cafeteria 153N01440119	31W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76183	153N01440129	GA-016 Cafeteria 153N01440129	31W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76184	153N01440139	GA-016 Cafeteria 153N01440139	31W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76185	153N01440149	GA-016 Cafeteria 153N01440149	31W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76186	155L01440859	GA-016 Casa 155L01440859	27W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76187	155L01440869	GA-016 Casa 155L01440869	27W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76188	155L01440879	GA-016 Casa 155L01440879	27W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76189	155L01440889	GA-016 Casa 155L01440889	27W LED Track Mounted Projector Spot Light 3000K	Lival
LIG76190	VER-xPB6060-30-840	SERENITY BK 30W 600x600 Backlit Panel	600x600 Backlit Panel, 30W, 4000K	Verde LED ltd
LIG76191	VER-xPB30120-30-840	SERENITY BK 30W 300x1200 Backlit Panel	300x1200 Backlit Panel, 30W, 4000K	Verde LED ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76192	153N01440135	GA-016 Cafeteria 153N01440135	31W LED Track Mounted Projector Spotlight 3000K CRI 90	Lival
LIG76193	153N01940135	GA-016 Cafeteria 153N01940135	29W LED Track Mounted Projector Spot Light 3000K CRI 98	Lival
LIG76194	15521129	GA-016 Casa 15521129	27W LED Track Mounted Projector Spot Light 3000K CRI 80	Lival
LIG76198	AXG2S2 32L__ 860mA	AXG2S2 32L__ 860mA	AXIA GEN 2.2 32LED 860mA	Urbis Schreder Limited
LIG76199	AXG2S2 32L__ 960mA	AXG2S2 32L__ 960mA	AXIA GEN 2.2 32LED 960mA	Urbis Schreder Limited
LIG76200	AXG2S2 40L__ 370mA	AXG2S2 40L__ 370mA	AXIA GEN 2.2 40LED 370mA	Urbis Schreder Limited
LIG76201	AXG2S2 40L__ 410mA	AXG2S2 40L__ 410mA	AXIA GEN 2.2 40LED 410mA	Urbis Schreder Limited
LIG76202	AXG2S2 40L__ 450mA	AXG2S2 40L__ 450mA	AXIA GEN 2.2 40LED 450mA	Urbis Schreder Limited
LIG76203	AXG2S2 40L__ 480mA	AXG2S2 40L__ 480mA	AXIA GEN 2.2 40LED 480mA	Urbis Schreder Limited
LIG76204	AXG2S2 40L__ 760mA	AXG2S2 40L__ 760mA	AXIA GEN 2.2 40LED 760mA	Urbis Schreder Limited
LIG76205	AXG2S2 40L__ 920mA	AXG2S2 40L__ 920mA	AXIA GEN 2.2 40LED 920mA	Urbis Schreder Limited
LIG76206	AXG2S2 40L__ 1000mA	AXG2S2 40L__ 1000mA	AXIA GEN 2.2 40LED 1000mA	Urbis Schreder Limited
LIG76207	AXG2S2 48L__ 460mA	AXG2S2 48L__ 460mA	AXIA GEN 2.2 48LED 460mA	Urbis Schreder Limited
LIG76208	AXG2S2 48L__ 530mA	AXG2S2 48L__ 530mA	AXIA GEN 2.2 48LED 530mA	Urbis Schreder Limited
LIG76209	AXG2S2 48L__ 590mA	AXG2S2 48L__ 590mA	AXIA GEN 2.2 48LED 590mA	Urbis Schreder Limited
LIG76210	AXG2S2 48L__ 660mA	AXG2S2 48L__ 660mA	AXIA GEN 2.2 48LED 660mA	Urbis Schreder Limited
LIG76211	AXG2S2 48L__ 730mA	AXG2S2 48L__ 730mA	AXIA GEN 2.2 48LED 730mA	Urbis Schreder Limited
LIG76212	AXG2S2 48L__ 800mA	AXG2S2 48L__ 800mA	AXIA GEN 2.2 48LED 800mA	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76213	AXG2S2 48L__ 890mA	AXG2S2 48L__ 890mA	AXIA GEN 2.2 48LED 890mA	Urbis Schreder Limited
LIG76214	AXG2S2 48L__ 960mA	AXG2S2 48L__ 960mA	AXIA GEN 2.2 48LED 960mA	Urbis Schreder Limited
LIG76215	AXG2S2 48L__ 1000mA	AXG2S2 48L__ 1000mA	AXIA GEN 2.2 48LED 1000mA	Urbis Schreder Limited
LIG76216	PIL 8L__ 350mA	PIL 8L__ 350mA	PILZEO 8LED 350mA	Urbis Schreder Limited
LIG76217	PIL 8L__ 500mA	PIL 8L__ 500mA	PILZEO 8LED 500mA	Urbis Schreder Limited
LIG76218	PIL 8L__ 700mA	PIL 8L__ 700mA	PILZEO 8LED 700mA	Urbis Schreder Limited
LIG76219	PIL 12L__ 350mA	PIL 12L__ 350mA	PILZEO 12LED 350mA	Urbis Schreder Limited
LIG76220	PIL 12L__ 500mA	PIL 12L__ 500mA	PILZEO 12LED 500mA	Urbis Schreder Limited
LIG76221	PIL 12L__ 700mA	PIL 12L__ 700mA	PILZEO 12LED 700mA	Urbis Schreder Limited
LIG76222	PIL 16L__ 350mA	PIL 16L__ 350mA	PILZEO 16LED 350mA	Urbis Schreder Limited
LIG76223	PIL 16L__ 500mA	PIL 16L__ 500mA	PILZEO 16LED 500mA	Urbis Schreder Limited
LIG76224	PIL 16L__ 700mA	PIL 16L__ 700mA	PILZEO 16LED 700mA	Urbis Schreder Limited
LIG76225	PIL 24L__ 350mA	PIL 24L__ 350mA	PILZEO 24LED 350mA	Urbis Schreder Limited
LIG76226	PIL 24L__ 500mA	PIL 24L__ 500mA	PILZEO 24LED 500mA	Urbis Schreder Limited
LIG76227	CITNGM 8L__ 350mA	CITNGM 8L__ 350mA	CITEA NG MINI 8LED 350mA	Urbis Schreder Limited
LIG76228	CITNGM 8L__ 500mA	CITNGM 8L__ 500mA	CITEA NG MINI 8LED 500mA	Urbis Schreder Limited
LIG76229	CITNGM 8L__ 700mA	CITNGM 8L__ 700mA	CITEA NG MINI 8LED 700mA	Urbis Schreder Limited
LIG76230	CITNGM 16L__ 350mA	CITNGM 16L__ 350mA	CITEA NG MINI 16LED 350mA	Urbis Schreder Limited
LIG76231	CITNGM 16L__ 500mA	CITNGM 16L__ 500mA	CITEA NG MINI 16LED 500mA	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76232	CITNGM 16L__ 700mA	CITNGM 16L__ 700mA	CITEA NG MINI 16LED 700mA	Urbis Schreder Limited
LIG76233	CITNGM 24L__ 350mA	CITNGM 24L__ 350mA	CITEA NG MINI 24LED 350mA	Urbis Schreder Limited
LIG76234	CITNGM 24L__ 500mA	CITNGM 24L__ 500mA	CITEA NG MINI 24LED 500mA	Urbis Schreder Limited
LIG76235	CITNGM 24L__ 700mA	CITNGM 24L__ 700mA	CITEA NG MINI 24LED 700mA	Urbis Schreder Limited
LIG76236	CITNGM 32L__ 350mA	CITNGM 32L__ 350mA	CITEA NG MINI 32LED 350mA	Urbis Schreder Limited
LIG76237	CITNGM 32L__ 500mA	CITNGM 32L__ 500mA	CITEA NG MINI 32LED 500mA	Urbis Schreder Limited
LIG76238	CITNGM 32L__ 700mA	CITNGM 32L__ 700mA	CITEA NG MINI 32LED 700mA	Urbis Schreder Limited
LIG76239	CITNGM 48L__ 350mA	CITNGM 48L__ 350mA	CITEA NG MINI 48LED 350mA	Urbis Schreder Limited
LIG76240	CITNGM 48L__ 500mA	CITNGM 48L__ 500mA	CITEA NG MINI 48LED 500mA	Urbis Schreder Limited
LIG76241	CITNGM 48L__ 700mA	CITNGM 48L__ 700mA	CITEA NG MINI 48LED 700mA	Urbis Schreder Limited
LIG76242	CITNGD 16L__ 350mA	CITNGD 16L__ 350mA	CITEA NG MIDI 16LED 350mA	Urbis Schreder Limited
LIG76243	CITNGD 16L__ 500mA	CITNGD 16L__ 500mA	CITEA NG MIDI 16LED 500mA	Urbis Schreder Limited
LIG76244	CITNGD 16L__ 700mA	CITNGD 16L__ 700mA	CITEA NG MIDI 16LED 700mA	Urbis Schreder Limited
LIG76245	CITNGD 24L__ 350mA	CITNGD 24L__ 350mA	CITEA NG MIDI 24LED 350mA	Urbis Schreder Limited
LIG76246	CITNGD 24L__ 500mA	CITNGD 24L__ 500mA	CITEA NG MIDI 24LED 500mA	Urbis Schreder Limited
LIG76247	CITNGD 24L__ 700mA	CITNGD 24L__ 700mA	CITEA NG MIDI 24LED 700mA	Urbis Schreder Limited
LIG76248	CITNGD 32L__ 350mA	CITNGD 32L__ 350mA	CITEA NG MIDI 32LED 350mA	Urbis Schreder Limited
LIG76249	CITNGD 32L__ 500mA	CITNGD 32L__ 500mA	CITEA NG MIDI 32LED 500mA	Urbis Schreder Limited
LIG76250	CITNGD 32L__ 700mA	CITNGD 32L__ 700mA	CITEA NG MIDI 32LED 700mA	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76251	CITNGD 40L__ 350mA	CITNGD 40L__ 350mA	CITEA NG MIDI 40LED 350mA	Urbis Schreder Limited
LIG76252	CITNGD 40L__ 500mA	CITNGD 40L__ 500mA	CITEA NG MIDI 40LED 500mA	Urbis Schreder Limited
LIG76253	CITNGD 40L__ 700mA	CITNGD 40L__ 700mA	CITEA NG MIDI 40LED 700mA	Urbis Schreder Limited
LIG76254	CITNGD 48L__ 350mA	CITNGD 48L__ 350mA	CITEA NG MIDI 48LED 350mA	Urbis Schreder Limited
LIG76255	CITNGD 48L__ 500mA	CITNGD 48L__ 500mA	CITEA NG MIDI 48LED 500mA	Urbis Schreder Limited
LIG76256	CITNGD 48L__ 700mA	CITNGD 48L__ 700mA	CITEA NG MIDI 48LED 700mA	Urbis Schreder Limited
LIG76257	CITNGD 56L__ 350mA	CITNGD 56L__ 350mA	CITEA NG MIDI 56LED 350mA	Urbis Schreder Limited
LIG76258	CITNGD 56L__ 500mA	CITNGD 56L__ 500mA	CITEA NG MIDI 56LED 500mA	Urbis Schreder Limited
LIG76259	CITNGD 56L__ 700mA	CITNGD 56L__ 700mA	CITEA NG MIDI 56LED 700mA	Urbis Schreder Limited
LIG76260	CITNGD 64L__ 350mA	CITNGD 64L__ 350mA	CITEA NG MIDI 64LED 350mA	Urbis Schreder Limited
LIG76261	CITNGD 64L__ 500mA	CITNGD 64L__ 500mA	CITEA NG MIDI 64LED 500mA	Urbis Schreder Limited
LIG76262	CITNGD 64L__ 700mA	CITNGD 64L__ 700mA	CITEA NG MIDI 64LED 700mA	Urbis Schreder Limited
LIG76263	CITNGD 72L__ 350mA	CITNGD 72L__ 350mA	CITEA NG MIDI 72LED 350mA	Urbis Schreder Limited
LIG76264	CITNGD 72L__ 500mA	CITNGD 72L__ 500mA	CITEA NG MIDI 72LED 500mA	Urbis Schreder Limited
LIG76265	CITNGD 80L__ 350mA	CITNGD 80L__ 350mA	CITEA NG MIDI 80LED 350mA	Urbis Schreder Limited
LIG76266	CITNGD 80L__ 500mA	CITNGD 80L__ 500mA	CITEA NG MIDI 80LED 500mA	Urbis Schreder Limited
LIG76267	CITNGD 88L__ 350mA	CITNGD 88L__ 350mA	CITEA NG MIDI 88LED 350mA	Urbis Schreder Limited
LIG76268	CITNGD 88L__ 500mA	CITNGD 88L__ 500mA	CITEA NG MIDI 88LED 500mA	Urbis Schreder Limited
LIG76269	CITNGD 96L__ 350mA	CITNGD 96L__ 350mA	CITEA NG MIDI 96LED 350mA	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76270	CITNGD 96L__ 500mA	CITNGD 96L__ 500mA	CITEA NG MIDI 96LED 500mA	Urbis Schreder Limited
LIG76271	SHUFF180 16L__ 350mA	SHUFF180 16L__ 350mA	SHUFFLE 180 LIGHT 16LED 350mA	Urbis Schreder Limited
LIG76272	SHUFF180 16L__ 500mA	SHUFF180 16L__ 500mA	SHUFFLE 180 LIGHT 16LED 500mA	Urbis Schreder Limited
LIG76273	SHUFF180 20L__ 350mA	SHUFF180 20L__ 350mA	SHUFFLE 180 LIGHT 20LED 350mA	Urbis Schreder Limited
LIG76274	SHUFF180 20L__ 500mA	SHUFF180 20L__ 500mA	SHUFFLE 180 LIGHT 20LED 500mA	Urbis Schreder Limited
LIG76275	SHUFF180 20L__ 700mA	SHUFF180 20L__ 700mA	SHUFFLE 180 LIGHT 20LED 700mA	Urbis Schreder Limited
LIG76276	SHUFF180 24L__ 350mA	SHUFF180 24L__ 350mA	SHUFFLE 180 LIGHT 24LED 350mA	Urbis Schreder Limited
LIG76277	SHUFF180 24L__ 500mA	SHUFF180 24L__ 500mA	SHUFFLE 180 LIGHT 24LED 500mA	Urbis Schreder Limited
LIG76278	SHUFF180 24L__ 700mA	SHUFF180 24L__ 700mA	SHUFFLE 180 LIGHT 24LED 700mA	Urbis Schreder Limited
LIG76279	SHUFF180 24L__ XPL__ 350mA	SHUFF180 24L__ XPL__ 350mA	SHUFFLE 180 LIGHT 24LED XPL 350mA	Urbis Schreder Limited
LIG76280	SHUFF180 24L__ XPL__ 500mA	SHUFF180 24L__ XPL__ 500mA	SHUFFLE 180 LIGHT 24LED XPL 500mA	Urbis Schreder Limited
LIG76281	SHUFF180 24L__ XPL__ 700mA	SHUFF180 24L__ XPL__ 700mA	SHUFFLE 180 LIGHT 24LED XPL 700mA	Urbis Schreder Limited
LIG76282	SHUFF360 20L__ 350mA	SHUFF360 20L__ 350mA	SHUFFLE 360 LIGHT 20LED 350mA	Urbis Schreder Limited
LIG76283	SHUFF360 20L__ 500mA	SHUFF360 20L__ 500mA	SHUFFLE 360 LIGHT 20LED 500mA	Urbis Schreder Limited
LIG76284	SHUFF360 20L__ 700mA	SHUFF360 20L__ 700mA	SHUFFLE 360 LIGHT 20LED 700mA	Urbis Schreder Limited
LIG74234	L020017	TITAN GENII 1500 HE DALI WB 36W 4K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74235	L020041	TITAN GENII 1500 HO DALI WB 50W 4K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74236	L020019	TITAN GENII 1500 HE DALI WB 36W 4K DAISY EM OP	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM, EMERGENCY	Nualight

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74237	L020043	TITAN GENII 1500 HO DALI WB 50W 4K DAISY EM OP	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM, EMERGENCY	Nualight
LIG74238	L020221	TITAN GENII 1200 HE DALI WB 32W 4K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74239	L020230	TITAN GENII 1200 HO DALI WB 54W 4K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74240	L020237	TITAN GENII 1200 HO DALI WB 54W 5K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74241	L020160	TITAN GENII 1200 HE WB 32W 4K MW	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM, MW SENSOR	Nualight
LIG74242	L020158	TITAN GENII 1200 HO WB 54W 4K MW	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM, MW SENSOR	Nualight
LIG74243	L020223	TITAN GENII AGRI 1200 HE 1-10V WB 32W 5K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74244	L020224	TITAN GENII AGRI 1200 HO 1-10V WB 54W 5K DAISY	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM	Nualight
LIG74245	L020203	TITAN GENII 1200 HE DALI WB 32W 4K DAISY EM OP	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM, EMERGENCY	Nualight
LIG74246	L020191	TITAN GENII 1200 HO DALI WB 54W 4K DAISY EM OP	LED LOWBAY LUMINAIRE, IP66, IK08, WIDE BEAM, EMERGENCY	Nualight
LIG72542	5CRA01020	CR Series Floodlight 280W LED Narrow	Heavy Duty LED Floodlight 280w LED, Narrow Beam	VeeLite
LIG72543	5CRA01030	CR Series Floodlight 345W LED Narrow	Heavy Duty LED Floodlight 345w LED, Narrow Beam	VeeLite
LIG72544	5CRA01025	CR Series Floodlight 280W LED Medium	Heavy Duty LED Floodlight 280w LED, Medium Beam	VeeLite
LIG72545	5CRA01035	CR Series Floodlight 345W LED Medium	Heavy Duty LED Floodlight 345w LED, Medium Beam	VeeLite
LIG72599	IND135-C10	IND135-C10	140W Vluma Highbay, 850, 1-10V	Venture Lighting Europe Ltd
LIG72600	PNL014-KIT01	PNL014-KIT01	27W Edgelit LED Panel, 600x600mm, 850 with Driver	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG74859	HB-80W-CW-IP-CH2-IOP	80watt LED Icepipe Highbay	80watt IP66 LED Highbay	Icepipe corporation
LIG74860	HB-130W-CW-IP-CH2-IOP	130watt LED Icepipe Highbay	130watt IP66 LED Highbay	Icepipe corporation
LIG71772	MODRS L35 C84	MOD LED SLIM	Recessed 600x600 LED Panel	Dextra Group
LIG68919	VER-NRT8 -T1500-24-840	Elysium -T8 24W Transparent LED tube	VERDE LED 1500mm Transparent 24W LED T8 Tube, IP20, CRI 80, PF >0.9, 2880 Lm	Verde LED ltd
LIG68920	VER-NRT8 -F1500-24-840	Elysium T8 -24W Frosted LED tube	VERDE LED 1500mm Frosted 24W LED T8 Tube, IP20, CRI 80, PF >0.9, 2880 Lm	Verde LED ltd
LIG68921	VER-NRT8 -T1200-15-840	Elysium T8 -15W 1200mm Transparent LED tube	VERDE LED 1200mm Transparent 15W LED T8 Tube, IP20, CRI 80, PF >0.9, 1800 Lm	Verde LED ltd
LIG68922	VER-NRT8 -F1200-15-840	Elysium T8 -15W 1200mm Frosted LED tube	VERDE LED 1200mm Frosted 15W LED T8 Tube, IP20, CRI 80, PF >0.9, 1800 Lm	Verde LED ltd
LIG68923	VER-NRT8 -T900-15-840	Elysium T8 -15W 900mm Transparent LED tube	VERDE LED 900mm Transparent 15W LED T8 Tube, IP20, CRI 80, PF >0.9, 1800 Lm	Verde LED ltd
LIG68924	VER-NRT8 -F900-15-840	Elysium T8 -15W 900mm Frosted LED tube	VERDE LED 900mm Frosted 15W LED T8 Tube, IP20, CRI 80, PF >0.9, 1800 Lm	Verde LED ltd
LIG68925	VER-NRT8 -T600-9-840	Elysium T8 -9W Transparent LED tube	VERDE LED 600mm Transparent 9W LED T8 Tube, IP20, CRI 80, PF >0.9, 1080 Lm	Verde LED ltd
LIG68926	VER-NRT8 -F600-9-840	Elysium T8 -9W Frosted LED tube	VERDE LED 600mm Frosted 9W LED T8 Tube, IP20, CRI 80, PF >0.9, 1080 Lm	Verde LED ltd
LIG68927	VER- HBL150	LEVI Linear -LED Highbay 150W	VERDE LED 1500mm 150W Linear Led Highbay, Modular, IP65, 0.93 PF, 30x70 degree beam angle, CRI 70, 16500 Lm	Verde LED ltd
LIG68928	VER- HBL120	LEVI Linear -LED Highbay 120W	VERDE LED 1200mm 120W Linear Led Highbay, Modular, IP65, 0.93 PF, 30x70 degree beam angle, CRI 70, 13252 Lm	Verde LED ltd
LIG68929	VER- HBL90	LEVI Linear -LED Highbay 90W	VERDE LED 900mm 90W Linear Led Highbay, Modular, IP65, 0.93 PF, 30x70 degree beam angle, CRI 70, 9900 Lm	Verde LED ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG68930	VER- HBL60	LEVI Linear -LED Highbay 60W	VERDE LED 600mm 60W Linear Led Highbay, Modular, IP65, 0.93 PF, 30x70 degree beam angle, CRI 70, 6822 Lm	Verde LED ltd
LIG68931	VER- CL6060- 46	LED Cleanroom Fitting -46W	VERDE LED Cleanroom Panel, IP65, PF 0.9, 100 degree beam angle, CRI 80, SDCM >3, 4700 Lm	Verde LED ltd
LIG68932	VER-VT5- F1500-20-840	Elysium T5- 1500mm 20W LED Tube	VERDE LED 1500mm 20W T5 Tube, IP20, 0.95 PF, CRI 80, G5 Base, 2400 Lm	Verde LED ltd
LIG68933	VER-VT5- F1200-15-840	Elysium T5- 1200mm 15W LED Tube	VERDE LED 1200mm 15W T5 Tube, IP20, 0.95 PF, CRI 80, G5 Base, 1800 Lm	Verde LED ltd
LIG68934	VER-VT5- F900-15-840	Elysium T5- 900mm 15W LED Tube	VERDE LED 900mm 15W T5 Tube, IP20, 0.95 PF, CRI 80, G5 Base, 1800 Lm	Verde LED ltd
LIG68935	VER-VT5- F600-9-840	Elysium T5- 600mm 9W LED Tube	VERDE LED 600mm 9W T5 Tube, IP20, 0.95 PF, CRI 80, G5 Base, 1080 Lm	Verde LED ltd
LIG68936	VER-UST- 100	Cylon 100W- LED Streetlight	VERDE LED 100W LED Streetlight, IP66, IK08, NEMA Compatible, 0.95 PF, Field Adjustable, CRI 70, 145x85 degree beam angle, 10309 Lm.	Verde LED ltd
LIG68937	VER-UST- 50	Cylon 50W- LED Streetlight	VERDE LED 50W LED Streetlight, IP66, IK08, NEMA Compatible, 0.95 PF, Field Adjustable, CRI 70, 145x85 degree beam angle, 5599 Lm.	Verde LED ltd
LIG68938	VER-CF200 -850	Invictus 200W- LED Floodlight (Gen 2)	VERDE LED 200W LED Floodlight, IP65, PF >0.9, 100 degree beam angle, CRI 80, 18838 Lm	Verde LED ltd
LIG68939	VER-CF150 -850	Invictus 150W- LED Floodlight (Gen 2)	VERDE LED 150W LED Floodlight, IP65, PF >0.9, 100 degree beam angle, CRI 80, 14091 Lm	Verde LED ltd
LIG68940	VER-CF100 -850	Invictus 100W- LED Floodlight (Gen 2)	VERDE LED 100W LED Floodlight, IP65, PF >0.9, 100 degree beam angle, CRI 80, 9275 Lm	Verde LED ltd
LIG68941	VER-CF70- 850	Invictus 70W -LED Floodlight	VERDE LED 70W LED Floodlight, IP65, PF >0.9, 100 degree beam angle, CRI 80, 6867 Lm	Verde LED ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG68942	VER-CF50- 850	Invictus 50W -LED Floodlight (Gen 2)	VERDE LED 50W LED Floodlight, IP65, PF >0.9, 100 degree beam angle, CRI 80, 4616 Lm	Verde LED ltd
LIG68943	VER-CF30- 850	Invictus 30W -LED Floodlight (Gen 2)	VERDE LED 30W LED Floodlight, IP65, PF >0.9, 100 degree beam angle, CRI 80, 2769 Lm	Verde LED ltd
LIG68944	VER-2D- 840	Droid LED -Ceiling Light	VERDE LED 15W LED 2D Ceiling Light, IP54, PF >0.9, 110 degree beam angle, CRI 80, 1300 Lm	Verde LED ltd
LIG68945	VER-UF100- 850D	Enterprise 100W- LED Highbay	VERDE LED 100W Enterprise Highbay, 5000k, 1-10V Dimmable, 100 degree beam angle, >80 CRI, IP55, PF>0.9.	Verde LED ltd
LIG68946	VER-2CF30- 750	Invictus 30W LED- Floodlight (Gen 2)	VERDE LED 30W Gen 2 LED Floodlight, IP65, PF > 0.9, 100 degree Beam Angle, CRI 70, 3816 Lm	Verde LED ltd
LIG68947	VER-2CF50- 750	Invictus 50W LED- Floodlight (Gen 2)	VERDE LED 50W Gen 2 LED Floodlight, IP65, PF > 0.9, 100 degree Beam Angle, CRI 70, 6365 Lm	Verde LED ltd
LIG68948	VER-2CF100 -750	Invictus 100W LED- Floodlight (Gen 2)	VERDE LED 100W Gen 2 LED Floodlight, IP65, PF > 0.9, 100 degree Beam Angle, CRI 70, 12773 Lm	Verde LED ltd
LIG68949	VER-2CF150 -750	Invictus 150W LED- Floodlight (Gen 2)	VERDE LED 150W Gen 2 LED Floodlight, IP65, PF > 0.9, 100 degree Beam Angle, CRI 70, 19189 Lm	Verde LED ltd
LIG68950	VER-2CF200 -750	Invictus 200W LED- Floodlight (Gen 2)	VERDE LED 200W Gen 2 LED Floodlight, IP65, PF > 0.9, 100 degree Beam Angle, CRI 70, 25480 Lm	Verde LED ltd
LIG68951	VER-X2P6060 -30HO	Serenity Gen 2- 60x60 30W High Output LED Panel	VERDE LED 60x60 30W High Output Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 3400 Lm.	Verde LED ltd
LIG68952	VER-X2P6060 -36	Serenity Gen 2- 60x60 36W LED Panel	VERDE LED 60x60 36W Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 3450 Lm.	Verde LED ltd
LIG68953	VER-X2P6060 -36HO	Serenity Gen 2- 60x60 36W High Output LED Panel	VERDE LED 60x60 36W High Output Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 4100 Lm.	Verde LED ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG68954	VER-X2P6262-30HO	Serenity Gen 2-62x62 30W High Output LED Panel	VERDE LED 62x62 30W High Output Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 3400 Lm.	Verde LED ltd
LIG68955	VER- X2P6262-36	Serenity Gen 2-62x62 36W LED Panel	VERDE LED 62x62 36W Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 3450 Lm.	Verde LED ltd
LIG68956	VER- X2P6262-36HO	Serenity Gen 2-62x62 36W High Output LED Panel	VERDE LED 62x62 36W High Output Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 4100 Lm.	Verde LED ltd
LIG68957	VER-X2P30120-50HO	Serenity Gen 2-30x120 50W High Output LED Panel	VERDE LED 30x120 50W High Output Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 5600 Lm.	Verde LED ltd
LIG68958	VER-X2P60120-70HO	Serenity Gen 2-60x120 70W High Output LED Panel	VERDE LED 60x120 70W High Output Gen 2 LED Panel, CRI >80, 113 degree Beam Angle, 7900 Lm.	Verde LED ltd
LIG69308	EAS-CL0840	EAS-CL0840	LED Ceiling Light 8W	EASi
LIG69309	EAS-CL1240	EAS-CL1240	LED Ceiling Light 12W	EASi
LIG69310	EAS-CL1840	EAS-CL1840	LED Ceiling Light 18W	EASi
LIG69311	EAS-CL-2540	EAS-CL-2540	LED Ceiling Light 25W	EASi
LIG69312	EAS-DL110-0540	EAS-DL110-0540	LED Downlight 5W	EASi
LIG69313	EAS-DL110-1040	EAS-DL110-1040	LED Downlight 10W	EASi
LIG69314	EAS-DL230-1840	EAS-DL230-1840	LED Downlight 18W	EASi
LIG69315	EAS-DL230-2540	EAS-DL230-2540	LED Downlight 25W	EASi
LIG69316	EAS-FL-2050	EAS-FL-2050	LED Floodlight 20W	EASi
LIG69317	EAS-FL-5050	EAS-FL-5050	LED Floodlight 50W	EASi
LIG69318	EAS-FL-7050	EAS-FL-7050	LED Floodlight 70W	EASi
LIG69319	EAS-FL-10050	EAS-FL-10050	LED Floodlight 100W	EASi
LIG69320	EAS-FL-12050	EAS-FL-12050	LED Floodlight 120W	EASi
LIG69321	EAS-FL-15050	EAS-FL-15050	LED Floodlight 150W	EASi
LIG69322	EAS-FL-20050	EAS-FL-20050	LED Floodlight 200W	EASi
LIG69323	EAS-IP65-2040	EAS-IP65-2040	LED IP65 20W	EASi
LIG69324	EAS-IP65-3040	EAS-IP65-3040	LED IP65 30W	EASi
LIG69325	EAS-IP65-4040	EAS-IP65-4040	LED IP65 40W	EASi
LIG69326	EAS-IP65-5040	EAS-IP65-5040	LED IP65 50W	EASi
LIG69327	EAS-IP67-1040	EAS-IP67-1040	LED IP67 10W	EASi

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG69328	EAS-IP67-2440	EAS-IP67-2440	LED IP67 24W	EASi
LIG69329	EAS-IP67-3240	EAS-IP67-3240	LED IP67 32W	EASi
LIG69330	EAS-IP67-5040	EAS-IP67-5040	LED IP67 50W	EASi
LIG69331	EAS-IP67-6040	EAS-IP67-6040	LED IP67 60W	EASi
LIG69332	EAS-P36-1540	EAS-P36-1540	LED Panel 15W 295*595	EASi
LIG69333	EAS-P66-3040	EAS-P66-3040-	LED Panel 30W 595*595	EASi
LIG69334	EAS-P66-3640	EAS-P66-3640	LED Panel 36W 595*595	EASi
LIG69335	EAS-P66-4540	EAS-P66-4540	LED Panel 45W 595*595	EASi
LIG69336	EAS-P123-3040	EAS-P123-3040	LED Panel 30W 1195*295	EASi
LIG69337	EAS-P123-4540	EAS-P123-4540	LED Panel 45W 1195*295	EASi
LIG69338	EAS-L-1440	EAS-L-1440	LED Linear 14W	EASi
LIG69339	EAS-L-1740	EAS-L-1740	LED Linear 17W	EASi
LIG69340	EAS-L-2540	EAS-L-2540	LED Linear 25W	EASi
LIG69341	EAS-L-4040	EAS-L-4040	LED Linear 40W	EASi
LIG69342	EAS-L-5240	EAS-L-5240	LED Linear 52W	EASi
LIG69343	EAS-SL-3050	EAS-SL-3050	LED Street light 30W	EASi
LIG69344	EAS-SL-4050	EAS-SL-4050	LED Street light 40W	EASi
LIG69345	EAS-SL-5050	EAS-SL-5050	LED Street light 50W	EASi
LIG69346	EAS-SL-6050	EAS-SL-6050	LED Street light 60W	EASi
LIG69347	EAS-SL-8050	EAS-SL-8050	LED Street light 80W	EASi
LIG69348	EAS-SL-10050	EAS-SL-10050	LED Street light 100W	EASi
LIG69349	EAS-SL-12050	EAS-SL-12050	LED Street light 120W	EASi
LIG69350	EAS-SL-15050	EAS-SL-15050	LED Street light 150W	EASi
LIG69351	EAS-SL-18050	EAS-SL-18050	LED Street light 180W	EASi
LIG69352	EAS-T8-0940	EAS-T8-0940	T8 LED lamp 9W	EASi
LIG69353	EAS-T8-1840	EAS-T8-1840	T8 LED lamp 18W	EASi
LIG69354	EAS-T8-2440	EAS-T8-2440	T8 LED lamp 24W	EASi
LIG69355	EAS-GU10-0540	EAS-GU10-0540	GU10 LED lamp 5W	EASi
LIG69356	EAS-C-0427	EAS-C-0427	LED Candle lamp 4W	EASi
LIG69357	EAS-G-0627	EAS-G-0627	LED Globe lamp 6W	EASi
LIG69358	EAS-G-1027	EAS-G-1027	LED Globe lamp 10W	EASi
LIG69359	EAS-GS-0427	EAS-GS-0427	LED Globe Small lamp 4W	EASi
LIG71761	EN-DE5/30	Enlite 4.5w Fire-Rated LED warm white	Enlite 240V LED Alum. IP65 Fixed 4.5W Fire Dimmable DL 3000K	Aurora Lighting Limited
LIG71762	EN-FPD6060B/40	Enlite Flat Panel Dimmable 60x60 cool white	Enlite 220-240V 40W Dimmable 600mm x 600mm LED Light Panel 4000K	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71763	EN-FPD6060B/50	Enlite Flat Panel Dimmable 60x60 50k	Enlite 220-240V 40W Dimmable 600mm x 600mm LED Light Panel 4000K	Aurora Lighting Limited
LIG71764	EN-HB150B/40	Enlite 150w Highbay 40k	Enlite 100-240V AC 150W IP65 Non-Dimmable LED Highbay 4000K	Aurora Lighting Limited
LIG71765	EN-HB200B/40	Enlite 200w Highbay 40k	Enlite 100-240V AC 200W IP65 Non-Dimmable LED Highbay 4000K	Aurora Lighting Limited
LIG71766	AU-LP100C/30	Aurora Panel 60x60 30k	Aurora 220-240V IP65 38W 600mm x 600mm LED Light Panel 3000K	Aurora Lighting Limited
LIG71767	AU-LP100C/40	Aurora Panel 60x60 40k	Aurora 220-240V IP65 38W 600mm x 600mm LED Light Panel 4000K	Aurora Lighting Limited
LIG71768	AU-MPRO1/30	Aurora MPRO 7w fixed fire-rated downlight 30k	Aurora 240V mPro LED Alum IP65 Fixed 7W 600lm Fire Downlight 3000K	Aurora Lighting Limited
LIG71769	AU-MPRO1/40	Aurora MPRO 7w fixed fire-rated downlight 40k	Aurora 240V mPro LED Alum IP65 Fixed 7W 600lm Fire Downlight 4000K	Aurora Lighting Limited
LIG71770	9.143.9282.048	LEIPZIGER LEUCHTEN TANJA II	Industrial LED High bay luminaire	LEIPZIGER LEUCHTEN GMBH
LIG71771	9.134.9228.01	LEIPZIGER LEUCHTEN ARNO I	LED post top luminaire	LEIPZIGER LEUCHTEN GMBH
LIG71787	5CIR09LGA	Circo 21WLED	Architectural LED Post-top luminaire 16LED 21W	VeeLite
LIG71788	5CIR10LGA	Circo 28WLED	Architectural LED Post-top luminaire 16LED 28W	VeeLite
LIG71789	5CIR11LGA	Circo 36WLED	Architectural LED Post-top luminaire 16LED 36W	VeeLite
LIG71790	5CIR12LGC	Circo 27WLED	Architectural LED Post-top luminaire 24LED 27W	VeeLite
LIG71791	5CIR12LGB	Circo 37WLED	Architectural LED Post-top luminaire 24LED 37W	VeeLite
LIG71792	5CIR12LGA	Circo 52WLED	Architectural LED Post-top luminaire 24LED 52W	VeeLite
LIG71793	5CIR13LGC	Circo 34WLED	Architectural LED Post-top luminaire 32LED 34W	VeeLite
LIG71794	5CIR13LGB	Circo 49WLED	Architectural LED Post-top luminaire 32LED 49W	VeeLite

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71795	5CIR13LGA	Circo 69WLED	Architectural LED Post-top luminaire 32LED 69W	VeeLite
LIG71796	MPG-1N/ST/020/VAC/4.5/A	MPG-1N/ST/020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71797	MPG-1N/ST/030/VAC/4.5/A	MPG-1N/ST/030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71798	MPG-1N/ST/040/VAC/4.5/A	MPG-1N/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71799	MPG-1N/ST/050/VAC/4.5/A	MPG-1N/ST/050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71800	MPG-1N/ST/060/VAC/4.5/A	MPG-1N/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71801	MPG-1N/ST/070/VAC/4.5/A	MPG-1N/ST/070/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71802	MPG-1A/ST/020/VAC/1.8/A	MPG-1A/ST/020/VAC/1.8/A	LED Street Light	Litho Circuits
LIG71803	MPG-1A/ST/030/VAC/1.8/A	MPG-1A/ST/030/VAC/1.8/A	LED Street Light	Litho Circuits
LIG71804	MPG-1A/ST/040/VAC/1.8/A	MPG-1A/ST/040/VAC/1.8/A	LED Street Light	Litho Circuits
LIG71805	MPG-1A/ST/050/VAC/1.8/A	MPG-1A/ST/050/VAC/1.8/A	LED Street Light	Litho Circuits
LIG71806	MPG-1A/ST/060/VAC/1.8/A	MPG-1A/ST/060/VAC/1.8/A	LED Street Light	Litho Circuits
LIG71807	MPG-1A/ST/070/VAC/1.8/A	MPG-1A/ST/070/VAC/1.8/A	LED Street Light	Litho Circuits
LIG71808	MPG-1E/ST/010/VAC/4.5/A	MPG-1E/ST/010/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71809	MPG-1E/ST/015/VAC/4.5/A	MPG-1E/ST/015/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71810	MPG-1E/ST/020/VAC/4.5/A	MPG-1E/ST/020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71811	MPG-1E/ST/040/VAC/4.5/A	MPG-1E/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71812	MPG-1E/ST/050/VAC/4.5/A	MPG-1E/ST/050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71813	MPG-1E/ST/060/VAC/4.5/A	MPG-1E/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71814	MPG-2N/ST/080/VAC/4.5/A	MPG-2N/ST/080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71815	MPG-2N/ST/100/VAC/4.5/A	MPG-2N/ST/100/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71816	MPG-2N/ST/120/VAC/4.5/A	MPG-2N/ST/120/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71818	MPG-2/ST/040/VAC/4.5/A	MPG-2/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71819	MPG-2/ST/060/VAC/4.5/A	MPG-2/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71820	MPG-2/ST/080/VAC/4.5/A	MPG-2/ST/080/VAC/4.5/A	LED Street Light	Litho Circuits

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71821	MPG-2/ST/ 100/VAC/4.5/A	MPG-2/ST/ 100/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71822	MPG-2/ST/ 120/VAC/4.5/A	MPG-2/ST/ 120/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71823	MPG-4/ST/ 120/VAC/4.5/A	MPG-4/ST/ 120/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71824	MPG-4/ST/ 140/VAC/4.5/A	MPG-4/ST/ 140/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71825	MPG-4/ST/ 160/VAC/4.5/A	MPG-4/ST/ 160/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71826	MPG-4/ST/ 180/VAC/4.5/A	MPG-4/ST/ 180/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71827	MPG-4/ST/ 200/VAC/4.5/A	MPG-4/ST/ 200/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71828	MPG-4/ST/ 220/VAC/4.5/A	MPG-4/ST/ 220/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71829	MPG-6/ST/ 220/VAC/4.5/A	MPG-6/ST/ 220/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71830	MPG-6/ST/ 240/VAC/4.5/A	MPG-6/ST/ 240/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71831	MPG-6/ST/ 270/VAC/4.5/A	MPG-6/ST/ 270/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71832	MPG-6/ST/ 300/VAC/4.5/A	MPG-6/ST/ 300/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71833	MPG-6/ST/ 350/VAC/4.5/A	MPG-6/ST/ 350/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71834	MONTEVIDEO/ ST/020/VAC/ 4.5/A	MONTEVIDEO/ ST/020/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71835	MONTEVIDEO/ ST/030/VAC/ 4.5/A	MONTEVIDEO/ ST/030/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71836	MONTEVIDEO/ ST/040/VAC/ 4.5/A	MONTEVIDEO/ ST/040/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71837	MONTEVIDEO/ ST/050/VAC/ 4.5/A	MONTEVIDEO/ ST/050/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71838	MONTEVIDEO/ ST/060/VAC/ 4.5/A	MONTEVIDEO/ ST/060/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71839	SOFIA/ST/ 020/VAC/4.5/A	SOFIA/ST/ 020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71840	SOFIA/ST/ 030/VAC/4.5/A	SOFIA/ST/ 030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71841	SOFIA/ST/ 040/VAC/4.5/A	SOFIA/ST/ 040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71842	SOFIA/ST/ 060/VAC/4.5/A	SOFIA/ST/ 060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71843	SOFIA/ST/ 080/VAC/4.5/A	SOFIA/ST/ 080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71844	SOFIA/ST/ 100/VAC/4.5/A	SOFIA/ST/ 100/VAC/4.5/A	LED Street Light	Litho Circuits

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71845	PROTEA/ST/020/VAC/4.5/A	PROTEA/ST/020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71846	PROTEA/ST/030/VAC/4.5/A	PROTEA/ST/030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71847	PROTEA/ST/040/VAC/4.5/A	PROTEA/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71848	PROTEA/ST/060/VAC/4.5/A	PROTEA/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71849	ITALY/ST/020/VAC/4.5/A	ITALY/ST/020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71850	ITALY/ST/030/VAC/4.5/A	ITALY/ST/030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71851	ITALY/ST/040/VAC/4.5/A	ITALY/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71852	ITALY/ST/050/VAC/4.5/A	ITALY/ST/050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71853	ITALY/ST/060/VAC/4.5/A	ITALY/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71854	ITALY/ST/080/VAC/4.5/A	ITALY/ST/080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71855	OCELLUM1/ST/020/VAC/4.5/A	OCELLUM1/ST/020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71856	OCELLUM1/ST/030/VAC/4.5/A	OCELLUM1/ST/030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71857	OCELLUM1/ST/040/VAC/4.5/A	OCELLUM1/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71858	OCELLUM1/ST/050/VAC/4.5/A	OCELLUM1/ST/050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71859	OCELLUM1/ST/060/VAC/4.5/A	OCELLUM1/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71860	OCELLUM1/ST/080/VAC/4.5/A	OCELLUM1/ST/080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71861	OCELLUM2/ST/020/VAC/4.5/A	OCELLUM2/ST/020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71862	OCELLUM2/ST/030/VAC/4.5/A	OCELLUM2/ST/030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71863	OCELLUM2/ST/040/VAC/4.5/A	OCELLUM2/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71864	OCELLUM2/ST/050/VAC/4.5/A	OCELLUM2/ST/050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71865	OCELLUM2/ST/060/VAC/4.5/A	OCELLUM2/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71866	OCELLUM2/ST/080/VAC/4.5/A	OCELLUM2/ST/080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71867	OCELLUM3/ST/030/VAC/4.5/A	OCELLUM3/ST/030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71868	OCELLUM3/ST/040/VAC/4.5/A	OCELLUM3/ST/040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71869	OCELLUM3/ST/050/VAC/4.5/A	OCELLUM3/ST/050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71870	OCELLUM3/ST/060/VAC/4.5/A	OCELLUM3/ST/060/VAC/4.5/A	LED Street Light	Litho Circuits

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71871	OCELLUM3/ST/ 080/VAC/4.5/A	OCELLUM3/ST/ 080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71872	OCELLUM3/ST/ 100/VAC/4.5/A	OCELLUM3/ST/ 100/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71873	OCELLUM3/ST/ 120/VAC/4.5/A	OCELLUM3/ST/ 120/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71874	OCELLUM1 RGB/ST/020/ VAC/4.5/A	OCELLUM1 RGB/ST/020/ VAC/4.5/A	LED Street Light	Litho Circuits
LIG71875	OCELLUM1 RGB/ST/030/ VAC/4.5/A	OCELLUM1 RGB/ST/030/ VAC/4.5/A	LED Street Light	Litho Circuits
LIG71876	OCELLUM1 RGB/ST/040/ VAC/4.5/A	OCELLUM1 RGB/ST/040/ VAC/4.5/A	LED Street Light	Litho Circuits
LIG71877	OCELLUM1 RGB/ST/050/ VAC/4.5/A	OCELLUM1 RGB/ST/050/ VAC/4.5/A	LED Street Light	Litho Circuits
LIG71878	OCELLUM1 RGB/ST/060/ VAC/4.5/A	OCELLUM1 RGB/ST/060/ VAC/4.5/A	LED Street Light	Litho Circuits
LIG71879	OCELLUM1 RGB/ST/080/ VAC/4.5/A	OCELLUM1 RGB/ST/080/ VAC/4.5/A	LED Street Light	Litho Circuits
LIG71880	LISBOA-L/ST/ 010/VAC/4.5/A	LISBOA-L/ST/ 010/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71881	LISBOA-L/ST/ 015/VAC/4.5/A	LISBOA-L/ST/ 015/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71882	LISBOA-L/ST/ 020/VAC/4.5/A	LISBOA-L/ST/ 020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71883	LISBOA-L/ST/ 030/VAC/4.5/A	LISBOA-L/ST/ 030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71884	VILLA-L/ST/ 020/VAC/4.5/A	VILLA-L/ST/ 020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71885	VILLA-L/ST/ 030/VAC/4.5/A	VILLA-L/ST/ 030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71886	VILLA-L/ST/ 040/VAC/4.5/A	VILLA-L/ST/ 040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71887	VILLA-L/ST/ 050/VAC/4.5/A	VILLA-L/ST/ 050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71888	VILLA-L/ST/ 060/VAC/4.5/A	VILLA-L/ST/ 060/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71889	VILLA-L/ST/ 080/VAC/4.5/A	VILLA-L/ST/ 080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71890	VILLA-LR/ST/ 020/VAC/4.5/A	VILLA-LR/ST/ 020/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71891	VILLA-LR/ST/ 030/VAC/4.5/A	VILLA-LR/ST/ 030/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71892	VILLA-LR/ST/ 040/VAC/4.5/A	VILLA-LR/ST/ 040/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71893	VILLA-LR/ST/ 050/VAC/4.5/A	VILLA-LR/ST/ 050/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71894	VILLA-LR/ST/ 060/VAC/4.5/A	VILLA-LR/ST/ 060/VAC/4.5/A	LED Street Light	Litho Circuits

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71895	VILLA-LR/ST/ 080/VAC/4.5/A	VILLA-LR/ST/ 080/VAC/4.5/A	LED Street Light	Litho Circuits
LIG71896	PALLACIO-L/ ST/020/VAC/ 4.5/A	PALLACIO-L/ ST/020/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71897	PALLACIO-L/ ST/030/VAC/ 4.5/A	PALLACIO-L/ ST/030/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71898	PALLACIO-L/ ST/040/VAC/ 4.5/A	PALLACIO-L/ ST/040/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71899	PALLACIO-L/ ST/050/VAC/ 4.5/A	PALLACIO-L/ ST/050/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71900	PALLACIO-L/ ST/060/VAC/ 4.5/A	PALLACIO-L/ ST/060/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71901	PALLACIO-L/ ST/080/VAC/ 4.5/A	PALLACIO-L/ ST/080/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71902	VIENNA-L/ ST/020/VAC/ 4.5/A	VIENNA-L/ ST/020/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71903	VIENNA-L/ ST/030/VAC/ 4.5/A	VIENNA-L/ ST/030/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71904	VIENNA-L/ ST/040/VAC/ 4.5/A	VIENNA-L/ ST/040/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71905	VIENNA-L/ ST/050/VAC/ 4.5/A	VIENNA-L/ ST/050/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71906	VIENNA-L/ ST/060/VAC/ 4.5/A	VIENNA-L/ ST/060/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71907	VIENNA-L/ ST/080/VAC/ 4.5/A	VIENNA-L/ ST/080/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71908	OCELLUM-C/ ST/020/VAC/ 4.5/A	OCELLUM-C/ ST/020/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71909	OCELLUM-C/ ST/030/VAC/ 4.5/A	OCELLUM-C/ ST/030/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71910	OCELLUM-C/ ST/040/VAC/ 4.5/A	OCELLUM-C/ ST/040/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71911	OCELLUM-C/ ST/050/VAC/ 4.5/A	OCELLUM-C/ ST/050/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71912	OCELLUM-C/ ST/060/VAC/ 4.5/A	OCELLUM-C/ ST/060/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71913	OCELLUM-C/ ST/080/VAC/ 4.5/A	OCELLUM-C/ ST/080/VAC/ 4.5/A	LED Street Light	Litho Circuits

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG71914	OCCELUM-P/1/ ST/015/VAC/ 4.5/A	OCCELUM-P/1/ ST/015/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71915	OCCELUM-P/1/ ST/020/VAC/ 4.5/A	OCCELUM-P/1/ ST/020/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71916	OCCELUM-P/1/ ST/030/VAC/ 4.5/A	OCCELUM-P/1/ ST/030/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71917	OCCELUM-P/1/ ST/040/VAC/ 4.5/A	OCCELUM-P/1/ ST/040/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71918	OCCELUM-P/1/ ST/050/VAC/ 4.5/A	OCCELUM-P/1/ ST/050/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71919	OCCELUM-P/1/ ST/060/VAC/ 4.5/A	OCCELUM-P/1/ ST/060/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71920	OCCELUM-P/1/ ST/080/VAC/ 4.5/A	OCCELUM-P/1/ ST/080/VAC/ 4.5/A	LED Street Light	Litho Circuits
LIG71235	MPG-1E/ST/ 030/VAC/4.5/A	MPG-1E	LED Street Light	Litho Circuits
LIG71936	AGAT POS LED 4400 Micro -PRM E 840 600x600	Troll Luxiona AGAT POS LED	Troll Recessed LED Direct -Indirect modular with Microprism diffuser	Troll
LIG68658	VER-GU10	VERDE LED GU10	VERDE LED 5W GU10 Bulb.	Verde LED ltd
LIG68659	VER-2D90-6- XXX	VERDE LED 6W Downlight	VERDE LED Pergrine 6W Downlight	Verde LED ltd
LIG72005	AXG2S1-002170	Axia 2	Axia 2.1 24 LED 630mA 5166	Urbis Schreder Limited
LIG72006	Axia 2.2 48 LED @730mA 5166, NW	Axia 2.2 48 LED @730mA 5166, NW	Axia 2.2 48 LED @730mA, NW, 5166 Lens	Urbis Schreder Limited
LIG72007	Axia 2.1 16 LED @600mA 5165 Lens NW	Axia 2.1 16 LED @600mA 5165 Lens NW	Axia 2.1 16 LED @600mA 5165 Lens NW	Urbis Schreder Limited
LIG72008	Ampera Midi 64 LED @700mA 5118 Lens NW	Ampera Midi 64 LED @700mA 5118 Lens NW	Ampera Midi 64 LED @700mA 5118 Lens NW	Urbis Schreder Limited
LIG72009	Ampera Mid1 64 LED @700mA 5121 lens, NW	Ampera Mid1 64 LED @700mA 5121 lens, NW	Ampera Mid1 64 LED @700mA 5121 lens, NW	Urbis Schreder Limited
LIG72028	VERDE LED 100W Enterprise Highbay	VER-UF100- 850D	VERDE LED 100W Enterprise Highbay, 5000k, 1-10V Dimmable, 100 degree beam angle, >80 CRI, IP55, PF>0.9.	Verde LED ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72029	VERDE LED 150W Enterprise Highbay	VER-UF150-850D	VERDE LED 150W Enterprise Highbay, 5000k, 1-10V Dimmable, 100 degree beam angle, >80 CRI, IP55, PF>0.9.	Verde LED ltd
LIG72030	VERDE LED 200W Enterprise Highbay	VER-UF200-850D	VERDE LED 200W Enterprise Highbay, 5000k, 1-10V Dimmable, 100 degree beam angle, >80 CRI, IP55, PF>0.9.	Verde LED ltd
LIG72031	VERDE LED 40W Knox Utility Light	VER-TRI2-F1200-40-840	VERDE LED 40W 1200mm Knox Utility Light, 4000k, IP66, IK10, PF 0.93, 120 degree beam angle, CRI >80.	Verde LED ltd
LIG72032	VERDE LED 50W Knox Utility Light	VER-TRI2-F1500-50-840	VERDE LED 50W 1500mm Knox Utility Light, 4000k, IP66, IK10, PF 0.93, 120 degree beam angle, CRI >80.	Verde LED ltd
LIG72033	VERDE LED 65W Knox Utility Light	VER-TRI2-F1500-65-840	VERDE LED 65W 1500mm Knox Utility Light, 4000k, IP66, IK10, PF 0.93, 120 degree beam angle, CRI >80.	Verde LED ltd
LIG72034	TAL166284KZ	Taliska a	Recessed high efficiency modular LED luminaire for installation into Exposed T ceilings	Eaton Electrical (Ireland)
LIG72035	TAL166324KZ	Taliska b	Recessed high efficiency modular LED luminaire for installation into Exposed T ceilings	Eaton Electrical (Ireland)
LIG72036	TAL166384KZ	Taliska c	Recessed high efficiency modular LED luminaire for installation into Exposed T ceilings	Eaton Electrical (Ireland)
LIG72037	TALP66244KZ	TaliskaP a	Recessed high efficiency modular LED luminaire with microprism diffuser for glare control and suitable for layin or draw up ceilings	Eaton Electrical (Ireland)
LIG72038	TALP66344KZ	TaliskaP b	Recessed high efficiency modular LED luminaire with microprism diffuser for glare control and suitable for layin or draw up ceilings	Eaton Electrical (Ireland)

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72039	TALP66424KZ	TaliskaP c	Recessed high efficiency modular LED luminaire with microprism diffuser for glare control and suitable for layin or draw up ceilings	Eaton Electrical (Ireland)
LIG72050	AXG2S1 4L__ 680mA	AXG2S1 4L__ 680mA	AXG2S1 4L__ 680mA	Urbis Schreder Limited
LIG72051	AXG2S1 16L__ 480mA	AXG2S1 16L__ 480mA	AXG2S1 16L__ 480mA	Urbis Schreder Limited
LIG72052	AXG2S1 16L__ 690mA	AXG2S1 16L__ 690mA	AXG2S1 16L__ 690mA	Urbis Schreder Limited
LIG72053	AXG2S1 8L__ 820mA	AXG2S1 8L__ 820mA	AXG2S1 8L__ 820mA	Urbis Schreder Limited
LIG72054	AXG2S1 16L__ 390mA	AXG2S1 16L__ 390mA	AXG2S1 16L__ 390mA	Urbis Schreder Limited
LIG72055	AXG2S1 16L__ 600mA	AXG2S1 16L__ 600mA	AXG2S1 16L__ 600mA	Urbis Schreder Limited
LIG72056	AXG2S1 16L__ 760mA	AXG2S1 16L__ 760mA	AXG2S1 16L__ 760mA	Urbis Schreder Limited
LIG72057	AXG2S1 24L__ 490mA	AXG2S1 24L__ 490mA	AXG2S1 24L__ 490mA	Urbis Schreder Limited
LIG72058	AXG2S1 24L__ 540mA	AXG2S1 24L__ 540mA	AXG2S1 24L__ 540mA	Urbis Schreder Limited
LIG72059	AXG2S1 24L__ 630mA	AXG2S1 24L__ 630mA	AXG2S1 24L__ 630mA	Urbis Schreder Limited
LIG72060	AXG2S1 24L__ 690mA	AXG2S1 24L__ 690mA	AXG2S1 24L__ 690mA	Urbis Schreder Limited
LIG72061	AXG2S1 24L__ 750mA	AXG2S1 24L__ 750mA	AXG2S1 24L__ 750mA	Urbis Schreder Limited
LIG72062	AXG2S1 24L__ 890mA	AXG2S1 24L__ 890mA	AXG2S1 24L__ 890mA	Urbis Schreder Limited
LIG72063	AXG2S1 8L__ 480mA	AXG2S1 8L__ 480mA	AXG2S1 8L__ 480mA	Urbis Schreder Limited
LIG72064	AXG2S1 8L__ 690mA	AXG2S1 8L__ 690mA	AXG2S1 8L__ 690mA	Urbis Schreder Limited
LIG72084	Albany 48 LED XPL	Albany 48 LED XPL	Albany 48 LED XPL	Urbis Schreder Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72115	Ecoroad 60	Ecoroad	High-power LED street lamp for outdoor applications	Voltica Ireland
LIG72143	GIR087261	GIR LED 1500 16000LM 840	Industrial reflector luminaire 16000 Lumen, colour 840 LED lightsource, MIRO reflector	Glamox Ireland Ltd.,
LIG72144	I60087232	I60-1500 6000LM 840	IP44 surface luminaire, 6000 lumen, colour 840 LED lightsource	Glamox Ireland Ltd.,
LIG72145	SIS222502	SINUS-S525 LED 2500HF 840	Architectural surface luminaire, 2500 lumen colour 840 LED lightsource	Glamox Ireland Ltd.,
LIG72146	DWL006	20W LED Downlight - Diffused	20W Downlight, Circular 150mm, Diffuser, 840	Venture Lighting Europe Ltd
LIG72147	DWL012	30W LED Downlight - Diffused	30W Downlight, Circular 200mm, Reflector, 840	Venture Lighting Europe Ltd
LIG72271	VER-X2P30120-30HO-840	Serenity Gen 2 - 30x120 30W High Output LED Panel	300mm x 1200mm 30W LED Panel	Verde LED ltd
LIG72272	VER-X2P60120-60HO-840	Serenity Gen 2 - 60x120 60W High Output LED Panel	600mm x 1200mm 60W LED Panel	Verde LED ltd
LIG72282	VER-B2DR-8-840	DROID LED Ceiling Light Retrofit Plate 8W	LED Ceiling Light Retrofit Plate 8W, 4000K	Verde LED ltd
LIG72520	VER-2D165-12-XXX	PEREGRINE 12W Downlight	12W Recessed Downlight for 165mm cutout	Verde LED ltd
LIG72521	VER-2D205-20-XXX	PEREGRINE 20W Downlight	20W Recessed Downlight for 205mm cutout	Verde LED ltd
LIG72528	C95225955	C95-P240X1500 20/80 8600HF 840 C2 MP	Pendant indirect/direct luminaire 20/80 distribution, 8600 lumen, 840 LED with Microprism optic	Glamox Ireland Ltd.,
LIG72529	C70226599	C70-P155X1280 40/60 6000 HF 840 MP	Pendant indirect/direct luminaire 40/60 distribution, 6000 lumen, 840 LED with Microprism optic	Glamox Ireland Ltd.,
LIG72530	AMY001	V O P T O - I n t e r i o r B u l k h e a d	VOPTO is an interior LED Bulkhead providing diffuse accent lighting for offices, stairwells and corridors.	Venture Lighting Europe Ltd
LIG72531	VER-LM06-16-w-YZZ	HORIZON 2ft 16W LED Linear Module	2ft 16W LED Linear Trunking Module	Verde LED ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72532	VER-LM15-40-w-YZZ	HORIZON 5ft 40W LED Linear Module	5ft 40W LED Linear Trunking Module	Verde LED ltd
LIG72533	VER-TRI3-F1200-40-840	KNOX Gen 3 1200mm 40W	VERDE LED 1200mm 40W KNOX Utility lighting, IP65, IK08, easy installation	Verde LED ltd
LIG72534	VER-TRI3-F1500-50-840	KNOX Gen 3 1500mm 50W	VERDE LED 1500mm 50W KNOX Utility lighting, IP65, IK08, easy installation	Verde LED ltd
LIG72535	VER-TRI3-F1500-65-840	KNOX Gen 3 1500mm 65W	VERDE LED 1500mm 65W KNOX Utility lighting, IP65, IK08, easy installation	Verde LED ltd
LIG72536	BTN005	BTN005	16W LED Batten, 4Ft, 840	Venture Lighting Europe Ltd
LIG72537	BTN006	BTN006	32W LED Batten, 4Ft, 840	Venture Lighting Europe Ltd
LIG72538	BTN007	BTN007	25W LED Batten, 5Ft, 840	Venture Lighting Europe Ltd
LIG72539	BTN008	BTN008	49W LED Batten, 5Ft, 840	Venture Lighting Europe Ltd
LIG72540	BTN009	BTN009	47W LED Batten, 6Ft, 840	Venture Lighting Europe Ltd
LIG72541	BTN010	BTN010	69W LED Batten, 6Ft, 840	Venture Lighting Europe Ltd
LIG72563	VER-UF2-100-750D	VERDE LED 100W Enterprise Highbay (Gen 2)	Enterprise Gen 2 Round LED Highbay 100W 5000K Dimmable	Verde LED ltd
LIG72564	VER-UF2-150-750D	VERDE LED 150W Enterprise Highbay (Gen 2)	Enterprise Gen 2 Round LED Highbay 150W 5000K Dimmable	Verde LED ltd
LIG72565	VER-UF2-200-750D	VERDE LED 200W Enterprise Highbay (Gen 2)	Enterprise Gen 2 Round LED Highbay 200W 5000K Dimmable	Verde LED ltd
LIG72608	RMP20WCCT 3DL-01	MORPH 20W CCT selectable dimmable LED downlight, White, 3000K, 4000K, 6500K	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850-degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimmers, Mains side pre-wired with 1m of flex and terminal block	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72609	RMP20WCCT 3DL-01E	MORPH 20w CCT selectable dimmable, White, 3000k, 4000k, 6500k,c/w Emergency Pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency	LED Group
LIG72610	RMP20WCCT 3DL-01AD	MORPH 20w CCT selectable dimmable, White, 3000k, 4000k, 6500k,c/w Analogue Dim Driver	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, Analogue Dimmable driver	LED Group
LIG72611	RMP20WCCT 3DL-01ADE	MORPH 20w CCTselectable dimmable, White, 3000k, 4000k, 6500k, Analogue Dim Driver and Emergency Pac	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency, Analogue Dimmable driver	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72612	RMP20WCCT 3DL-01DD	MORPH 20w CCT selectable dimmable White, 3000k, 4000k, 6500k,c/w DALI Dim Driver	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, DALI Dimmable driver	LED Group
LIG72613	RMP20WCCT 3DL-01DDE	MORPH 20w CCT selectable dimmable, White, 3000k, 4000k, 6500k, DALIDim Driver and Emergency Pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency and DALI Dimmable driver	LED Group
LIG72614	RMP30WCCT 3DL-01	MORPH 30W CCT selectable dimmable LED downlight, White, 3000K, 4000K, 6500K,	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72615	RMP30WCCT 3DL-01E	MORPH 30w CCT selectable dimmable, White, 4000k, 5000k, 6500k, 1m flex and plug c/w Emergency Pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency	LED Group
LIG72616	RMP30WCCT 3DL-01AD	MORPH 30w CCT selectable dimmable, White, 3000k, 4000k, 6500k,c/w Analogue Dim Driver	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, Analogue Dimmable driver	LED Group
LIG72617	RMP30WCCT 3DL-01ADE	MORPH30wCCT selectable dimmable White, 3000k, 4000k, 6500k, Analogue Dim Driver and Emergency Pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency and Analogue Dimmable driver	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72618	RMP30WCCT 3DL-01DD	MORPH30wCCT selectable dimmable, White, 3000k, 4000k, 6500k, DALIDim Driver	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, DALI Dimmable driver	LED Group
LIG72619	RMP30WCCT 3DL-01DDE	MORPH30wCCT selectable dimmable, White, 3000k, 4000k, 6500k, DALIDim Driver and Emergency	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency and DALI Dimmable driver	LED Group
LIG72620	RMP50WCCT 3DL-01	MORPH 50W CCT selectable dimmable LED downlight, White, 3000K, 4000K, 6500K	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72621	RMP50WCCT 3DL-01E	MORPH 50w CCT selectable dimmable White, 3000k, 4000k, 6500k,c/w Emergency Pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency	LED Group
LIG72622	RMP50WCCT 3DL-01AD	MORPH 50w CCT selectable dimmable, White, 3000k, 4000k, 6500k,c/w Analogue Dim Driver	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, Analogue Dimmable driver	LED Group
LIG72623	RMP50WCCT 3DL-01ADE	MORPH50w CCTselectable dimmable, White, 3000k4000k, 6500k, AnalogueDim Driver and Emergency Pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency and Analogue Dimmable driver	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72624	RMP50WCCT 3DL-01DD	MORPH 50w CCT selectable dimmable, White, 3000k, 4000k, 6500k,c/w DALI Dim Driver	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimmers, Mains side pre-wired with 1m of flex and terminal block, DALI Dimmable driver	LED Group
LIG72625	RMP50WCCT 3DL-01DDE	MORPH50w CCTselectable dimmable White, 3000k, 4000k, 6500k,DALI Dim Driver and Emergency pack	Die-cast Aluminium body, Aluminium trim with recessed polycarbonate diffuser, Independent 850- degree glow-wire tested, In-line switch for selecting 3,000K, 4,000K or 6,500K colour temperatures, Constant current dimmable driver for Triac leading edge dimmers, Mains side pre-wired with 1m of flex and terminal block, 3- Hour Emergency and DALI Dimmable driver	LED Group
LIG72626	R100LED- 01AD	GOLF 10W LED with Pro- diffuser, IP65, 330mm, White, 4000K "+ Analogue Dim Driver	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Analogue Dimmable driver	LED Group
LIG72627	R100LED- 01DD	GOLF 10W LED with Pro- diffuser, IP65, 330mm, White, 4000K " + DALI Driver	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, DALI Dimmable driver	LED Group
LIG72628	R100LED- 01SEN	GOLF 10W LED with Pro- Diffuser, 4000K, White, + Sensor	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72629	R100LEDE-01AD	GOLF 10W LED with Pro-diffuser, Emergency, IP65, 330mm, White, 4000K" c/w Analogue Dim Driver	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Analogue Dimmable driver	LED Group
LIG72630	R100LEDE-03	Custom GOLF 10W Emergency LED with Opaque Diffuser, 4000K, chrome Trim	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, 3- Hour Emergency, Polished Chrome	LED Group
LIG72631	R100LEDS-01	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 4000K, microwave sensor	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, C/ w Microwave sensor	LED Group
LIG72632	R100LEDES-01	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 4000K, emergency sensor	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, 3- Hour Emergency, C/ w Microwave sensor	LED Group
LIG72633	R100LEDWW-01	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 3000K	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White	LED Group
LIG72634	R100LEDWW-01AD	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 3000K c/w Analogue Dim Driver	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, Analogue Dimmable driver	LED Group
LIG72635	R100LEDWW-01ADE	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 3000K" c/w Analogue Dim Driver and Emergency	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, 3- Hour Emergency, Analogue Dimmable driver	LED Group
LIG72636	R100LEDWW-01DD	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 3000K c/w DALI LED DRIVER	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, DALI Dimmable driver	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72637	R100LEDWW-01DDE	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 3000K" c/w DALI Dimming + Emergency	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, DALI Dimmable driver	LED Group
LIG72638	R100LEDWW-01E	Emergency GOLF 10W LED with Pro-diffuser, 3000K	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, 3- Hour Emergency	LED Group
LIG72639	R100LEDWW-03	GOLF 10W LED with Pro-diffuser, IP65, 330mm, White, 3000K"chrome trim	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, Polished Chrome	LED Group
LIG72640	R100LEDWW-03SEN	GOLF 10W LED with Pro-diffuser, IP65, 330mm, Chrome, 3000K + Sensor	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, Warm White, Polished Chrome, C/ w Microwave sensor	LED Group
LIG72641	R100LEDWWE-03	GOLF 10W LED with Pro-diffuser, IP65, 330mm, Chrome, Emergency, 3000K (Conversions)	High impact polycarbonate construction (IK09 to EN62262), Utilises high quality SMD LED's, Solid state technology, 3- Hour Emergency	LED Group
LIG72642	RAM40306060-01	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K	LED 40W panel, Fits into standard sizes of ceiling grid - 15mm and 24mm, Warm White, 3000K	LED Group
LIG72643	RAM40306060-01E	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K + Emergency	LED 40W panel, Fits into standard sizes of ceiling grid - 15mm and 24mm, Warm White, 3000K	LED Group
LIG72644	RAM40306060-01AD	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K c/w Analogue Dimming Driver	LED 40W panel, Fits into standard sizes of ceiling grid - 15mm and 24mm, Warm White, 3000K, Analogue Dimmable driver	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72645	RAM40306060-01ADE	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K c/w Analogue Dimming Driver + Emergency	LED 40W panel, Fits into standard sizes of ceiling grid - 15mm and 24mm, Warm White, 3000K, 3- Hour Emergency and Analogue Dimmable driver	LED Group
LIG72646	RAM40306060-01DD	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K c/w DALI Dimming Driver	LED 40W panel, Fits into standard sizes of ceiling grid - 15mm and 24mm, Warm White, 3000K, DALI Dimmable driver	LED Group
LIG72647	RAM40306060-01DDE	ATMOS 40W LED panel, IP20, 600x600mm, White, 3000K c/w DALI Dimming Driver + Emergency	LED 40W panel, Fits into standard sizes of ceiling grid - 15mm and 24mm, Warm White, 3000K, 3- Hour Emergency and DALI Dimmable driver	LED Group
LIG72648	RWL03540-01	WILSON 35W LED circular wall washer, IP20, 170mm, White, 4000K	Die cast aluminium construction with frosted glass diffuser, Utilises SMD LED, Swivel & scoop function,	LED Group
LIG72649	RWL03540-01E	WILSON 35W LED Downlight, Adjustable [White] c/w Emergency Pack	Die cast aluminium construction with frosted glass diffuser, Utilises SMD LED, Swivel & scoop function, 3- Hour Emergency	LED Group
LIG72650	RWL03540-01AD	0-10v Analogue dim WILSON 35W LED Downlight, Adjustable [White]	Die cast aluminium construction with frosted glass diffuser, Utilises SMD LED, Swivel & scoop function, Analogue Dimmable driver, Analogue Dimmable driver	LED Group
LIG72651	RWL03540-01ADE	0-10v Analogue dim WILSON 35W LED Downlight, Adjustable +Emergency [White]	Die cast aluminium construction with frosted glass diffuser, Utilises SMD LED, Swivel & scoop function, 3- Hour Emergency and Analogue Dimmable driver	LED Group
LIG72652	RWL03540-01DD	RWL03540-01 c/w DALI DIM DRIVER	Die cast aluminium construction with frosted glass diffuser, Utilises SMD LED, Swivel & scoop function, DALI Dimmable driver	LED Group

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG72653	RWL03540-01DDE	RWL03540-01 c/w DALI DIM DRIVER + Emergency	Die cast aluminium construction with frosted glass diffuser, Utilises SMD LED, Swivel & scoop function, 3- Hour Emergency and DALI Dimmable driver	LED Group
LIG72800	DFL50	Comlite Floods V1	40w LED floodlight	Tegral Lighting
LIG72801	DFL100	Comlite Floods V1 100w	100w LED Floodlight	Tegral Lighting
LIG72802	DFL150	Comlite Floods V1 150w	150w LED Floodlight	Tegral Lighting
LIG72803	DFL200	Comlite Floods V1 200w	200w LED Floodlight	Tegral Lighting
LIG72804	HBO150	Comlite Highbay V2 150w	150w LED UFO highbay	Tegral Lighting
LIG72805	HBO200	Comlite Highbay V2 200w	200w LED UFO highbay	Tegral Lighting
LIG72806	TS30LEDPOP	Pluto Two 30w Opal	5ft single fixture with Opal diffuser	Tegral Lighting
LIG72826	ALU-DL31-6-35W-4K	Alumina 35watt LED Scoop	35watt LED Scoop 6inch 4000k	Up-Shine Lighting
LIG72827	ALU-DL31-6-35W-3K	Alumina 35watt LED Scoop 3000k	35watt LED Scoop Light 3000k	Up-Shine Lighting
LIG73039	51300007	BULK-R ALU 24W NW VWFL (4K)	24W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73040	51300008	BULK-O ALU 24W WW VWFL (3K)	24W LED Bulkhead 3000K	Wiva Group S.p.A.
LIG73041	51300009	BULK-O ALU 24W WW VWFL (4K)	24W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73042	51300010	BULK-R PL 8W NW VWFL	8W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73043	51300011	BULK-O PL 8W NW VWFL	8W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73044	51300012	BULK-R PL 14W NW VWFL	14W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73045	51300013	BULK-O PL 14W NW VWFL	14W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73046	51300014	BULK-R PL SENS 15W NW VWFL	15W LED Bulkhead 4000K c/w PIR Sensor	Wiva Group S.p.A.
LIG73047	51300015	BULK-R PL 20W NW VWFL	20W LED Bulkhead 4000K	Wiva Group S.p.A.
LIG73048	51300016	BULK-R PL SENS 21W NW VWFL	20W LED Bulkhead 4000K c/w PIR Sensor	Wiva Group S.p.A.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73049	51300017	BULK-O PL INCL 20W NW VWFL	20W LED Inclined Angled Bulkhead 4000K	Wiva Group S.p.A.
LIG73050	51300018	BULK WALL PL 5W 4K VWFL	5W LED Wall Bulkhead 4000K	Wiva Group S.p.A.
LIG73051	51300019	BULK WALL PL 12W 4K VWFL	12W LED Wall Bulkhead 4000K	Wiva Group S.p.A.
LIG73052	51200014	MADEIRA 9W WW OMNY 0.3m (3K)	9W LED Surface Linear 300mm 3000K	Wiva Group S.p.A.
LIG73053	51200015	MADEIRA 9W WW OMNY 0.3m (4K)	9W LED Surface Linear 300mm 4000K	Wiva Group S.p.A.
LIG73054	51200016	MADEIRA 18W WW OMNY 0.6m (3K)	18W LED Surface Linear 600mm 3000K	Wiva Group S.p.A.
LIG73055	51200017	MADEIRA 18W WW OMNY 0.6m (4K)	18W LED Surface Linear 600mm 4000K	Wiva Group S.p.A.
LIG73056	51200018	MADEIRA 27W WW OMNY 0.9m (3K)	27W LED Surface Linear 900mm 3000K	Wiva Group S.p.A.
LIG73057	51200019	MADEIRA 27W WW OMNY 0.9m (4K)	27W LED Surface Linear 900mm 4000K	Wiva Group S.p.A.
LIG73058	51200020	MADEIRA 36W WW OMNY 1.2 (3K)	36W LED Surface Linear 1200mm 3000K	Wiva Group S.p.A.
LIG73059	51200021	MADEIRA 36W WW OMNY 1.2 (4K)	36W LED Surface Linear 1200mm 4000K	Wiva Group S.p.A.
LIG73060	51200033	NIAGARA 34W NW OMNY 1.2m (4K)	34W LED IP65 Linear 1200mm 4000K	Wiva Group S.p.A.
LIG73061	51200034	NIAGARA 34W CW OMNY 1.2m (6K)	34W LED IP65 Linear 1200mm 6500K	Wiva Group S.p.A.
LIG73062	51200035	NIAGARA 42W NW OMNY 1.2m (4K)	42W LED IP65 Linear 1200mm 4000K	Wiva Group S.p.A.
LIG73063	51200036	NIAGARA 42W CW OMNY 1.2m (6K)	42W LED IP65 Linear 1500mm 6500K	Wiva Group S.p.A.
LIG73064	51200037	NIAGARA 62W NW OMNY 1.5m (4K)	62W LED IP65 Linear 1500mm 4000K	Wiva Group S.p.A.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73065	51200038	NIAGARA 62W CW OMNY 1.5m (6K)	62W LED IP65 Linear 1500mm 6500K	Wiva Group S.p.A.
LIG73066	51200047	REGLETTE 5W CW 0.3m	5W LED Batten 300mm 6000K	Wiva Group S.p.A.
LIG73067	51200048	NIAGARA EKO 30W NW OMNY 1.2m (4K)	30W LED IP65 Linear 1200mm 6500K	Wiva Group S.p.A.
LIG73068	51200049	NIAGARA EKO 30W CW OMNY 1.2m (6K)	30W LED IP65 Linear 1200mm 4000K	Wiva Group S.p.A.
LIG73069	91100800	LED FLOODLIGHT 10W SMD WW (3K)	10W LED Floodlight SMD 3000K	Wiva Group S.p.A.
LIG73070	91100801	LED FLOODLIGHT 10W SMD WW (4K)	10W LED Floodlight SMD 4000K	Wiva Group S.p.A.
LIG73071	91100802	LED FLOODLIGHT 10W SMD WW (6K)	10W LED Floodlight SMD 6000K	Wiva Group S.p.A.
LIG73072	91100803	LED FLOODLIGHT 20W SMD WW (3K)	20W LED Floodlight SMD 3000K	Wiva Group S.p.A.
LIG73073	91100804	LED FLOODLIGHT 20W SMD NW (4K)	20W LED Floodlight SMD 4000K	Wiva Group S.p.A.
LIG73074	91100805	LED FLOODLIGHT 20W SMD CW (6K)	20W LED Floodlight SMD 6000K	Wiva Group S.p.A.
LIG73075	91100806	LED FLOODLIGHT 30W SMD WW (3K)	30W LED Floodlight SMD 3000K	Wiva Group S.p.A.
LIG73076	91100807	LED FLOODLIGHT 30W SMD NW (4K)	30W LED Floodlight SMD 4000K	Wiva Group S.p.A.
LIG73077	91100808	LED FLOODLIGHT 30W SMD CW (6K)	30W LED Floodlight SMD 6000K	Wiva Group S.p.A.
LIG73078	91100809	LED FLOODLIGHT 50W SMD WW (4K)	50W LED Floodlight SMD 4000K	Wiva Group S.p.A.
LIG73079	91100810	LED FLOODLIGHT 50W SMD CW (6K)	50W LED Floodlight SMD 6000K	Wiva Group S.p.A.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73080	91100811	LED FLOODLIGHT 70W SMD NW (4K)	70W LED Floodlight SMD 4000K	Wiva Group S.p.A.
LIG73081	91100812	LED FLOODLIGHT 70W SMD CW (6K)	70W LED Floodlight SMD 6000K	Wiva Group S.p.A.
LIG73082	41600000	PANEL 0606 38W WW (3K)	38W LED Panel Light 595x595mm 3000K	Wiva Group S.p.A.
LIG73083	41600001	PANEL 0606 38W NW (4K)	38W LED Panel Light 595x595mm 4000K	Wiva Group S.p.A.
LIG73084	41600002	PANEL 0606 65W WW (3K)	65W LED Panel Light 595x595mm 3000K	Wiva Group S.p.A.
LIG73085	41600003	PANEL 0606 65W NW (4K)	65W LED Panel Light 595x595mm 4000K	Wiva Group S.p.A.
LIG73086	41600004	PANEL 0612 65W WW (3K)	65W LED Panel Light 595x1195mm 3000K	Wiva Group S.p.A.
LIG73087	41600005	PANEL 0612 65W NW (4K)	65W LED Panel Light 595x1195mm 4000K	Wiva Group S.p.A.
LIG73088	41600006	PANEL-B 0606 36W WW (3K)	36W LED Panel Light 595x595mm 3000K	Wiva Group S.p.A.
LIG73089	41600016	PANEL EKO 0606 36W WW (3K)	36W LED Panel Light 595x595mm 3000K	Wiva Group S.p.A.
LIG73090	41600017	PANEL EKO 0606 36W NW (4K)	36W LED Panel Light 595x595mm 3000K	Wiva Group S.p.A.
LIG73091	41600018	PANEL 0606 40W WW (3K)	40W LED Panel Light 595x595mm 3000K	Wiva Group S.p.A.
LIG73092	41600019	PANEL 0606 40W NW (4K)	40W LED Panel Light 595x595mm 4000K	Wiva Group S.p.A.
LIG73093	41600020	PANEL 6262 40W WW (3K)	40W LED Panel Light 620x620mm 3000K	Wiva Group S.p.A.
LIG73094	41600021	PANEL 6262 40W NW (4K)	40W LED Panel Light 620x620mm 4000K	Wiva Group S.p.A.
LIG73095	41600022	PANEL 0312 40W WW (3K)	40W LED Panel Light 1195x295mm 3000K	Wiva Group S.p.A.
LIG73096	41600023	PANEL 0312 40W NW (4K)	40W LED Panel Light 1195x295mm 4000K	Wiva Group S.p.A.
LIG73097	41600024	PANEL 0612 72W WW (3K)	72W LED Panel Light 1195x295mm 3000K	Wiva Group S.p.A.
LIG73098	41600025	PANEL 0612 72W NW (4K)	72W LED Panel Light 1195x295mm 4000K	Wiva Group S.p.A.
LIG73099	FLD086	60W Elite Floodlight, 740	60W Elite Floodlight, 740	Venture Lighting Europe Ltd
LIG73100	NCR004	60W Non-Corrosive, 1500mm (5ft) Twin, 840	60W Non-Corrosive, 1500mm (5ft) Twin, 840	Venture Lighting Europe Ltd
LIG73106	CBHS174KZ.	Caius Small.	Surface mounted wall or ceiling IP65 circular LED luminaire with opal diffuser	Eaton Electrical Systems Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73107	CBHL234KZ.	Caius Large.	Surface mounted wall or ceiling IP65 circular LED luminaire with opal diffuser	Eaton Electrical Systems Ltd.
LIG72913	51300006	WLI BULK-R ALU 24W WW VWFL WHT	24W LED Bulkhead (White) 3000K	Wiva Group S.p.A.
LIG72724	ALRDL/1100N W/FC31/DALI	ALRDL/1100 NW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72725	ALRDL/1100W W/FC31/DALI	ALRDL/1100 WW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72726	ALRDL/1500N W/FC31/DALI	ALRDL/1500 NW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72727	ALRDL/1500W W/FC31/DALI	ALRDL/1500 WW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72728	ALRDL/2000N W/FC31/DALI	ALRDL/2000 NW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72729	ALRDL/2000W W/FC31/DALI	ALRDL/2000 WW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72730	ALRDL/3000N W/FC31/DALI	ALRDL/3000 NW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG72731	ALRDL/3000W W/FC31/DALI	ALRDL/3000 WW	RDL AL Anti-ligature recessed round downlight	Designplan Lighting
LIG73147	412-8000	Veevo, Fixed Ambient Luminaire, 38W, Low Output 4400lm, 3000K SMD LED Board(s)	600x600 fixed ambient luminaire, 38W, low output 4400lm, 3000K SMD LED Board(s) with Bisymmetric Reflector	Aurora Lighting Limited
LIG73150	412-8001	Veevo, Fixed Ambient Luminaire, 38W, Low Output 4400lm, 4000K SMD LED Board(s)	600x600 fixed ambient luminaire, 38W, low output 4400lm, 4000K SMD LED Board(s) with Bisymmetric Reflector, 5 years warranty	Aurora Lighting Limited
LIG73152	412-8002	Veevo, Fixed Ambient Luminaire, 60W, High Output 6800lm, 3000K SMD LED Board(s)	600x600 LED fixed ambient luminaire, 60W, high output 6800lm, 3000K SMD LED Board(s), with Bisymmetric reflector, 5 years warranty	Aurora Lighting Limited
LIG73153	412-8003	Veevo, Fixed Ambient Luminaire, 60W, High Output 6800lm, 4000K SMD LED Board(s)	600x600 fixed ambient luminaire, 60W, high output 6800lm, 4000K SMD LED Board(s), with Bisymmetric Reflector, 5 years warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73154	413-8000	Veevo, Emergency Fixed Ambient Luminaire, 38W, Low Output 4400lm, 3000K SMD LED Board(s)	600x600 emergency fixed ambient luminaire, 38W, low output 4400lm, 3000K SMD LED board(s), with bisymmetric reflector, 5 years warranty	Aurora Lighting Limited
LIG73155	413-8001	Veevo, Emergency Fixed Ambient Luminaire, 38W, Low Output 4400lm, 4000K SMD LED Board(s)	600x600 emergency fixed ambient luminaire, 38W, low output 4400lm, 4000K SMD LED board(s), with bisymmetric reflector, 5 years warranty	Aurora Lighting Limited
LIG73156	413-8002	Veevo, Emergency Fixed Ambient Luminaire, 60W, High Output 6800lm, 3000K SMD LED Board(s)	600x600 emergency fixed ambient luminaire, 60W, high output 6800lm, 3000K SMD LED Board(s), with bisymmetric reflector, 5 years warranty	Aurora Lighting Limited
LIG73157	413-8003	Veevo, Emergency Fixed Ambient Luminaire, 60W, High Output 6800lm, 4000K SMD LED Board(s)	600x600 emergency fixed ambient luminaire, 60W, high output 6800lm, 4000K SMD LED board(s), with bisymmetric reflector, 5 years warranty	Aurora Lighting Limited
LIG73169	AU-LP200C	38W 500 x 500mm IP65 Non-Dimmable Panel 4000k	38W 500 x 500mm IP65 Non-Dimmable Panel suitable for 15 and 24mm T bar ceilings. RAL9016, 5 year warranty	Aurora Lighting Limited
LIG73170	AU-LP100CRI95/40	40W CRI95 600 x 600mm IP65 Non-Dimmable Panel 4000k	40W CRI95 600 x 600mm IP65 Non-Dimmable Panel 4000k, UGR16, 5 year warranty	Aurora Lighting Limited
LIG73172	BTN008-EM	49W LED Batten, 5ft, 840	49W LED Batten, 5ft, 840	Venture Lighting Europe Ltd
LIG73173	FLD085-SI	50W Elite Floodlight, 840, Integral Sensor	50W Elite Floodlight, 840, Integral Sensor	Venture Lighting Europe Ltd
LIG73390	NEGTLG13LED/8000	8000 lumen LED low glare SMD 3500k	a range of high efficiency recessed LED low glare downlights	NEG

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73457	6511121XY	Titan 1	Titan. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP66.	Buck
LIG73458	6511151XY	Titan 2	Titan. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP66.	Buck
LIG73459	9021119XY	Clean Room CDP 1	Clean Room CDP. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP65.	Buck
LIG73460	9021127XY	Clean Room CDP 2	Clean Room CDP. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73461	9022119XY	Clean Room DO 1	Clean Room DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP65.	Buck
LIG73462	9022128XY	Clean Room DO 2	Clean Room DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck
LIG73463	9024119XY	Clean Room MP CDP 1	Clean Room MP CDP. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP65.	Buck
LIG73464	9024273XY	Clean Room MP CDP 2	Clean Room MP CDP. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73465	9025119XY	Clean Room MP DO 1	Clean Room MP DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP65.	Buck
LIG73466	9025127XY	Clean Room MP DO 2	Clean Room MP DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck
LIG73467	9027115XY	Clean Room /C CDP 1	Clean Room /C CDP. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP65.	Buck
LIG73468	9027123XY	Clean Room /C CDP 2	Clean Room /C CDP. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73469	9028115XY	Clean Room /C DO 1	Clean Room /C DO. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP65.	Buck
LIG73470	9028123XY	Clean Room /C DO 2	Clean Room /C DO. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck
LIG73471	9042119XY	Etna DO 1	Etna DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP55.	Buck
LIG73472	9042121XY	Etna DO 2	Etna DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP55.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73473	9048115XY	Etna /C DO 1	Etna /C DO. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP55.	Buck
LIG73474	9048117XY	Etna /C DO 2	Etna /C DO. LED. Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP55.	Buck
LIG73475	9045119XY	Etna MP DO 1	Etna MP DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP55.	Buck
LIG73476	9045121XY	Etna MP DO 2	Etna MP DO. LED. Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP55.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73477	8021111XY	Angora Linea 1	Angora Linear LED. Exterior Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Low-Power. IP68.	Buck
LIG73478	8021121XY	Angora Linea 2	Angora Linear LED. Exterior Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Low-Power. IP68.	Buck
LIG73479	8021131XY	Angora Linea 3	Angora Linear LED. Exterior Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP68.	Buck
LIG73480	8021141XY	Angora Linea 4	Angora Linea LED. Exterior Recessed mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP68.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73481	8031111XY	Angora W Linear LED 1	Angora W Linear LED. Exterior Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Low-Power. IP66.	Buck
LIG73482	8031121XY	Angora W Linear LED 2	Angora W Linear LED. Exterior Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Low-Power. IP66.	Buck
LIG73483	8031131XY	Angora W Linear LED 3	Angora W Linear LED. Exterior Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP66.	Buck
LIG73484	8031141XY	Angora W Linear LED 4	Angora W Linear LED. Exterior Surface mounted luminaire. Direct only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP66.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73485	2830321XY	Neo Linea Office 1	Neo Linea Office. LED. Suspension mounted luminaire. Direct/Indirect light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP42.	Buck
LIG73486	2830421XY	Neo Linea Office 2	Neo Linea Office LED. Suspension mounted luminaire. Direct/Indirect light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP42.	Buck
LIG73487	2840321XY	Neo Linea Office 3D 1	Neo Linea Office 3D. LED. Suspension mounted luminaire. Direct/Indirect light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP42.	Buck
LIG73488	2840421XY	Neo Linea Office 3D 2	Neo Linea Office 3D LED. Suspension mounted luminaire. Direct/Indirect light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP42.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73489	6311111XY	Neo LineaIND H /C 1	Neo LineaIND H /C. LED. Suspension mounted luminaire. Direct Only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP40.	Buck
LIG73490	6311113XY	Neo LineaIND H /C 2	Neo LineaIND H /C LED. Suspension mounted luminaire. Direct Only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP40.	Buck
LIG73491	6211111XY	Neo LineaIND H /S 1	Neo LineaIND H /S. LED. Suspension mounted luminaire. Direct Only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED Medium-Power. IP40.	Buck
LIG73492	6211113XY	Neo LineaIND H /S 2	Neo LineaIND H /S LED. Suspension mounted luminaire. Direct Only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP40.	Buck

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73494	2579411XY	Tube UP MG 2	Tube UP MG LED. Suspension mounted luminaire. Direct Only light distribution. Opal diffuser for enhanced light transmission and perfect uniform illumination. Surface finish: White Painted. Switchable (3-pole). Colour Rendering Index (CRI): >80. Colour temperature: 4000K (Cool White). LED High-Power. IP65.	Buck
LIG73541	360-8500	Heterolux 60 LED, fixed luminaire, 30.5W, 3000lm, 3000K in white	Fixed asymmetrical luminaire for use in T Bar ceiling in white with 3000lm, 3000K LED, 5 years warranty	Aurora Lighting Limited
LIG73543	360-8501	Heterolux 60 LED, fixed luminaire, 30.5W, 3000lm, 4000K in white	Fixed asymmetrical luminaire for use in T Bar ceiling in white, 30.5W, with 3000lm, 4000K LED, 5 years warranty	Aurora Lighting Limited
LIG73546	360-8502	Heterolux 60 LED, fixed luminaire, 22W, 2200lm, 3000K in white	Fixed asymmetrical luminaire for use in T Bar ceiling in white, 22W, with 2200lm, 3000K LED, 5 years warranty	Aurora Lighting Limited
LIG73548	360-8503	Heterolux 60 LED, fixed luminaire, 22W, 2200lm, 4000K in white	Fixed asymmetrical luminaire for use in T Bar ceiling in white, 22W, with 2200lm, 4000K LED, 5 years warranty	Aurora Lighting Limited
LIG73550	360-8508	Heterolux 60 LED, fixed luminaire, 30.5W, 3000lm, 3000K in black	Fixed asymmetrical luminaire for use in T Bar ceiling in black, 30.5W, with 3000lm, 3000K LED, 5 years warranty	Aurora Lighting Limited
LIG73551	360-8509	Heterolux 60 LED, fixed luminaire, 30.5W, 3000lm, 4000K in black	Fixed asymmetrical luminaire for use in T Bar ceiling in black, 30.5W, with 3000lm, 4000K LED, 5 years warranty	Aurora Lighting Limited
LIG73552	360-8510	Heterolux 60 LED, fixed luminaire, 22W, 2200lm, 3000K in black	Fixed asymmetrical luminaire for use in T Bar ceiling in black, 22W, with 2200lm, 3000K LED, 5 years warranty	Aurora Lighting Limited
LIG73553	360-8511	Heterolux 60 LED, fixed luminaire, 22W, 2200lm, 4000K in black	Fixed asymmetrical luminaire for use in T Bar ceiling in black, 22W, with 2200lm, 4000K, 5 years warranty	Aurora Lighting Limited

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73554	MiSo 6060	Miso	Recessed Luminaire 6060	NoviLED High Technology Lighting Ltd
LIG73555	TS 1200-27	Theta 1200	Linear Luminaire 27 watt Surface	NoviLED High Technology Lighting Ltd
LIG73556	TS 1500-35	Theta 1500-35	Linear Luminaire 35 watt Surface	NoviLED High Technology Lighting Ltd
LIG73557	TS 1200-54	Theta 1500-54	Linear Luminaire 54 watt Surface	NoviLED High Technology Lighting Ltd
LIG73558	AC1200 28	Atlantic 1200 28	IP 65 Linear Luminaire 230V	NoviLED High Technology Lighting Ltd
LIG73559	AC1200 56	Atlantic 1200 56	IP 65 Linear Luminaire 230V	NoviLED High Technology Lighting Ltd
LIG73560	AC1500 35	Atlantic 1500 35	IP 65 Linear Luminaire 230V	NoviLED High Technology Lighting Ltd
LIG73561	AC1500 70	Atlantic 1500 70	IP 65 Linear Luminaire 230V	NoviLED High Technology Lighting Ltd
LIG73562	HB 140	Hbay 14	Led Warehouse luminaire	NoviLED High Technology Lighting Ltd
LIG73563	HB 220	Hbay 22	Led Warehouse luminaire	NoviLED High Technology Lighting Ltd
LIG73564	HyMa	HyMa	High Mast Asymmetrical Flood Light	NoviLED High Technology Lighting Ltd
LIG73565	PGLHB60	60w HiRack, Dim/Non Dim, 5000k	60w LED Linear HighBay	PereGreen Energy
LIG73566	PGLHB90	90w HiRack, Dim/Non Dim, 5000k	90w LED Linear HighBay	PereGreen Energy
LIG73567	PGLHB120	120w HiRack, Dim/Non Dim, 5000k	120w LED Linear HighBay	PereGreen Energy
LIG73568	PGLHB150	150w HiRack, Dim/Non Dim, 5000k	150w LED Linear HighBay	PereGreen Energy
LIG73569	PGLHB180	180w HiRack, Dim/Non Dim, 5000k	180w LED Linear HighBay	PereGreen Energy

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73570	PGLHB150D	150w HiRack, Dali, 5000k	150w LED Linear HighBay Dali	PereGreen Energy
LIG73571	PGLHB150DS	150w HiRack, Dali, 5000k w/ Sensor	150w LED Linear HighBay Dali w/Sensor	PereGreen Energy
LIG73572	PGLHB150 DSEM	150w HiRack, Dali, 5000k w/Sensor, w/Emergency	150w LED Linear HighBay Dali w/Sensor w/Emergency	PereGreen Energy
LIG73573	PGRHB120	120w HiCool Dim/Non Dim, 5000k	120w LED HighBay	PereGreen Energy
LIG73574	PGRHB150	150w HiCool Dim/Non Dim, 5000k	150w LED HighBay	PereGreen Energy
LIG73575	PGRHB200	200w HiCool Dim/Non Dim, 5000k	200w LED HighBay	PereGreen Energy
LIG73772	AMY001-EM	12W Interior Bulkhead, White, 840. Emergency	12W Interior Bulkhead, White, 840. Emergency	Venture Lighting Europe Ltd
LIG73773	AMY001-SM	12W Interior Bulkhead, White, 840. Microwave Sensor	12W Interior Bulkhead, White, 840. Microwave Sensor	Venture Lighting Europe Ltd
LIG73774	AMY001-SM-EM	12W Interior Bulkhead, White, 840. Microwave, Emergency	12W Interior Bulkhead, White, 840. Microwave, Emergency	Venture Lighting Europe Ltd
LIG73775	EXT003	12W Exterior Bulkhead, White, IP66, 840	12W Exterior Bulkhead, White, IP66, 840	Venture Lighting Europe Ltd
LIG73776	EXT003-SM	12W Exterior Bulkhead, White, IP66, 840, Microwave Sensor	12W Exterior Bulkhead, White, IP66, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG73777	EXT007	15W Exterior Bulkhead, White, IP66, 840	15W Exterior Bulkhead, White, IP66, 840	Venture Lighting Europe Ltd
LIG73778	EXT007-EM	15W Exterior Bulkhead, White, IP66, 840, Integral Emergency	15W Exterior Bulkhead, White, IP66, 840, Integral Emergency	Venture Lighting Europe Ltd
LIG73779	EXT007-SM	15W Exterior Bulkhead, White, IP66, 840, Microwave Sensor	15W Exterior Bulkhead, White, IP66, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG73780	EXT007-SM-EM	15W Exterior Bulkhead, White, IP66, 840, I	15W Exterior Bulkhead, White, IP66, 840, IntEmerg, M'wave Senso	Venture Lighting Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73781	EXT008	15W Exterior Bulkhead, Black, IP66, 840	15W Exterior Bulkhead, Black, IP66, 840	Venture Lighting Europe Ltd
LIG73782	EXT008-EM	15W Exterior Bulkhead, Black, IP66, 840, Integral Emergency	15W Exterior Bulkhead, Black, IP66, 840, Integral Emergency	Venture Lighting Europe Ltd
LIG73783	EXT008-SM	15W Exterior Bulkhead, Black, IP66, 840, Microwave Sensor	15W Exterior Bulkhead, Black, IP66, 840, Microwave Sensor	Venture Lighting Europe Ltd
LIG73784	EXT008-SM-EM	15W Exterior Bulkhead, Black, IP66, 840,	15W Exterior Bulkhead, Black, IP66, 840, IntEmerg, M'wave Senso	Venture Lighting Europe Ltd
LIG75246	DLN 170 3000 lumen	DLN 170	Led Surface Downlighter	Imperial
LIG75252	C2L6060 33	C2L6060	luminaire conversion chassis	NoviLED High Technology Lighting Ltd
LIG75253	C2L1203 33	C2L1203	luminaire conversion chassis	NoviLED High Technology Lighting Ltd
LIG75254	C2L1260 66	C2L1260	luminaire conversion chassis	NoviLED High Technology Lighting Ltd
LIG75393	25.0075.01.930	Twist L Wide Flood, 3000k, 30W	Recessed adjustable downlight. Die-cast aluminium body and aluminium reflector. High CRI: Ra90	Spectra Lighting
LIG75394	25.0025.01.930	Twist M Wide Flood, 3000k, 14W	Recessed adjustable downlight. Die-cast aluminium body and aluminium reflector. High CRI: Ra90	Spectra Lighting
LIG76008	LHB200	Starlite 65 LED V2 200w	Linear Highbay Starlite 65 LED	Tegral Lighting
LIG76009	TSP440	Starlite One LED 160w	Linear Sporthalls fixture LED	Tegral Lighting
LIG76010	BAT430	Mars Four 4ft 30w	4ft LED batten 30w	Tegral Lighting
LIG76011	BAT445	Mars Four 4ft 45w	4ft LED batten 45w	Tegral Lighting
LIG76012	BAT530	Mars Four 5ft 30w	5ft LED batten 30w	Tegral Lighting
LIG76013	BAT545	Mars Four 5ft 45w	5ft LED batten 45w	Tegral Lighting
LIG76014	BAT560	Mars Four 5ft 60w	5ft LED batten 60w	Tegral Lighting
LIG76015	BAT645	Mars Four 6ft 45w	6ft LED batten 45w	Tegral Lighting

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG76016	BAT665	Mars Four 6ft 65w	6ft LED batten 65w	Tegral Lighting
LIG76017	LEDP70	Earth LED panel 1200x600 70w	LED panel 1200x600 70w	Tegral Lighting
LIG76018	LEDP4882	Earth LED panel 1200x300 48w	LED panel 1200x300 48w	Tegral Lighting
LIG76019	LEDP362	Earth LED panel 1200x300 36w	LED panel 1200x300 36w	Tegral Lighting
LIG76020	TDL8WLED	Neptune Three 8w	8w circular panel light	Tegral Lighting
LIG76021	TDL12WLED	Neptune Three 12w	12w circular panel light	Tegral Lighting
LIG76022	TDL18WLED	Neptune Three 18w	18w circular panel light	Tegral Lighting
LIG76023	C14WLED	Orbit One LED 14w	14w circular bulkhead	Tegral Lighting
LIG76024	C20WLED	Orbit One LED 20w	20w circular bulkhead	Tegral Lighting
LIG76025	LB5240/66	Tegral 65 IP66 version	60w LED IP66 fixture	Tegral Lighting
LIG76026	IN120040UD	Jupiter Inline 40w direct/indirect	Suspended direct/indirect 40w profile fixture	Tegral Lighting
LIG76027	AMBHLED	Saturn wallpack 30w	30w LED wall pack	Tegral Lighting
LIG76086	TS235PR	Pluto Two 2x35w	5ft T5 2x35w diffused fixture	Tegral Lighting
LIG76087	TS135PR	Pluto Two 1x35w	1x35w diffused fixture with screwed endcaps	Tegral Lighting
LIG76088	TS149PR	Pluto Two 1x49w	1x49w diffused fixture with screwed endcaps	Tegral Lighting
LIG76089	TS135C2	Jupiter Four 1x35w T5	Surface louvre 1x35w T5	Tegral Lighting
LIG76090	TS235C2	Jupiter 2x35w T5	Surface Louvre 2x35w T5	Tegral Lighting
LIG76144	PLUSMODLED 4K66	40W LED Panel, IP20, 600x600mm, White, 4000K	40W LED Panel, 4000K, SMD LED on 2 sides, Fits standard 600 x 600 grid systems	pluslite
LIG76145	PLUSMODLED 4K123	40W LED Panel, IP20, 300x1200mm, White, 4000K	40W LED Panel, 4000K, SMD LED on 2 sides, Fits standard 1200 x 300 grid systems	pluslite
LIG71924	Circus V2 D200 2300/840 REFL/BF-WH	Circus V2 D200	Recessed LED Downlighter 2300 Lumen	Diatal
LIG71925	Circus V2 D150 1500/840 REFL/BF	Circus V2 D150	Recessed LED Downlighter	Diatal

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG73137	AU-LP104C/40	38W 1200 x 300mm IP65 Non-Dimmable Panel 4000k	Versatile™ 38W 1200 x 300mm IP65 Non-Dimmable Panel, 5 year warranty	Aurora Lighting Limited

”

5. Part 4 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LCO74247	01687A, 01688A	RPU	OFF GRID STREET LIGHT, Automated Dimming Function	Airsynergy
LCO72772	SU-4S-LRW	Ruggedised Sensor with Bluetooth in White	The Ruggedised Sensor incorporates motion and daylight sensing. Bluetooth compatibility.	Enlighted
LCO72773	SU-4S-HRW	High Bay Ruggedised Sensor with Bluetooth in White	The High Bay Ruggedised Sensor incorporates motion and daylight sensing. Bluetooth compatibility.	Enlighted
LCO72774	SU-4S-H	Surface Mount Smart Sensor with Bluetooth	The Smart Sensor measures occupancy and motion, ambient light, temperature, and fixture energy consumption. Bluetooth compatibility.	Enlighted
LCO72775	SU-4E-01	Compact Sensor with Bluetooth	The Compact Sensor senses occupancy, ambient light, and temperature. Bluetooth compatibility.	Enlighted
LCO74827	HCD418	Hytronic Dali sensor	DALI sensor for use outside of DALI system, with DALI power supply circuit included	Hytronik
LCO73142	GEFL	GEFL PIR with Lux & Time adjustment	A low profile flush mounted movement sensor that provides auto on auto off switching.	CP Electronics
LCO73143	EBR MWS6	Ceiling microwave presence absence detector	The EBR MWS6 is a mid-range microwave presence absence detector for the automatic control of lighting heating and ventilation	CP Electronics

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LCO71177	Owlet IoT	Owlet	Owlet Nightshift is a dedicated monitoring and control system for street lighting. Owlet Nightshift allows every luminaire to be monitored and controlled individually.	Urbis Schreder Limited

”

6. Part 5 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BEM72844	EasyIO FC-20	EasyIO FC-20 Controller	The FC-20 is a microprocessor based controller consisting of 20 inputs/outputs (I/O) to accommodate general and specific applications featuring BACnet MSTP and Modbus RTU communication protocols.	EasyIO
BEM72845	EasyIO FS-32	EasyIO FS-32 Controller	The EasyIO-FS-32 is a high performance server class controller with a 1.2 Ghz quad core processor, 512 MB RAM and 8GB flash memory.	EasyIO
BEM72846	EasyIO FW-14	EasyIO FW-14 WiFi controller	The EasyIO-FW-14 is a new breed, high performance, freely programmable, wireless Wi-Fi Sedona controller.	EasyIO
BEM72847	EasyIO 30P	EasyIO 30P Controller	EasyIO-30P-SF Controllers are rugged, high performance multi-protocols Input / Output controllers, featuring Bacnet IP, Bacnet Ethernet, Bacnet MSTP, Modbus Serial (RS485) and Modbus TCP/IP protocols.	EasyIO
BEM72848	SH-Systemview-10	EasyIO System view 10" tablet	This android tablet features a large capacitive touch screen for easy viewing.	EasyIO

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BEM72849	EASYIO-FG-LCD	EasyIO display touch screen 3.5"	FG-LCD-MMI is a smart and cost effective human machine interface, HMI LCD approach to display real time status information and modify point's values on a building control system.	EasyIO
BEM72850	EasyStack EasyIO-XXXX	EasyStack EasyIO-XXXX	EasyStack is a software technology that combines the core functionality of a Building Automation System (BAS) for connecting and controlling devices, to manage and leverage data.	EasyIO

“

7. Part 7 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EST75278	Unity 300F	Dell EMC UNITY ALL FLASH 300F	unified all flash storage system	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75279	Unity 400F	Dell EMC UNITY ALL FLASH 400F	unified all flash storage system	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75280	Unity 500F	Dell EMC UNITY ALL FLASH 500F	unified all flash storage system	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75281	Unity 600F	Dell EMC UNITY ALL FLASH 600F	unified all flash storage system	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75282	VMAX 250F	Dell EMC VMAX ALL FLASH 250F	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75283	VMAX 450F	Dell EMC VMAX ALL FLASH 450F	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75284	VMAX 650F	Dell EMC VMAX ALL FLASH 650F	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EST75285	VMAX 950F	Dell EMC VMAX ALL FLASH 950F	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75286	VMAX 250FX	Dell EMC VMAX ALL FLASH 250FX	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75287	VMAX 450FX	Dell EMC VMAX ALL FLASH 450FX	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75288	VMAX 650FX	Dell EMC VMAX ALL FLASH 650FX	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL
EST75289	VMAX 950FX	Dell EMC VMAX ALL FLASH 950FX	all flash V-Brick enterprise array	EMC INFORMATION SYSTEMS INTERNATIONAL

”

8. Part 9 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HRE73193	ERAC 451A	ERAC 451A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73192	ERAC 351A	ERAC 351A Chiller	Air cooled chillers with brushless oil free compressors and axial fans	Emicon
HRE73194	ERAC 512A	ERAC 512A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73195	ERAC 562A	ERAC 562A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73199	ERAC 640A	ERAC 642A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73200	ERAC 682A	ERAC 682A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HRE73201	ERAC 752A	ERAC 752A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73202	ERAC 812A	ERAC 812A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73203	ERAC 893A	ERAC 893A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73204	ERAC 983A	ERAC 983A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73271	ERAC 1283A	ERAC 1283A Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon
HRE73272	ERAC 1404a	ERAC 1404a Chiller	Air cooled chiller with brushless oil free compressors and axial fans	Emicon

”

9. Part 13 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
CGE72597	g box 20	g box 20	CHP power plant suitable for commercial and residential applications	2G Energietechnik GmbH
CGE72598	g box 50	g box 50	CHP power plant suitable for commercial and residential applications	2G Energietechnik GmbH
CGE72149	INDOP50M	INDOP 50M	Gas Fired 4 Cylinder MAN Engine CHP	INDOP
CGE72150	INDOP68M	INDOP 68M	Gas Fired 4 Cylinder MAN Engine CHP	INDOP
CGE72151	INDOP110M	INDOP 110M	Gas Fired 6 Cylinder MAN Engine CHP	INDOP
CGE72153	INDOP210M	INDOP 210M	Gas Fired 6 Cylinder MAN Engine CHP	INDOP

”

10. Part 14 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
WTU72825	E-82 E4 3MW	E-82 E4 3MW	Gearless wind turbine with variable speed, single blade adjustment, 82m rotor diameter, 69-84m hub height, IEC wind class IA & IIA	ENERCON GmbH
WTU68964	E-82 E4 (3MW)	E-82 E4 (3MW)	Gearless wind turbine with variable speed, single blade adjustment, 82m rotor diameter, 69-84m hub height, IEC wind class IA & IIA	ENERCON GmbH
WTU68963	E-115	E-115	Gearless wind turbine with variable speed, single blade adjustment 115.7m rotor diameter, 135-149m hub height, IEC wind class IIA	ENERCON GmbH
WTU68962	E - 103 EP2	E - 103 EP2	Gearless wind turbine with variable speed, single blade adjustment 103m rotor diameter, 98-138m hub height, IEC wind class IIIA	ENERCON GmbH
WTU68961	E-101__	E-101__	Gearless wind turbine with variable speed, single blade adjustment, 101m rotor diameter, 99m-149m hub height, IEC wind class IIA	ENERCON GmbH
WTU68960	E-92	E-92	Gearless wind turbine with variable speed, single blade adjustment, 92m rotor diameter, 78-138m hub height, IEC wind class IIA	ENERCON GmbH
WTU68959	E-82 E4	E-82 E4	Gearless wind turbine with variable speed, single blade adjustment, 82m rotor diameter, 59-84m hub height, IEC wind class IA & IIA	ENERCON GmbH

”

11. Part 15 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG71126	ECH32-220GCE	EcoCharger ECH32-220GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71127	ECH33-370GCE	EcoCharger ECH33-370GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71128	ECH52-370GCE	EcoCharger ECH52-370GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71129	ECH63-370GCE	EcoCharger ECH63-370GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71130	ECH87-480GCE	EcoCharger ECH87-480GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71131	ECH106-480GCE	EcoCharger ECH106-480GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71132	ECH129-480GCE	EcoCharger ECH129-480GCE	EcoCharger free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71133	EKW46 NG CE	EcoKnight EKW46 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71134	EKW61 NG CE	EcoKnight EKW61 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG71135	EKW86 NG CE	EcoKnight EKW86 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71136	EKW116 NG CE	EcoKnight EKW116 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71137	EKW146 NG CE	EcoKnight EKW146 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71138	EKW176 NG CE	EcoKnight EKW176 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71139	EKW206 NG CE	EcoKnight EKW206 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71140	EKW236 NG CE	EcoKnight EKW236 CE	EcoKnight free standing condensing and modulating gas fired hot water heater - NG	Lochinvar ltd
HWG71141	SHW35-245 NG CE	EcoShield SHW35-245 CE	EcoShield free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71142	SHW46-325 NG CE	EcoShield SHW46-245 CE	EcoShield free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71143	SHW61-325 NG CE	EcoShield SHW61-245 CE	EcoShield free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71144	SHW86-410 NG CE	EcoShield SHW86-410 CE	EcoShield free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71145	SHW116-410 NG CE	EcoShield SHW116-410 CE	EcoShield free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71146	SHW146-410 NG CE	EcoShield SHW146-410 CE	EcoShield free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG71147	LGC160-210GPCE	EcoSword LGC160-210 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71148	LGC160-350GPCE	EcoSword LGC160-350 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71149	LGC200-210GPCE	EcoSword LGC200-210 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71150	LGC200-350GPCE	EcoSword LGC200-350 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71151	LGC245-420GPCE	EcoSword LGC245-420 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71152	LGC245-560GPCE	EcoSword LGC245-560 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71153	LGC285-420GPCE	EcoSword LGC285-420 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71154	LGC285-560GPCE	EcoSword LGC285-560 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71155	LGC380-560GPCE	EcoSword LGC380-560 GPCE	EcoSword free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71156	EF35/150	EcoForce EF35-150	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG71157	EF35/230	EcoForce EF35-230	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71158	EF55/230	EcoForce EF55-230	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71159	EF80	EcoForce EF80	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71160	EF100	EcoForce EF100	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71161	EF120	EcoForce EF120	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71162	EF150	EcoForce EF150	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG71163	EF180	EcoForce EF180	EcoForce free standing condensing and modulating gas fired hot water heater with integral storage - NG	Lochinvar ltd
HWG70745	Remeha Quinta Pro 30 CH	Remeha Quinta Pro 30	Wall mounted condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70746	Remeha Quinta Pro 45 CH	Remeha Quinta Pro 45	Wall mounted condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70747	Remeha Quinta Pro 65 CH	Remeha Quinta Pro 65	Wall mounted condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70748	Remeha Quinta Pro 90 CH	Remeha Quinta Pro 90	Wall mounted condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70749	Remeha Quinta Pro 115 CH	Remeha Quinta Pro 115	Wall mounted condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG70750	Remeha GAS110 Eco 65 CH	Remeha GAS110 Eco 65	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70751	Remeha GAS210 Eco Pro 80 CH	Remeha GAS210 Eco Pro 80	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70752	Remeha GAS210 Eco Pro 120 CH	Remeha GAS210 Eco Pro 120	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70753	Remeha GAS210 Eco Pro 160 CH	Remeha GAS210 Eco Pro 160	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70754	Remeha GAS210 Eco Pro 200 CH	Remeha GAS210 Eco Pro 200	Floor standing condensing & modulating natural gas & LPG fired LTHW boiler	Remeha BV
HWG70755	Remeha GAS310 Eco Pro 285 CH	Remeha GAS310 Eco Pro 285	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70756	Remeha GAS310 Eco Pro 355 CH	Remeha GAS310 Eco Pro 355	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70757	Remeha GAS310 Eco Pro 430 CH	Remeha GAS310 Eco Pro 430	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70758	Remeha GAS310 Eco Pro 500 CH	Remeha GAS310 Eco Pro 500	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70759	Remeha GAS310 Eco Pro 575 CH	Remeha GAS310 Eco Pro 575	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70760	Remeha GAS310 Eco Pro 650 CH	Remeha GAS310 Eco Pro 650	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70761	Remeha GAS610 Eco Pro 570 CH	Remeha GAS610 Eco Pro 570	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70762	Remeha GAS610 Eco Pro 710 CH	Remeha GAS610 Eco Pro 710	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG70763	Remeha GAS610 Eco Pro 860 CH	Remeha GAS610 Eco Pro 860	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70764	Remeha GAS610 Eco Pro 1000 CH	Remeha GAS610 Eco Pro 1000	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70765	Remeha GAS610 Eco Pro 1150 CH	Remeha GAS610 Eco Pro 1150	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG70766	Remeha GAS610 Eco Pro 1300 CH	Remeha GAS610 Eco Pro 1300	Floor standing condensing & modulating natural gas fired LTHW boiler	Remeha BV
HWG68880	MCA PRO 160	De Dietrich MCA PRO 160	De Dietrich MCA PRO 160, high efficiency wall hung gas boiler	De Dietrich
HWG72732	5140440	Sirius FS 400kW	Potterton Commercial - Floor Standing Boilers - Sirius FS 400kW	Potterton Commercial
HWG72733	5140430	Sirisu FS 525kW	Potterton Commercial - Floor Standing Boilers - Sirius FS 525kW	Potterton Commercial

“

12. Part 17 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
SFC73584	GA	GenCell G5	Alkaline Hydrogen Fuel Cell	GenCell Ltd

“

13. Part 18 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY76902	Conergy PP 265P	Conergy Power Plus 265 Poly	Poly-crystalline solar PV panel	Conergy AG
PSY76287	TSM-275PD05	TrinaSolar 275w Poly	275w Poly/Multi crystalline solar pv module by Trinasolar	Trina Solar
PSY71639	BEP270	BEP270	60-cells polycrystalline module Dimensions: 1640 x 992 x 40 mm	BRUK BET SOLAR

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY71640	BEM280	BEM280	60-cells monocrystalline module Dimensions:1640 x 992 x 40 mm	BRUK BET SOLAR
PSY71641	BEM335	BEM335	72-cells monocrystalline module Dimensions: 1960 x 992 x 40 mm	BRUK BET SOLAR

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY73017	BEM300	BEM300	Premium monocrystalline PERC PV panel	Bruk-Bet Solar
PSY73108	JAM60S01-295/PR	JAM60S01-295/PR	mono crystalline PERC 5BB	ja solar
PSY73109	JAM60S01-300/PR	JAM60S01-300/PR	mono crystalline PERC 5BB	ja solar
PSY73110	JAM60S01-305/PR	JAM60S01-305/PR	mono crystalline PERC 5BB	ja solar
PSY73111	JAM72S01-350/PR	JAM72S01-350/PR	mono crystalline PERC 5BB 72 cell	ja solar
PSY73112	JAM72S01-355/PR	JAM72S01-355/PR	mono crystalline PERC 5BB 72 cell	ja solar
PSY73113	JAM72S01-360/PR	JAM72S01-360/PR	mono crystalline PERC 5BB 72 cell	ja solar
PSY73114	JAM60S02-295/PR	JAM60S02-295/PR	mono crystalline PERC black 5BB 60 cell	ja solar
PSY73115	JAM60S02-300/PR	JAM60S02-300/PR	mono crystalline PERC black 5BB 60 cell	ja solar
PSY73116	JAM60S02-305/PR	JAM60S02-305/PR	mono crystalline PERC black 5BB 60 cell	ja solar
PSY73117	JAM60S04-295/PR	JAM60S04-295/PR	mono crystalline PERC TG 5BB 60 cell	ja solar
PSY73118	JAM60S04-300/PR	JAM60S04-300/PR	mono crystalline PERC TG 5BB 60 cell	ja solar
PSY73119	JAM60S05-295/PR	JAM60S05-295/PR	mono crystalline PERC SE 5BB 60 cell	ja solar
PSY73120	JAM60S05-300/PR	JAM60S05-300/PR	mono crystalline PERC SE 5BB 60 cell	ja solar
PSY73121	JAM60S06-295/PR	JAM60S06-295/PR	mono crystalline PERC TG black 5BB 60 cell	ja solar
PSY73122	JAM60S06-300/PR	JAM60S06-300/PR	mono crystalline PERC TG black 5BB 60 cell	ja solar
PSY73123	JAM60S07-295/PR	JAM60S07-295/PR	mono crystalline PERC SE black 5BB 60 cell	ja solar
PSY73124	JAM60S07-300/PR	JAM60S07-300/PR	mono crystalline PERC SE black 5BB 60 cell	ja solar
PSY73125	JAP60S01-270/SC	JAP60S01-270/SC	poly crystalline 5BB 60 cell	ja solar
PSY73126	JAP60S01-275/SC	JAP60S01-275/SC	poly crystalline 5BB 60 cell	ja solar
PSY73127	JAP72S01-320/SC	JAP72S01-320/SC	poly crystalline 5BB 72 cell	ja solar

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY73128	JAP72S01-325/SC	JAP72S01-325/SC	poly crystalline 5BB 72 cell	ja solar
PSY73129	JAP72S01-330/SC	JAP72S01-330/SC	poly crystalline 5BB 72 cell	ja solar
PSY73130	JAP60S04-270/SC	JAP60S04-270/SC	poly crystalline TG 5BB 60 cell	ja solar
PSY73131	JAP60S04-275/SC	JAP60S04-275/SC	poly crystalline TG 5BB 60 cell	ja solar
PSY73132	JAP60S05-265/SC	JAP60S05-265/SC	poly crystalline SE 5BB 60 cell	ja solar
PSY73133	JAP60S05-270/SC	JAP60S05-270/SC	poly crystalline SE 5BB 60 cell	ja solar
PSY73134	JAP60S05-275/SC	JAP60S05-275/SC	poly crystalline SE 5BB 60 cell	ja solar
PSY73135	JAP60S04-265/SC	JAP60S04-265/SC	poly crystalline TG 5BB 60 cell	ja solar
PSY73136	JAP6(K)-60-270/4BB/1500V	JAP6(K)-60-270/4BB/1500V	poly crystalline 4BB 1500V	ja solar
PSY72883	JAP6(K)-60-270/4BB	Poly 4BB	poly crystalline module 60 cell	ja solar
PSY72884	JAP6(K)-60-275/4BB	JAP6(K)-60-275/4BB	poly crystalline module 60 cell	ja solar
PSY72885	JAP6(K)-72-315/4BB	JAP6(K)-72-315/4BB	poly crystalline module 72 cell	ja solar
PSY72886	JAP6(K)-72-320/4BB	JAP6(K)-72-320/4BB	poly crystalline module 72 cell	ja solar
PSY72887	JAP6(K)-72-325/4BB	JAP6(K)-72-325/4BB	poly crystalline module 72 cell	ja solar
PSY72888	JAP6(K)(SE)-60-265/4BB	JAP6(K)(SE)-265/4BB	poly crystalline SE module 60 cell	ja solar
PSY72889	JAP6(K)(SE)-60-270/4BB	JAP6(K)(SE)-270/4BB	poly crystalline SE module 60 cell	ja solar
PSY72890	JAP6(K)(TG)-60-265/4BB	JAP6(K)(TG)-265/4BB	poly crystalline TG module 60 cell	ja solar
PSY72891	JAP6(K)(TG)-60-270/4BB	JAP6(K)(TG)-270/4BB	poly crystalline TG module 60 cell	ja solar
PSY72892	JAM6(K)-295/PR	JAM6(K)-295/PR	mono crystalline 60 cell	ja solar
PSY72893	JAM6(K)-60-295/PR	JAM6(K)-60-295/PR	mono crystalline 60 cell	ja solar
PSY72894	JAM6(K)-60-300/PR	JAM6(K)-60-300/PR	mono crystalline 60 cell	ja solar
PSY72895	JAM6(K)-60-305/PR	JAM6(K)-60-305/PR	mono crystalline 60 cell	ja solar
PSY72896	JAM6(K)-60-280/4BB	JAM6(K)-60-280/4BB	mono crystalline 60 cell	ja solar
PSY72897	JAM6(K)-60-285/4BB	JAM6(K)-60-285/4BB	mono crystalline 60 cell	ja solar
PSY72898	JAM6(K)(BK)-60-290/PR	JAM6(K)(BK)-60-290/PR	mono crystalline black 60 cell	ja solar
PSY72899	JAM6(K)(BK)-60-295/PR	JAM6(K)(BK)-60-295/PR	mono crystalline black 60 cell	ja solar

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY72900	JAM6(K)(BK)-60-300/PR	JAM6(K)(BK)-60-300/PR	mono crystalline black 60 cell	ja solar
PSY72901	JAM6(K)(BK)-60-275/4BB	JAM6(K)(BK)-60-275/4BB	mono crystalline black 60 cell	ja solar
PSY72902	JAM6(K)(BK)-60-280/4BB	JAM6(K)(BK)-60-280/4BB	mono crystalline black 60 cell	ja solar
PSY72903	JAM6(K)(SE)-60-290/PR	JAM6(K)(SE)-60-290/PR	mono crystalline SE 60 cell	ja solar
PSY72904	JAM6(K)(SE)-60-295/PR	JAM6(K)(SE)-60-295/PR	mono crystalline SE 60 cell	ja solar
PSY72905	JAM6(K)(TG)-60-290/PR	JAM6(K)(TG)-60-290/PR	mono crystalline TG 60 cell	ja solar
PSY72906	JAM6(K)(TG)-60-295/PR	JAM6(K)(TG)-60-295/PR	mono crystalline TG 60 cell	ja solar
PSY72907	JAM6(K)(BK)(TG)-60-290/PR	JAM6(K)(BK)(TG)-60-290/PR	mono crystalline black TG 60 cell	ja solar
PSY72908	JAM6(K)(BK)(TG)-60-295/PR	JAM6(K)(BK)(TG)-60-295/PR	mono crystalline black TG 60 cell	ja solar
PSY72909	JAM6(K)(BK)(SE)-60-290/PR	JAM6(K)(BK)(SE)-60-290/PR	mono crystalline black TG 60 cell	ja solar
PSY72912	JAM6(K)(SE)-280/4BB	JAM6(K)(SE)-280/4BB	mono crystalline SE 60 cell	ja solar
PSY72654	TSM-PD05.08	Trina 265 -280w poly	Trina poly crystalline solar module	Trina Solar
PSY72655	solis-0.7k-mini	Solis 700 m	Solis by ginlong 700w inverter	Ginlong
PSY72656	solis-1k-mini	Solis 1 m	Solis by ginlong 1kw inverter	Ginlong
PSY72657	solis-1.5k-mini	Solis 1.5 m	Solis by ginlong 1.5kw inverter	Ginlong
PSY72658	solis-2k-mini	Solis 2 m	Solis by ginlong 2kw inverter	Ginlong
PSY72659	solis-2.5k-mini	Solis 2.5 m	Solis by ginlong 2.5kw inverter	Ginlong
PSY72660	solis-3k-mini	Solis 3 m	Solis by ginlong 3kw inverter	Ginlong
PSY75689	ASM661M(BL)305	Astronergy Violin Premium 305	Astronergy 305 W Monocrystalline Solar Panel	Astronergy
PSY75578	ASM661M(BL)-270	Astronergy Violin 270	Astronergy 270 W Monocrystalline Solar Panel	Astronergy
PSY75579	ASM661M(BL)-275	Astronergy Violin 275	Astronergy 275 W Monocrystalline Solar Panel	Astronergy
PSY75580	ASM661M(BL)-280	Astronergy Violin 280	Astronergy 280 W Monocrystalline Solar Panel	Astronergy
PSY75581	ASM661M(BL)-285	Astronergy Violin 285	Astronergy 285 W Monocrystalline Solar Panel	Astronergy
PSY75582	ASM661M(BL)290	Astronergy Violin Premium 290	Astronergy 290 W Monocrystalline Solar Panel	Astronergy

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY75606	ASM661M(BL) 295	Astronergy Violin Premium 295	Astronergy 295 W Monocrystalline Solar Panel	Astronergy
PSY75608	ASM661M(BL) 300	Astronergy Violin Premium 300	Astronergy 300 W Monocrystalline Solar Panel	Astronergy
PSY71954	Mono Crystalline Silicon Photovoltaic Module	JAM6 (K) (BK) -60-265/4BB	Outstanding performance in low light irradiance environments. Excellent mechanical load resistance. High power output more than 275 W and module efficiency up to 17.12%	Shanghai JA Solar Ltd
PSY71965	AS P30 260	Amerisolar 260W poly	PV Panel	Amerisolar
PSY72177	SW1701	Solarwatt Vision 60P Style 270wp	Polycrystalline Module, Glass-Glass, 60 Cell with Black Frame.	Solarwatt GmbH
PSY72178	SW1702	Solarwatt Vision 60P Style 265wp	Polycrystalline Module, Glass-Glass, 60 Cell with Black Frame.	Solarwatt GmbH
PSY72179	SW1703	Solarwatt Vision 60P 280wp	Polycrystalline Module, Glass-Glass, 60 Cell with Silver Frame	Solarwatt GmbH
PSY72180	SW1704	Solarwatt Vision 60P 275wp	Polycrystalline Module, Glass-Glass, 60 Cell with Silver Frame	Solarwatt GmbH
PSY72181	SW1705	Solarwatt Vision 60P 285wp	Polycrystalline Module, Glass-Glass, 60 Cell with Silver Frame	Solarwatt GmbH
PSY72182	SW1706	Solarwatt Vision 60M Style 280wp	Monocrystalline, Glass-Glass, 60 Cell, All Black	Solarwatt GmbH
PSY72183	SW1707	Solarwatt Vision 60M Style 285wp	Monocrystalline, Glass-Glass, 60 Cell, All Black	Solarwatt GmbH
PSY72184	SW1708	Solarwatt Blue 60P 265wp	Polycrystalline Module, Glass-Foil, 60 Cell with Silver Frame	Solarwatt GmbH
PSY72185	SW1709	Solarwatt Blue 60P 270wp	Polycrystalline Module, Glass-Foil, 60 Cell with Silver Frame	Solarwatt GmbH
PSY72601	AS-6P30	AMERISOLAR	POLY PV MODULE	Amerisolar
PSY72602	AS-6M30	AMERISOLAR BLACK MONO	ALL BLACK MONO	Amerisolar
PSY72603	AS-6M30 280	AMERISOLAR ALL BLACK MONO	280WATT ALL BLACK MONO	Amerisolar
PSY72604	AS-6M30 290	AMERISOALR ALL BLACK MONON 290	ALL BLACK MONO 290WATT	Amerisolar
PSY72607	sol10	solis 10kw	Solis by ginlong 10kw grid tied inverter	Ginlong

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY72017	BMU-270	Multi PV 270	Surface multicrystalline PV 270 watt	Bisol
PSY72018	BMU-275	Multi PV 275	Surface multicrystalline PV 275 watt	Bisol
PSY72019	BMO-280-	Mono PV 280	Surface monocrystalline PV 280 watt	Bisol
PSY72020	BMO-285-	Mono PV 285	Surface monocrystalline PV 285 watt	Bisol
PSY72021	BMO-290-	Mono PV 290	Surface monocrystalline PV 290 watt	Bisol
PSY72022	BMO-295-	Mono PV 295	Surface monocrystalline PV 295 watt	Bisol
PSY72023	BMO-300-	Mono PV 300	Surface monocrystalline PV 300 watt	Bisol
PSY68876	PS260P-20/U	Phono Solar 260W poly	Poly silicone PV module	Phono Solar
PSY68877	PS285M-20/U	Phono Solar 285W mono	Mono PV module with rated output power of 285W	Phono Solar
PSY68878	PS255M-20/U	Phono Solar 255W mono	Mono crystalline PV module with a rated output of 255W	Phono Solar
PSY71937	S1.MC275B-EU	Autarco MC275	Monocrystalline Solar Module 60 cells (156 * 156mm) in a 6 * 10 Weight 19.5 kg. Dimensions 1640 * 992 * 40mm	Autarco
PSY71938	S1.PC270	Auatrcro PC270	Polycrystalline Solar Module 60 cells (156 * 156mm) in a 6 * 10. Weight 19.5 kg. Dimensions 1640 * 992 * 40 mm	Autarco
PSY71939	S1.PC275	Auatrcro PC275	Polycrystalline Solar Module 60 cells (156 * 156mm) in a 6 * 10. Weight 19.5 kg. Dimensions 1640 * 992 * 40 mm	Autarco
PSY72065	AS6M30260	UKSOL 260W All Black Mono PV Panel	UKSOL 260W All Black Mono PV Panel	UKSOL Ltd

14. Part 24 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75031	98438471	TPE3 40-200-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75032	98438472	TPE3 40-240-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75033	98438477	TPE3 50-180-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75034	98438478	TPE3 50-200-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75035	98438482	TPE3 65-150-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75036	98438483	TPE3 65-180-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75037	98437750	TPE3 80-150-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75038	98437760	TPE3 100-120-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75039	98437771	TPE3 100-150-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75040	98438003	TPE3 40-200-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75041	98438004	TPE3 40-240-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75042	98438009	TPE3 50-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75043	98438010	TPE3 50-200-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75044	98438011	TPE3 50-240-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75045	98438015	TPE3 65-150-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75046	98438016	TPE3 65-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75047	98438017	TPE3 65-200-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75048	98437631	TPE3 80-120-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75049	98437632	TPE3 80-150-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75050	98437633	TPE3 80-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75051	98437651	TPE3 100-120-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75052	98437652	TPE3 100-150-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75053	98437653	TPE3 100-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75054	98438655	TPE3 D 40-200-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75055	98438656	TPE3 D 40-240-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75056	98438661	TPE3 D 50-180-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75057	98438662	TPE3 D 50-200-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75058	98438666	TPE3 D 65-150-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75059	98438667	TPE3 D 65-180-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75060	98437812	TPE3 D 80-120-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75061	98437813	TPE3 D 80-150-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75062	98437816	TPE3 D 100-120-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75063	98437817	TPE3 D 100-150-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75064	98438238	TPE3 D 40-200-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75065	98438239	TPE3 D 40-240-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75066	98438244	TPE3 D 50-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75067	98438245	TPE3 D 50-200-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75068	98438246	TPE3 D 50-240-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75069	98438250	TPE3 D 65-150-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75070	98438252	TPE3 D 65-200-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75071	98437703	TPE3 D 80-120-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75072	98437705	TPE3 D 80-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75073	98437708	TPE3 D 100-120-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75074	98437709	TPE3 D 100-150-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75075	98437710	TPE3 D 100-180-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75076	99133585	TPE 32-200/2-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75077	99133586	TPE 32-250/2-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75078	99134456	TPE 40-270/2-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75079	99133562	TPE 32-200/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75080	99133573	TPE 32-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75081	99133574	TPE 32-320/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75082	99114655	TPE 32-380/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75083	99114656	TPE 32-460/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75084	99114657	TPE 32-580/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75085	98743345	TPE 40-140/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75086	99133662	TPE 40-270/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75087	99114658	TPE 40-300/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75088	99114659	TPE 40-360/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75089	99114660	TPE 40-430/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75090	99114661	TPE 40-530/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75091	99114662	TPE 40-630/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75092	98742960	TPE 50-120/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75093	99114663	TPE 50-290/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75094	99114664	TPE 50-360/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75095	99114666	TPE 50-420/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75096	99114665	TPE 50-430/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75097	99114668	TPE 50-540/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75098	98742806	TPE 50-630/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75099	96397037	TPE 50-710/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75100	96397040	TPE 50-830/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75101	96397043	TPE 50-900/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75102	99114669	TPE 65-210/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75103	99114825	TPE 65-240/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75104	99114670	TPE 65-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75105	99114671	TPE 65-340/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75106	99114672	TPE 65-410/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75107	99114673	TPE 65-460/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75108	96397049	TPE 65-550/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75109	96397052	TPE 65-660/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75110	96397055	TPE 65-720/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75111	99114826	TPE 80-150/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75112	99114830	TPE 80-170/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75113	99114674	TPE 80-180/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75114	99114719	TPE 80-210/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75115	99114720	TPE 80-240/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75116	99114831	TPE 80-240/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75117	99114721	TPE 80-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75118	99114832	TPE 80-270/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75119	99114722	TPE 80-330/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75120	96275968	TPE 80-340/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75121	96275644	TPE 80-400/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75122	96397058	TPE 80-520/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75123	96397061	TPE 80-570/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75124	99133674	TPE 100-60/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75125	99114813	TPE 100-70/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75126	99114815	TPE 100-90/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75127	99114816	TPE 100-110/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75128	99133670	TPE 100-120/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75129	99114811	TPE 100-130/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75130	99114836	TPE 100-160/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75131	99114812	TPE 100-170/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75132	99114808	TPE 100-200/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75133	99114837	TPE 100-200/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75134	99114838	TPE 100-240/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75135	96276046	TPE 100-250/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75136	99114824	TPE 100-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75137	96275686	TPE 100-310/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75138	96276052	TPE 100-330/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75139	96275692	TPE 100-360/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75140	96276058	TPE 100-370/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75141	96275698	TPE 100-390/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75142	99114752	TPE 125-60/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75143	99114806	TPE 125-80/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75144	99114807	TPE 125-95/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75145	99114726	TPE 125-110/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75146	99114727	TPE 125-130/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75147	99114728	TPE 125-160/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75148	98743757	TPE 125-190/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75149	98743715	TPE 125-230/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75150	98742614	TPE 125-300/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75151	99114732	TPE 150-70/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75152	99114733	TPE 150-110/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75153	98908279	TPE 150-155/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75154	98908258	TPE 150-170/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75155	96306319	TPE 150-260/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75156	99114833	TPE 200-50/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75157	99114834	TPE 200-70/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75158	99114835	TPE 200-90/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75159	97927581	TPE 200-130/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75160	97927580	TPE 200-150/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75161	97927586	TPE 200-160/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75162	97927585	TPE 200-190/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75163	99133596	TPED 32-200/2-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75164	99133598	TPED 32-250/2-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75165	99134474	TPED 40-270/2-S A-F-A-BQQE Single Phase	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75166	99133591	TPED 32-200/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75167	99133592	TPED 32-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75168	99133593	TPED 32-320/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75169	99132803	TPED 32-380/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75170	99132804	TPED 32-460/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75171	99132805	TPED 32-580/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75172	98743354	TPED 40-140/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75173	99133715	TPED 40-270/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75174	99132806	TPED 40-300/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75175	99132807	TPED 40-360/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75176	99132808	TPED 40-430/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75177	99132809	TPED 40-530/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75178	99132811	TPED 40-630/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75179	98742969	TPED 50-120/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75180	99132812	TPED 50-290/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75181	99132823	TPED 50-360/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75182	99132825	TPED 50-420/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75183	99132824	TPED 50-430/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75184	99132829	TPED 50-540/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75185	98742815	TPED 50-630/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75186	96945769	TPED 50-710/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75187	96945778	TPED 50-830/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75188	96945790	TPED 50-900/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75189	99132830	TPED 65-210/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75190	99132851	TPED 65-240/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75191	99132831	TPED 65-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75192	99132832	TPED 65-340/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75193	99132834	TPED 65-410/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75194	99132835	TPED 65-460/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75195	96945772	TPED 65-550/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75196	96945781	TPED 65-660/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75197	96945793	TPED 65-720/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75198	99132853	TPED 80-150/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75199	99132855	TPED 80-170/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75200	99132837	TPED 80-180/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75201	99132838	TPED 80-210/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75202	99132839	TPED 80-240/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75203	99132856	TPED 80-240/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75204	99132840	TPED 80-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75205	99132857	TPED 80-270/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75206	99132842	TPED 80-330/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75207	96945801	TPED 80-340/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75208	96945763	TPED 80-400/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75209	96945784	TPED 80-520/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75210	96945797	TPED 80-570/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75211	99133718	TPED 100-60/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75212	99132858	TPED 100-70/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75213	99132859	TPED 100-90/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75214	99132860	TPED 100-110/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75215	98958237	TPED 100-120/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75216	99132861	TPED 100-130/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75217	99132844	TPED 100-160/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75218	99132862	TPED 100-170/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75219	99132845	TPED 100-200/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75220	99132863	TPED 100-200/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75221	99132847	TPED 100-240/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75222	96945808	TPED 100-250/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PUM75223	99132849	TPED 100-250/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75224	96945766	TPED 100-310/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75225	96945815	TPED 100-330/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75226	96945775	TPED 100-360/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75227	96945836	TPED 100-370/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75228	96945787	TPED 100-390/2-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75229	99132864	TPED 125-110/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75230	99132865	TPED 125-130/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75231	99132866	TPED 125-160/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75232	98743766	TPED 125-190/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75233	98743724	TPED 125-230/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75234	98742623	TPED 125-300/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos
PUM75235	96946129	TPED 150-160/4-S A-F-A-BQQE	The Grundfos TPE/ED are a range of Pumps with Integrated Frequency Inverters	Grundfos

15. Part 28 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA72270	ME001	Zappi	Universal EV Charger 6A to 32A charging. Ability to charge solely from microgen system generation	My Energi Ltd
EVA72522	ZYX10R	CH-R	CH-R	Toyota
EVA77074	RC 300h	AVC10R	RC 300h	Lexus
EVA77076	NX 300h	AYZ10R	NX 300h	Lexus
EVA77077	IS 300h	AVE30R	IS 300h	Lexus
EVA77078	CT 200h	ZWA10R	CT 200h	Lexus
EVA74255	ECC-07ADV- DP	ECC-7kW Double Ped	Electric Vehicle Advanced Charger	EC CHARGING
EVA74258	ECC-11ADV-SP	ECC-11kW Single Ped	Electric Vehicle Advanced Charger	EC CHARGING
EVA74261	ECC-22ADV- DW	ECC-22kW Double Wall	Electric Vehicle Advanced Charger	EC CHARGING
EVA77075	GS 300h	AWL10R	GS 300h	Lexus
EVA72670	XC60 T8 TWIN ENGINE	Volvo XC60 T8 Twin Engine Petrol Plug-in Hybrid	XC60 Twin Engine Plug in Hybrid has two sources of power, on the rear axle, a 65 Kw electric motor enables driving with zero emissions up to 45 km. A 320hp petrol engine powers the front wheels.	Volvo Car Ireland
EVA72671	V90 T8 TWIN ENGINE	Volvo V90 T8 Twin Engine Petrol Plug-in Hybrid	V90 Twin Engine Plug in Hybrid has two sources of power, on the rear axle, a 65 Kw electric motor enables driving with zero emissions up to 45 km. A 320hp petrol engine powers the front wheels.	Volvo Car Ireland
EVA74252	ECC-07ADV- DW	ECC-7kW Double Wall	ELECTRIC VEHICLE CHARGING MODEL ADVANCED	EC CHARGING
EVA74253	ECC-07ADV- SW	ECC-7kW Single Wall	ELECTRIC VEHICLE CHARGING ADVANCED WALL MODEL	EC CHARGING
EVA74254	ECC-07ADV-SP	ECC-7kW Single Ped	Electric Vehicle Advanced Charger	EC CHARGING
EVA74256	ECC-11ADV- SW	ECC-11kW Single Wall	Electric Vehicle Advanced Charger	EC CHARGING

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
EVA74257	ECC-11ADV-DW	ECC-11kW Double Wall	Electric Vehicle Advanced Charger	EC CHARGING
EVA74259	ECC-11ADV-DP	ECC-11kW Double Ped	Electric Vehicle Advanced Charger	EC CHARGING
EVA74260	ECC-22ADV-SW	ECC-22kW Single Wall	Electric Vehicle Advanced Charger	EC CHARGING
EVA74262	ECC-22ADV-SP	ECC-22kW Single Ped	Electric Vehicle Advanced Charger	EC CHARGING
EVA74263	ECC-22ADV-DP	ECC-22kW Double Ped	Electric Vehicle Advanced Charger	EC CHARGING
EVA72837	S90 T8 TWIN ENGINE	Volvo S90 T8 Twin Engine Petrol Plug-in Hybrid	S90 Twin Engine Plug in Hybrid has two sources of power, on the rear axle, a 65 Kw electric motor enables driving with zero emissions up to 45 km. A 320hp petrol engine powers the front wheels.	Volvo Car Ireland
EVA71935	B3322-1001	EV-Box Business Line EV Charge	Dual 22kW socket electric vehicle smart charger from EV-Box	EV-Box
EVA72127	NHP130R	Yaris Hybrid	Yaris Hybrid	Toyota
EVA72128	AVA42R	RAV4 Hybrid 2WD	RAV4 Hybrid 2WD	Toyota
EVA72129	AVA44R	RAV4 Hybrid AWD	RAV4 Hybrid 4WD	Toyota
EVA72130	ZVW25R	Prius Plug-in Hybrid	Prius Plug-in Hybrid	Toyota

”

16. Part 31 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
RDC69502	COSGAZN 2000375	Gazelle 3750	Chill Refrigerated Display Cabinet	costan
RDC69503	COSGAZN 2000250	Gazelle 2500	Chill Refrigerated Display Cabinet	costan
RDC69504	COSGAZN 2000188	Gazelle 1870	Chill Refrigerated Display Cabinet	costan
RDC69505	COSGAZMT 224/245	Gazelle MT	Chill Refrigerated Display Cabinet	costan
RDC69506	COSSOUNDT 250	Sound Top 2500	Freezer Refrigerated Display Cabinet	costan
RDC69507	COSSOUNDT 210	Sound Top 2100	Freezer Refrigerated Display Cabinet	costan
RDC69508	COSSOUND BASE250	Sound Base 2500	Freezer Refrigerated Display Cabinet	costan

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
RDC69509	COSSOUND BASE210	Sound Base 2095	Freezer Refrigerated Display Cabinet	costan
RDC69510	COSBELG213	Beluga 2130	Freezer Refrigerated Display Cabinet	costan
RDC69511	COSBELG210	Beluga 2100	Freezer Refrigerated Display Cabinet	costan
RDC69512	COSBELG140	Beluga 1400	Freezer Refrigerated Display Cabinet	costan
RDC69513	COSSYMABT 138	Symphony ABT 138	Freezer Refrigerated Display Cabinet	costan
RDC69514	COSSYMABT2	Symphony ABT 200	Freezer Refrigerated Display Cabinet	costan
RDC69515	GRANBERING 2P1565	GranBering 2 Door	Freezer Refrigerated Display Cabinet	costan
RDC69516	GRANBERING 3P2343	GranBering 3 Door	Freezer Refrigerated Display Cabinet	costan
RDC69517	GRANBERING 4P3124	GranBering 4 Door	Freezer Refrigerated Display Cabinet	costan
RDC69518	GRANBERING 5P3905	GranBering 5 Door	Freezer Refrigerated Display Cabinet	costan
RDC69519	COSCAY 2000250	Cayman 2500	Freezer Refrigerated Display Cabinet	costan
RDC69520	COSCAY 2000375	Cayman 3750	Freezer Refrigerated Display Cabinet	costan
RDC69521	COSCAYMT 224/MT245	Cayman MT	Freezer Refrigerated Display Cabinet	costan
RDC69522	COSTORLG250	Tortuga 2500	Freezer Refrigerated Display Cabinet	costan
RDC69523	COSTORLG375	Tortuga 3750	Freezer Refrigerated Display Cabinet	costan
RDC69524	COSTORMT	Tortuga MT	Freezer Refrigerated Display Cabinet	costan
RDC69525	COSROSBC125	Rossini 1.25m	Chill Refrigerated Display Cabinet	costan
RDC69526	COSROSBC188	Rossini 1.88m	Chill Refrigerated Display Cabinet	costan
RDC69527	COSROSBC250	Rossini 2.5m	Chill Refrigerated Display Cabinet	costan
RDC69528	COSROSBC375	Rossini 3.75m	Chill Refrigerated Display Cabinet	costan
RDC69529	COSVALZ1DR	Valzar 1Dr	Freezer Refrigerated Display Cabinet	costan
RDC69530	COSVALZ2DR	Valzar 2Dr	Freezer Refrigerated Display Cabinet	costan
RDC69531	COSVALZ3DR	Valzar 3Dr	Freezer Refrigerated Display Cabinet	costan
RDC69532	COSFEST1500	Festival 150	Freezer Refrigerated Display Cabinet	costan
RDC69533	COSFEST2000	Festival 200	Freezer Refrigerated Display Cabinet	costan
RDC69534	COSCHORBT/ TN1000	Chorus 100	Freezer Refrigerated Display Cabinet	costan

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
RDC69535	COSCHORBT/ TN1500	Chorus 150	Freezer Refrigerated Display Cabinet	costan
RDC69536	COSCHORBT/ TN2000	Chorus 200	Freezer Refrigerated Display Cabinet	costan
RDC73205	Novum Grand Cayman In Line	Novum 1008 SC	Novum Grand Cayman plug in refrigerated display cabinet	Novum (Overseas) Ltd
RDC73273	Novum Aran 806	Novum Aran 806 SC	Novum Aran 806 plug in refrigerated display cabinet	Novum (Overseas) Ltd

”

17. Part 45 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PMM74141	24064073/ AD11S020	A.	Hybrid Permanent Magnet motor operated by a drive - 45kW rated power - Power Supply 400/3/50. Part of a complete machine, not being sold separately	Ingersoll Rand
PMM74142	24064065/ AD11S0	A1.	Hybrid Permanent Magnet motor operated by a drive - 37kW rated power - Power Supply 400/3/50. Part of a complete machine, not being sold separately	Ingersoll Rand
PMM74143	23754245/ AD11S132	CN	Hybrid Permanent Magnet motor operated by a drive - 75kW rated power - Power Supply 400/3/50. Part of a complete machine, not being sold separately	Ingersoll Rand
PMM74144	23754252/ AD11S	C1N	Hybrid Permanent Magnet motor operated by a drive - 55kW rated power - Power Supply 400/3/50. Part of a complete machine, not being sold separately	Ingersoll Rand
PMM74145	401-3-007342/ AD13S 062	D1.	Hybrid Permanent Magnet motor operated by a drive - 110kW rated power - Power Supply 400/3/50. Part of a complete machine, not being sold separately	Ingersoll Rand

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PMM74146	23694896/ AD13S 070	D2NHF	Hybrid Permanent Magnet motor operated by a drive - 160kW rated power - Power Supply 400/3/50. Part of a complete machine, not being sold separately	Ingersoll Rand

“

18. Part 47 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
IOS72013	FGC 1012843	Radio2203	Radio 2203 is a micro radio supporting WCDMA and LTE. It supports up to 4 WCDMA carriers or up to 40MHz LTE as well as a mix of the two.	LM Ericsson Ltd
IOS72014	FGC 1013155	Radio2219	Radio 2219 is a multi-standard macro radio supporting GSM, WCDMA and LTE with up to 8 carriers in total.	LM Ericsson Ltd
IOS72015	FGC 1012844	Radio2212	Radio 2212 is a multi-standard radio supporting GSM, WCDMA and LTE. GSM carrier capacity up to 8 carriers supported, up to 8 WCDMA carriers or up to 75MHz LTE.	LM Ericsson Ltd
IOS72016	FGC 1012846	Radio4415	Radio 4415 is a multi-standard radio supporting GSM, WCDMA and LTE. GSM carrier capacity of up to 8 carriers is supported, up to 8 WCDMA carriers or up to 75MHz LTE.	LM Ericsson Ltd

”

19. Part 48 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
ECE70894	NCS-5508	NCS-5508	NCS 5500 8 Slot Single Chassis	Cisco
ECE70895	NC55-5508-FC	NC55-5508-FC	NCS 5508 Fabric Card	Cisco
ECE70896	NC55-5508-FAN	NC55-5508-FAN	NCS 5508 Fan Tray	Cisco
ECE70897	NCS-5516	NCS-5516	NCS 5500 16 Slot Single Chassis	Cisco
ECE70898	NC55-5516-FC	NC55-5516-FC	NCS 5516 Fabric Card	Cisco
ECE70899	NC55-5516-FAN	NC55-5516-FAN	NCS 5516 Fan Tray	Cisco
ECE70900	NC55-SC	NC55-SC	NCS 5500 System Controller	Cisco
ECE70901	NC55-RP	NC55-RP	NCS 5500 Route Processor	Cisco
ECE70902	NC55-PWR-3KW-AC	NC55-PWR-3KW-AC	NCS 5500 AC 3KW Power Supply	Cisco
ECE70903	NC55-PWR-3KW-DC	NC55-PWR-3KW-DC	NCS 5500 DC 3KW Power Supply	Cisco
ECE70904	NC55-36X100G-BA	NC55-36X100G-BA	NCS 5500 36x100G Base	Cisco
ECE70905	NC55-24H12F-SB	NC55-24H12F-SB	NCS 5500 24X100GE and 12X40G Scale Base Line Card	Cisco
ECE70906	NC55-100G-SE-LIC	NC55-100G-SE-LIC	NCS 5500 40GE to 100GE Scale Port Upgrade License Option (For 24H12F Line Card)	Cisco
ECE70907	NC55-24X100G-SB	NC55-24X100G-SB	NCS 5500 24x100G Scale Base Line Card	Cisco
ECE70908	NC55-18H18F-BA	NC55-18H18F-BA	NCS 5500 18X100G and 18X40G Base Line Card	Cisco
ECE70909	NC55-18H18F	NC55-18H18F	NCS 5500 18X100G and 18X40G Line Card	Cisco
ECE70910	NC55-18H18F-LIC	NC55-18H18F-LIC	NCS 5500 36X40G Base Right to Use License	Cisco
ECE70911	QSFP-100G-LR4-S	QSFP-100G-LR4-S	100GBASE LR4 QSFP Transceiver, LC, 10km over SMF	Cisco
ECE70912	QSFP-4X10G-LR-S	QSFP-4X10G-LR-S	QSFP 4x10G Transceiver Module, SM MPO, 10KM, Enterprise-Class	Cisco
ECE70913	NC55-100G-LIC	NC55-100G-LIC	NCS 5500 40G to 100G Upgrade License	Cisco
ECE70914	XR-NC55-P-06.01	XR-NC55-P-06.01	Cisco NCS 5500 IOS XR 6.1 Image	Cisco

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
ECE70915	C6807-XL	C6807-XL	Cisco Catalyst 6807-XL Chassis	Cisco
ECE70916	C6807-XL-FAN	C6807-XL-FAN	Cisco Catalyst 6807-XL Fan Tray	Cisco
ECE70917	C6800-XL-3KW-AC	C6800-XL-3KW-AC	Cisco Catalyst 6807-XL 3000 W AC Power Supply	Cisco
ECE70918	C6800-SUP6T	C6800-SUP6T	Catalyst 6800 Sup6T (440G/slot) with 8x10GE, 2x40GE	Cisco
ECE70919	C6800-SUP6T-XL	C6800-SUP6T-XL	Cat 6500 Sup 2T with 2x10GbE and 3 x 1GbE with MSFC5 PFC4XL	Cisco
ECE70920	VS-S2T-10G	VS-S2T-10G	Cat 6500 Sup 2T with 2 x 10GbE and 3 x 1GbE with MSFC5 PFC4	Cisco
ECE70921	VS-S2T-10G-XL	VS-S2T-10G-XL	Catalyst 6800 Sup6T (440G/slot) with 8x10GE, 2x40GE (XL)	Cisco
ECE70922	C6800-8P10G	C6800-8P10G	Catalyst 6800 8 port 10GE with integrated DFC4	Cisco
ECE70923	C6800-8P10G-XL	C6800-8P10G-XL	Catalyst 6800 8 port 10GE with integrated DFC4XL	Cisco
ECE70924	C6800-16P10G	C6800-16P10G	Catalyst 6800 16 port 10GE with integrated DFC4	Cisco
ECE70925	C6800-16P10G-XL	C6800-16P10G-XL	Catalyst 6800 16 port 10GE with integrated DFC4XL	Cisco
ECE70926	C6800-32P10G	C6800-32P10G	Catalyst 6800 32 port 10GE with integrated DFC4	Cisco
ECE70927	C6800-32P10G-XL	C6800-32P10G-XL	Catalyst 6800 32 port 10GE with integrated DFC4XL	Cisco
ECE70928	C6800-48P-SFP	C6800-48P-SFP	C6k 48-port 1GE Mod: fabric-enabled with DFC4	Cisco
ECE70929	C6800-48P-SFP-XL	C6800-48P-SFP-XL	C6k 48-port 1GE Mod: fabric-enabled with DFC4XL	Cisco
ECE70930	C6800-48P-TX	C6800-48P-TX	C6k 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45 DFC4	Cisco
ECE70931	C6800-48P-TX-XL	C6800-48P-TX-XL	C6k 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45 DFC4XL	Cisco
ECE70932	C6880-X-FAN	C6880-X-FAN	Cisco Catalyst 6880-X Fan Tray	Cisco
ECE70933	C6880-X-3KW-AC	C6880-X-3KW-AC	Cisco Catalyst 6880-X 3KW AC Power Supply	Cisco

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
ECE70934	C6880-X-3KW-DC	C6880-X-3KW-DC	Cisco Catalyst 6880-X 3KW DC Power Supply	Cisco
ECE70935	C6880-X-LE-16P10G	C6880-X-LE-16P10G	Cisco Catalyst 6880-X Multi Rate Port Card	Cisco
ECE70936	C6880-X-NEBS-PAK	C6880-X-NEBS-PAK	Mandatory Air Dam set for 6880-X to meet thermal requirement	Cisco
ECE70937	WS-C3650-24PS	WS-C3650-24PS	Cisco Catalyst 3650 24 Port PoE 4x1G Uplink	Cisco
ECE70938	WS-C3650-48PS	WS-C3650-48PS	Cisco Catalyst 3650 48 Port PoE 4x1G Uplink	Cisco
ECE70939	WS-C3650-48FS	WS-C3650-48FS	Cisco Catalyst 3650 48 Port Full PoE 4x1G Uplink	Cisco
ECE70940	WS-C3650-24PD	WS-C3650-24PD	Cisco Catalyst 3650 24 Port PoE 2x10G Uplink	Cisco
ECE70941	WS-C3650-24PDM	WS-C3650-24PDM	Cisco Catalyst 3650 24 Port Mini PoE 2x10G Uplink	Cisco
ECE70942	WS-C3650-48PD	WS-C3650-48PD	Cisco Catalyst 3650 48 Port PoE 2x10G Uplink	Cisco
ECE70943	WS-C3650-48FD	WS-C3650-48FD	Cisco Catalyst 3650 48 Port Full PoE 2x10G Uplink	Cisco
ECE70944	WS-C3650-8X24PD	WS-C3650-8X24PD	Cisco Catalyst 3650 24 Port mGig (8 mGig+16 Gig), 2x10G Uplink	Cisco
ECE70945	WS-C3650-12X48FD	WS-C3650-12X48FD	Cisco Catalyst 3650 48 Port mGig (12 mGig+32 Gig), 2x10G Uplink	Cisco
ECE70946	WS-C3650-48PQ	WS-C3650-48PQ	Cisco Catalyst 3650 48 Port PoE 4x10G Uplink	Cisco
ECE70947	WS-C3650-48FQ	WS-C3650-48FQ	Cisco Catalyst 3650 48 Port Full PoE 4x10G Uplink	Cisco
ECE70948	WS-C3650-48FQM	WS-C3650-48FQM	Cisco Catalyst 3650 48 Port Mini, 4x10G Uplink	Cisco
ECE70949	WS-C3650-8X24UQ	WS-C3650-8X24UQ	Cisco Catalyst 3650 24 Port mGig (8 mGig+16 Gig), 4x10G Uplink	Cisco
ECE70950	WS-C3650-12X48UQ	WS-C3650-12X48UQ	Cisco Catalyst 3650 48 Port mGig (12 mGig+32 Gig), 4x10G Uplink	Cisco
ECE70951	WS-C3650-12X48UR	WS-C3650-12X48UR	Cisco Catalyst 3650 48 Port mGig (12 mGig+36 Gig), 8x10G Uplink	Cisco

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
ECE70952	WS-C3650-12X48UZ	WS-C3650-12X48UZ	Cisco Catalyst 3650 48 Port mGig (12 mGig+36 Gig), 2x40G Uplink	Cisco

”

20. Part 49 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO72131	RRK 80-175	Herz RRK 80-175	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72132	RRK 130-250	Herz RRK 130-250	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72133	RRK 200-350	Herz RRK 200-350	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72134	RRK 400-600	Herz RRK 400-600	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72135	RRK 640-850	Herz RRK 640-850	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO72136	RRK 1000	Herz RRK 1000	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72137	RRK 1200-1650	Herz RRK 1200-1650	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72138	RRK 1800-2300	Herz RRK 1800-2300	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72139	RRK 2500-3000	Herz RRK 2500-3000	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72140	RRK 4-5M	Herz RRK 4-5M	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72141	RRK 6-7M	Herz RRK 6-7M	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72142	RRK 8-10M	Herz RRK 8-10M	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO72493	97510001	Supermax 150kW	150kW wood pellet and wood chip burning boiler	Smart Heating Technology
BBO72494	97518001	Supermax 180kW	180kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72495	97520001	Supermax 200kW	200kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72496	97522001	Supermax 220kW	220kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72497	97525001	Supermax 250kW	250kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72498	97530001	Supermax 300kW	300kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72499	97535001	Supermax 350kW	350kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72500	97540001	Supermax 400	400kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72501	97545001	Supermax 450kW	450kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72502	97550001	Supermax 500	500kW wood pellet and wood chip boiler.	Smart Heating Technology
BBO72253	RRK 80-175.	Herz RRK 80-175.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72254	RRK 130-250.	Herz RRK 130-250.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72255	RRK 200-350.	Herz RRK 200-350.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72256	RRK 400-600.	Herz RRK 400-600.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO72257	RRK 640-850.	Herz RRK 640-850.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72258	RRK 1000.	Herz RRK 1000.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72259	RRK 1200-1650.	Herz RRK 1200-1650.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72260	RRK 1800-2300.	Herz RRK 1800-2300.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72261	RRK 2500-3000.	Herz RRK 2500-3000.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72262	RRK 4M.	Herz RRK 4M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72263	RRK 5M.	Herz RRK 5M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO72264	RRK 6M.	Herz RRK 6M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72265	RRK 7M.	Herz RRK 7M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72266	RRK 8M.	Herz RRK 8M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72267	RRK 9M.	Herz RRK 9M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO72268	RRK 10M.	Herz RRK 10M.	The Herz RRK industrial range offers total flexibility including different combustion systems for different fuels, providing the optimum solution for your specific requirements.	Herz Energietechnik GmbH
BBO74172	99504501	E-COMPACT TWIST	E-COMPACT TWIST 50kw Condensing Biomass boiler	Wood Energy Solution (WES)
BBO74220	JUE 13	ARGUS FLEX 13	510kW Biomass Boiler	Wood Energy Solution (WES)
BBO74221	JUE 15	ARGUS FLEX 15	870kW Biomass Boiler	Wood Energy Solution (WES)
BBO74222	JUE 15.5	ARGUS FLEX 15.5	900kW Biomass Boiler	Wood Energy Solution (WES)
BBO74223	JUE 1.0	ARGUS FLEX 1.0	1MW Biomass Boiler	Wood Energy Solution (WES)

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO74224	JUE 17	ARGUS FLEX 17	1.3MW Biomass Boiler	Wood Energy Solution (WES)
BBO74225	JUE 17.5	ARGUS FLEX 17.5	1.35MW Biomass Boiler	Wood Energy Solution (WES)
BBO74226	JUE 19	ARGUS FLEX 19	2.1MW biomass Boiler	Wood Energy Solution (WES)
BBO74227	JUE 19.5	ARGUS FLEX 19.5	2.2MW Biomass Boiler	Wood Energy Solution (WES)
BBO74248	99506004	E-COMPACT TWIST 60	TWIST Condensing Pellet Boiler 60kw	Wood Energy Solution (WES)
BBO74249	99507001	E-COMPACT TWIST 70	TWIST Condensing Pellet Boiler 70kw	Wood Energy Solution (WES)
BBO74250	99508001	E-COMPACT TWIST 80	TWIST Condensing Pellet Boiler 80kw	Wood Energy Solution (WES)
BBO74251	99510002	E-COMPACT TWIST 100	TWIST Condensing Pellet Boiler 100kw	Wood Energy Solution (WES)
BBO72669	975250001	SUPERMAX 250	250kW Multi Fuel Biomass Boiler	Wood Energy Solution (WES)
BBO73018	C500DSS	COMPACT 500DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73019	C550DTH	COMPACT 550DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73020	C600DSS	COMPACT 600DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73021	C750DTH	COMPACT 750DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73022	C800DSS	COMPACT 800DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73023	C150DTH 3P	COMPACT 150DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73024	C200DSS 3P	COMPACT 200DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73025	C200DTH 3P	COMPACT 200DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73026	C250DSS 3P	COMPACT 250DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73027	C250DTH 3P	COMPACT 250DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73028	C300DSS 3P	COMPACT 300DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73029	C300DTH 3P	COMPACT 300DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73030	C350DSS 3P	COMPACT 350DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO73031	C350DTH 3P	COMPACT 350DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73032	C400DSS 3P	COMPACT 400DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73033	C450DTH 3P	COMPACT 450DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73034	C500DSS 3P	COMPACT 500DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73035	C550DTH 3P	COMPACT 550DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73036	C600DSS 3P	COMPACT 600DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73037	C750DTH 3P	COMPACT 750DTH 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO73038	C800DSS 3P	COMPACT 800DSS 3P	Biomass boiler 1500-8000kW	COMPTE-R
BBO72914	PCE 40DH	PCE 40DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72915	PCE 50DS	PCE 50DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72916	PCE 50DH	PCE 50DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72917	PCE 70DS	PCE 70DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72918	PCE 70DH	PCE 70DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72919	PCE 90DS	PCE 90DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72920	PCE 90DH	PCE 90DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72921	PCE 120DS	PCE 120DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72922	PCE 120DH	PCE 120DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72923	PCE 150DS	PCE 150DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72924	PCE 150DH	PCE 150DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72925	CE 25DH	CE 25DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72926	CE 30DS	CE 30DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72927	CE 32DH	CE 32DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72928	CE 40DS	CE 40DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72929	CE 40DH	CE 40DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72930	CE 50DS	CE 50DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72931	CE 50DH	CE 50DH	Biomass boiler 250-2000kW	COMPTE-R

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO72932	CE 70DS	CE 70DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72933	CE 70DSS	CE 70DSS	Biomass boiler 250-2000kW	COMPTE-R
BBO72934	CE 70DH	CE 70DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72935	CE 70DTH	CE 70DTH	Biomass boiler 250-2000kW	COMPTE-R
BBO72936	CE 90DS	CE 90DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72937	CE 90DSS	CE 90DSS	Biomass boiler 250-2000kW	COMPTE-R
BBO72938	CE 90DH	CE 90DH	Biomass boiler 250-2000kW	COMPTE-R
BBO72997	CE 90DTH	CE 90DTH	Biomass boiler 250-2000kW	COMPTE-R
BBO72998	CE 120DS	CE 120DS	Biomass boiler 250-2000kW	COMPTE-R
BBO72999	CE 120DSS	CE 120DSS	Biomass boiler 250-2000kW	COMPTE-R
BBO73000	CE 120DH	CE 120DH	Biomass boiler 250-2000kW	COMPTE-R
BBO73001	CE 120DTH	CE 120DTH	Biomass boiler 250-2000kW	COMPTE-R
BBO73002	CE 150DS	CE 150DS	Biomass boiler 250-2000kW	COMPTE-R
BBO73003	CE 150DSS	CE 150DSS	Biomass boiler 250-2000kW	COMPTE-R
BBO73004	CE 150DH	CE 150DH	Biomass boiler 250-2000kW	COMPTE-R
BBO73005	CE 150DTH	CE 150DTH	Biomass boiler 250-2000kW	COMPTE-R
BBO73006	C150DTH	COMPACT 150DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73007	C200DSS	COMPACT 200DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73008	C200DTH	COMPACT 200DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73009	C250DSS	COMPACT 250DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73010	C250DTH	COMPACT 250DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73011	C300DSS	COMPACT 300DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73012	C300DTH	COMPACT 300DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73013	C350DSS	COMPACT 350DSS	Biomass boiler 1500-8000kW	COMPTE-R
BBO73014	C350DTH	COMPACT 350DTH	Biomass boiler 1500-8000kW	COMPTE-R
BBO73015	C400DSS	COMPACT 400DSS	Biomass boiler 1500-8000kW	COMPTE-R

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO73016	C450DTH	COMPACT 450DTH	Biomass boiler 1500- 8000kW	COMPTE-R

”

21. Part 50 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV72838	3.0	Sunny Boy	Inverter	SMA Solar Technology AG
INV72839	5.0	SB5.0	Inverter	SMA Solar Technology AG
INV72840	4.0	SB4.0	INVERTER	SMA Solar Technology AG
INV72841	3.6	SB3.6	INVERTER	SMA Solar Technology AG
INV76903	Sunny STP 7000TL-20	Sunny Tripower 7000TL	Three-phase Inverter	SMA
INV76904	SMA STP 5000 TL	Sunny Tripower 5000 TL	5 kW three-phase inverter	SMA Solar Technology AG
INV76905	SMA STP 6000 TL	Sunny Tripower 6000 TL	6 kW 3-phase inverter	SMA Solar Technology AG
INV76906	SMA STP 8000 TL	Sunny Tripower 8000TL	8 kW 3-phase inverter	SMA Solar Technology AG
INV76907	SMA STP 9000 TL	Sunny Tripower 9000 TL	9 kW 3-phase inverter	SMA Solar Technology AG
INV76908	SMA STP 10000 TL	Sunny Tripower 10000 TL	10 kW 3-phase inverter	SMA Solar Technology AG
INV76909	SMA STP 12000 TL	Sunny Tripower 12000 TL	12 kW 3-phase inverter	SMA Solar Technology AG
INV76910	SMA STP 15000 TL	Sunny Tripower 15000 TL	15 kW 3-phase inverter	SMA
INV76911	SMA STP 20000 TL	Sunny Tripower 20000 TL	20 kW 3-phase inverter	SMA Solar Technology AG
INV76912	SMA STP 25000 TL	Sunny Tripower 25000 TL	25 kW 3-phase inverter	SMA Solar Technology AG
INV76913	SMA SB 1.5	Sunny Boy 1.5	1.5 kW domestic inverter	SMA Solar Technology AG

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV76914	SMA SB 2.0	Sunny Boy 2.0	2 kW domestic inverter	SMA Solar Technology AG
INV71940	S2.SX700	Autarco SX700	string inverter, single phase, 1 x MPPT, Dimensions 270 x 417 x 124mm Weight 5.5kg, IP65	Autarco
INV71941	S2.SX1000	Autarco SX1000	string inverter, single phase, 1 x MPPT, Dimensions 270 x 417 x 124mm Weight 5.5kg, IP65	Autarco
INV71942	S2.SX1500	Autarco SX15000	string inverter, single phase, 1 x MPPT, Dimensions 270 x 417 x 124mm Weight 5.5kg, IP65	Autarco
INV71943	S2.SX2000	Autarco SX2000	string inverter, single phase, 1 x MPPT, Dimensions 270 x 417 x 124mm Weight 5.5kg, IP65	Autarco
INV71944	S2.MX3000	Autarco MX3000	string inverter, single phase, 2 x MPPT, Dimensions 400 x 580 x 170mm Weight 23kg, IP65	Autarco
INV71945	S2.MX3600	Autarco MX3600	string inverter, single phase, 2 x MPPT, Dimensions 400 x 580 x 170mm Weight 23kg, IP65	Autarco
INV71946	S2.MX4600	Autarco MX4600	string inverter, single phase, 2 x MPPT, Dimensions 400 x 580 x 170mm Weight 23kg, IP65	Autarco
INV71947	S2.MX5000	Autarco MX5000	string inverter, single phase, 2 x MPPT, Dimensions 400 x 580 x 170mm Weight 23kg, IP65	Autarco
INV71948	S2.LX6000	Autarco LX6000	string inverter, three phase, 2 x MPPT, Dimensions 430 x 600 x 220mm Weight 30kg, IP65	Autarco
INV71949	S2.LX10000	Autarco LX10000	string inverter, three phase, 2 x MPPT, Dimensions 430 x 600 x 220mm Weight 30kg, IP65	Autarco
INV71950	S2.LX15000	Autarco LX15000	string inverter, three phase, 2 x MPPT, Dimensions 430 x 600 x 220mm Weight 30kg, IP65	Autarco

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV71951	S2.XLX20000	Autarco XLX20000	string inverter, three phase, 4 x MPPT, Dimensions 520 x 676 x 347mm Weight 47kg, IP65	Autarco
INV71952	S2.XLX25000	Autarco XLX25000	string inverter, three phase, 4 x MPPT, Dimensions 520 x 676 x 347mm Weight 47kg, IP65	Autarco
INV71953	S2.XLX30000	Autarco XLX30000	string inverter, three phase, 4 x MPPT, Dimensions 520 x 676 x 347mm Weight 50kg, IP65	Autarco

”

22. Part 52 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU76456	ERHQ016BAV3	Daikin 16kw LT	Daikin Low Temperature Heat Pump	Daikin Europe NV
HPU75392	GAHP-GS	Robur GAHP-GS, 40KW Gas Absorption Geothermal Heat Pump	Origen Energy Ltd.	Robur
HPU75391	GAHP-A	Robur GAHP-A, 40KW Gas Absorption Heat Pump	Origen Energy Ltd.	Robur
HPU75390	K18	Robur K18, 18KW Gas Absorption Heat Pump	Origen Energy Ltd.	Robur
HPU71229	ERLQ004CAV3	EHVH04S18 CB3V	Daikin Integrated Heat Pump	Daikin Europe NV
HPU71230	ERLQ006CAV3	EHVH08S18 CB3V	Daikin Integrated Heat Pump	Daikin Europe NV
HPU71231	ERLQ008CAV3	EHVHS26CB9W	Daikin Integrated Heat Pump	Daikin Europe NV
HPU71232	EDLQ05CAV3	5kw Mono Bloc	Daikin Mini Bloc Heat Pump	Daikin Europe NV
HPU71233	EDLQ07CAV3	Daikin 7kw Mono Bloc	Daikin Mini Mono Bloc	Daikin Europe NV

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU72010	Eco Geo B1 3-12Kw	Ecoforest Heat Pump 3-12	Geothermal energy is one the lesser known energy sources but also the most efficient. A clean energy that uses the heat from underground to produce heat ecologically. It allows savings of 75% on bills	Ecoforest
HPU72011	Eco Geo B2 3-12	Ecoforest Heat Pump B2 3-12	Geo thermal energy is one of the lesser known energy sources but also most efficient. A clean energy that uses heat from underground to produce heat ecologically. It allows a saving of 75% on bills	Ecoforest
HPU72012	Eco Geo B2 5-22	Ecoforest Heat Pump 5-22	A clean energy that uses the heat from underground to produce heat ecologically. It allows savings of 75% on energy bills and reduced co2 emissions	Ecoforest
HPU72269	ET023505AiW	EcoTouch 5023.5 Ai	ET023505AiW Waterkotte Ecotouch 5023.5 Ai Ground Source System Heat Pump, COP 480% @ B0/W35, Voltage 400Vac. Max Operating Current 15A	Waterkotte GmbH
HPU71966	AM3090.2Z	AirMaster 3090.2Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71967	AM3076.2Z	AirMaster 3076.2Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71968	AM3060.2Z	AirMaster 3060.2Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71969	AM3045Z MINI	AirMaster3045Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71970	AM3038Z MINI	AirMaster3038Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71971	AM3030Z MINI	AirMaster3030Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71972	AM3021Z MINI	AirMaster3021Z	Air-Water split on/off heat pump for industrial applications	Mastertherm
HPU71973	AM3015Z MINI	AirMaster3015Z	Air-Water split on/off heat pump for industrial applications	Mastertherm

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71974	EM45Z	EasyMaster45Z	Air-Water split on/off heat pump	Mastertherm
HPU71975	EM37Z	EasyMaster37Z	Air-Water split on/off heat pump	Mastertherm
HPU71976	EM30Z	EasyMaster30Z	Air-Water split on/off heat pump	Mastertherm
HPU71977	EM26Z	EasyMaster26Z	Air-Water split on/off heat pump	Mastertherm
HPU71978	BA45Z	BoxAir45Z	Monobloc on/Off Air-Water Heat Pump	Mastertherm
HPU71979	BA37Z	BoxAir37Z	Monobloc on/Off Air-Water Heat Pump	Mastertherm
HPU71980	BA30Z	BoxAir30Z	Monobloc on/Off Air-Water Heat Pump	Mastertherm
HPU71981	BA26Z	BoxAir26Z	Monobloc on/Off Air-Water Heat Pump	Mastertherm
HPU71982	BA22Z	BoxAir22Z	Monobloc on/Off Air-Water Heat Pump	Mastertherm
HPU71983	BA17Z	BoxAir17Z	Monobloc on/Off Air-Water Heat Pump	Mastertherm
HPU71984	AQ180.2Z	AquaMaster 180.2Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71985	AQ150.2Z	AquaMaster 150.2Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71986	AQ120.2Z	AquaMaster 120.2Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71987	AQ90Z	AquaMaster90Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71988	AQ75Z	AquaMaster75Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71989	AQ60Z	AquaMaster60Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71990	AQ50Z	AquaMaster50Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71991	AQ45Z	AquaMaster45Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71992	AQ37Z	AquaMaster37Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71993	AQ30Z	AquaMaster30Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71994	AQ26Z	AquaMaster26Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71995	AQ22Z	AquaMaster22Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71996	AQ17Z	AquaMaster17Z	Water-Water fixed speed Heat Pump	Mastertherm
HPU71997	BA22I	BoxAir Inverter22I	Air-Water Inverter Heat Pump	Mastertherm
HPU71998	BA26I	BoxAir Inverter26I	Air-Water Inverter Heat Pump	Mastertherm
HPU71999	BA30I	BoxAir Inverter30I	Air-Water Inverter Heat Pump	Mastertherm

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU72000	BA37I	BoxAir Inverter37I	Air-Water Inverter Heat Pump	Mastertherm
HPU72001	BA45I	BoxAir Inverter45I	Air-Water Inverter Heat Pump	Mastertherm
HPU72002	BA26ISC	BoxAir Inverter split Combi26I	Air-Water inverter heat pump with integrated DHW tank	Mastertherm
HPU72003	BA22IS	BoxAir Inverter split 22I	Air-Water Inverter split Heat pump	Mastertherm
HPU72004	BA26IS	BoxAir Inverter split 26I	Air-Water Inverter split Heat pump	Mastertherm
HPU71673	Terra SW Max 280 HGL H (Ground to Water)	IDM Terra SW Max 280 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71674	Terra SW Max 280 HGL H (Water to Water)	IDM Terra SW Max 280 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71675	Terra SW Max 220 HGL H (Ground to Water)	IDM Terra SW Max 220 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71676	Terra SW Max 220 HGL H (Water to Water)	IDM Terra SW Max 220 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71677	Terra SW Max 180 HGL H (Ground to Water)	IDM Terra SW Max 180 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71678	Terra SW Max 180 HGL H (Water to Water)	IDM Terra SW Max 180 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71679	Terra SW Max 170 HGL H (Ground to Water)	IDM Terra SW Max 170 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71680	Terra SW Max 170 HGL H (Water to Water)	IDM Terra SW Max 170 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71681	Terra SW Max 140 HGL H (Ground to Water)	IDM Terra SW Max 140 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71682	Terra SW Max 140 HGL H (Water to Water)	IDM Terra SW Max 140 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71683	Terra SW Max 110 HGL H (Ground to Water)	IDM Terra SW Max 110 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71684	Terra SW Max 110 HGL H (Water to Water)	IDM Terra SW Max 110 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71685	Terra SW Max 90 HGL H (Ground to Water)	IDM Terra SW Max 90 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71686	Terra SW Max 90 HGL H (Water to Water)	IDM Terra SW Max 90 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71687	Terra SW Max 85 HGL H (Ground to Water)	IDM Terra SW Max 85 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71688	Terra SW Max 85 HGL H (Water to Water)	IDM Terra SW Max 85 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71689	Terra SW Max 70 HGL H (Ground to Water)	IDM Terra SW Max 70 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71690	Terra SW Max 70 HGL H (Water to Water)	IDM Terra SW Max 70 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71691	Terra SW Max 55 HGL H (Ground to Water)	IDM Terra SW Max 55 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71692	Terra SW Max 55 HGL H (Water to Water)	IDM Terra SW Max 55 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71693	Terra SW Max 50 HGL H (Ground to Water)	IDM Terra SW Max 50 HGL H, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71694	Terra SW Max 50 HGL H (Water to Water)	IDM Terra SW Max 50 HGL H, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, small space, long service life, 2 cooling circuits, high safety. NAVIGATOR® 1.7 control system. Up to 700kW heating capacity by cascading. Smart Grid ready.	IDM Energiesystem GmbH
HPU71695	Terra SW 42 Twin (Ground to Water)	IDM Terra SW 42 Twin, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71696	Terra SW 42 Twin HGL (Ground to Water)	IDM Terra SW 42 Twin HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71697	Terra SW 42 Twin (Water to Water)	IDM Terra SW 42 Twin, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71698	Terra SW 42 Twin HGL (Water to Water)	IDM Terra SW 42 Twin HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71699	Terra SW 35 Twin (Ground to Water)	IDM Terra SW 35 Twin, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71700	Terra SW 35 Twin HGL (Ground to Water)	IDM Terra SW 35 Twin HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71701	Terra SW 35 Twin (Water to Water)	IDM Terra SW 35 Twin, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71702	Terra SW 35 Twin HGL (Water to Water)	IDM Terra SW 35 Twin HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71703	Terra SW 26 Twin (Ground to Water)	IDM Terra SW 26 Twin, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71704	Terra SW 26 Twin 230V (Ground to Water)	IDM Terra SW 26 Twin 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71705	Terra SW 26 Twin HGL (Ground to Water)	IDM Terra SW 26 Twin HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71706	Terra SW 26 Twin HGL 230V (Ground to Water)	IDM Terra SW 26 Twin HGL 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71707	Terra SW 26 Twin (Water to Water)	IDM Terra SW 26 Twin, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71708	Terra SW 26 Twin 230V (Water to Water)	IDM Terra SW 26 Twin 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71709	Terra SW 26 Twin HGL (Water to Water)	IDM Terra SW 26 Twin HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71710	Terra SW 26 Twin HGL 230V (Water to Water)	IDM Terra SW 26 Twin HGL 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71711	Terra SW 20 Twin (Ground to Water)	IDM Terra SW 20 Twin, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71712	Terra SW 20 Twin 230V (Ground to Water)	IDM Terra SW 20 Twin 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71713	Terra SW 20 Twin HGL (Ground to Water)	IDM Terra SW 20 Twin HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71714	Terra SW 20 Twin HGL 230V (Ground to Water)	IDM Terra SW 20 Twin HGL 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71715	Terra SW 20 Twin (Water to Water)	IDM Terra SW 20 Twin, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71716	Terra SW 20 Twin 230V (Water to Water)	IDM Terra SW 20 Twin 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71717	Terra SW 20 Twin HGL (Water to Water)	IDM Terra SW 20 Twin HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71718	Terra SW 20 Twin HGL 230V (Water to Water)	IDM Terra SW 20 Twin HGL 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71719	Terra SW 15 Twin 230V (Ground to Water)	IDM Terra SW 15 Twin 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71720	Terra SW 15 Twin HGL 230V (Ground to Water)	IDM Terra SW 15 Twin HGL 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71721	Terra SW 15 Twin 230V (Water to Water)	IDM Terra SW 15 Twin 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71722	Terra SW 15 Twin HGL 230V (Water to Water)	IDM Terra SW 15 Twin HGL 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71723	Terra SW 17 Complete (Ground to Water)	IDM Terra SW 17 Complete, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71724	Terra SW 17 Complete HGL (Ground to Water)	IDM Terra SW 17 Complete HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71725	Terra SW 17 Complete HGL P (Ground to Water)	IDM Terra SW 17 Complete HGL P, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71726	Terra SW 17 Complete (Water to Water)	IDM Terra SW 17 Complete, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71727	Terra SW 17 Complete HGL (Water to Water)	IDM Terra SW 17 Complete HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71728	Terra SW 17 Complete HGL P (Water to Water)	IDM Terra SW 17 Complete HGL P, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71729	Terra SW 13 Complete (Ground to Water)	IDM Terra SW 13 Complete, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71730	Terra SW 13 Complete 400V (Ground to Water)	IDM Terra SW 13 Complete 400V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71731	Terra SW 13 Complete HGL (Ground to Water)	IDM Terra SW 13 Complete HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71732	Terra SW 13 Complete HGL 230V (Ground to Water)	IDM Terra SW 13 Complete HGL 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71733	Terra SW 13 Complete (Water to Water)	IDM Terra SW 13 Complete, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71734	Terra SW 13 Complete 400V (Water to Water)	IDM Terra SW 13 Complete 400V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71735	Terra SW 13 Complete HGL (Water to Water)	IDM Terra SW 13 Complete HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71736	Terra SW 13 Complete HGL 230V (Water to Water)	IDM Terra SW 13 Complete HGL 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71737	Terra SW 10 Complete (Ground to Water)	IDM Terra SW 10 Complete, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71738	Terra SW 10 Complete HGL (Ground to Water)	IDM Terra SW 10 Complete HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71739	Terra SW 10 Complete HGL P (Ground to Water)	IDM Terra SW 10 Complete HGL P, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71740	Terra SW 10 Complete HGL 230V (Ground to Water)	IDM Terra SW 10 Complete HGL 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71741	Terra SW 10 Complete (Water to Water)	IDM Terra SW 10 Complete, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71742	Terra SW 10 Complete HGL (Water to Water)	IDM Terra SW 10 Complete HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71743	Terra SW 10 Complete HGL P (Water to Water)	IDM Terra SW 10 Complete HGL P, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71744	Terra SW 10 Complete HGL 230V (Water to Water)	IDM Terra SW 10 Complete HGL 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71745	Terra SW 8 Complete 230V (Ground to Water)	IDM Terra SW 8 Complete 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71746	Terra SW 8 Complete 400V (Ground to Water)	IDM Terra SW 8 Complete 400V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71747	Terra SW 8 Complete HGL (Ground to Water)	IDM Terra SW 8 Complete HGL, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71748	Terra SW 8 Complete HGL 230V (Ground to Water)	IDM Terra SW 8 Complete HGL 230V, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71749	Terra SW 8 Complete 230V (Water to Water)	IDM Terra SW 8 Complete 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71750	Terra SW 8 Complete 400V (Water to Water)	IDM Terra SW 8 Complete 400V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71751	Terra SW 8 Complete HGL (Water to Water)	IDM Terra SW 8 Complete HGL, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71752	Terra SW 8 Complete HGL 230V (Water to Water)	IDM Terra SW 8 Complete HGL 230V, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71753	Terra SW 6 Complete (Ground to Water)	IDM Terra SW 6 Complete, Ground/Water Source Heat Pump, Ground to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71754	Terra SW 6 Complete (Water to Water)	IDM Terra SW 6 Complete, Ground/Water Source Heat Pump, Water to Water.	High COP, low energy consumption, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71755	Terra AL 32 Twin	IDM Terra AL 32 Twin, Air Source Heat Pump	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71756	Terra AL 24 Twin	IDM Terra AL 24 Twin, Air Source Heat Pump	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71757	Terra AL 17 Twin	IDM Terra AL 17 Twin, Air Source Heat Pump	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71758	Terra AL 17 Twin 230V	IDM Terra AL 17 Twin 230V, Air Source Heat Pump	High COP, low energy consumption, 2 compressors, long lifecycle, silent operation, high safety. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU71759	Terra IL 7 Complete	IDM Terra IL 7 Complete, Air Source Heat Pump	High COP, low energy consumption. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71760	Terra IL 7 Complete 230V	IDM Terra IL 7 Complete 230V, Air Source Heat Pump	High COP, low energy consumption. NAVIGATOR® control system. Leading technology from IDM. Smart Grid ready.	IDM Energiesystem GmbH
HPU71921	WPL-45-K1 HT	Kronoterm 45 kW	Kronoterm 45 kW Air to Water Heat Pump	Kronoterm
HPU71922	WPL-70-K1 HTT	Kronoterm 70kW	Kronoterm 70kW Air to Water Heat Pump	Kronoterm
HPU71923	WPL-90-K1 HTT	Kronoterm 90kW	Kronoterm 90kW Air to Water Heat Pump	Kronoterm
HPU74123	526220	Alfea Extensa A.I. 5	Groupe Atlantic 5kW Split Air-to-Water Heat Pump. Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74124	526221	Alfea Extensa A.I. 6	Groupe Atlantic 6kW Split Air-to-Water Heat Pump. Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74125	526222	Alfea Extensa A.I. 8	Groupe Atlantic 8kW Split Air-to-Water Heat Pump. Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74126	526223	Alfea Extensa A.I. 10	Groupe Atlantic 10kW Split Air-to-Water Heat Pump. Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74127	526226	Alfea Extensa Duo A.I. 5	Groupe Atlantic 5kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74128	526227	Alfea Extensa Duo A.I. 6	Groupe Atlantic 6kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74129	526228	Alfea Extensa Duo A.I. 8	Groupe Atlantic 8kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU74130	526229	Alfea Extensa Duo A.I. 10	Groupe Atlantic 10kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). Low temperature (55C). Single Phase	Groupe Atlantic UK & ROI
HPU74131	526350	Alfea Excellia A.I. 11	Groupe Atlantic 11kW Split Air-to-Water Heat Pump. High temperature (60C). Single Phase	Groupe Atlantic UK & ROI
HPU74132	526351	Alfea Excellia A.I. 14	Groupe Atlantic 14kW Split Air-to-Water Heat Pump. High temperature (60C). Single Phase	Groupe Atlantic UK & ROI
HPU74133	526352	Alfea Excellia 11 A.I. (3-Phase)	Groupe Atlantic 11kW Split Air-to-Water Heat Pump. High temperature (60C). 3-Phase	Groupe Atlantic UK & ROI
HPU74134	526353	Alfea Excellia 14 A.I. (3-Phase)	Groupe Atlantic 14kW Split Air-to-Water Heat Pump. High temperature (60C). 3-Phase	Groupe Atlantic UK & ROI
HPU74135	526354	Alfea Excellia 16 A.I. (3-Phase)	Groupe Atlantic 16kW Split Air-to-Water Heat Pump. High temperature (60C). 3-Phase	Groupe Atlantic UK & ROI
HPU74136	526355	Alfea Excellia Duo A.I. 11	Groupe Atlantic 11kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). High temperature (60C). Single Phase	Groupe Atlantic UK & ROI
HPU74137	526356	Alfea Excellia Duo A.I.14	Groupe Atlantic 14kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). High temperature (60C). Single Phase	Groupe Atlantic UK & ROI
HPU74138	526357	Alfea Excellia Duo A.I. 11 (3-Phase)	Groupe Atlantic 11kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). High temperature (60C). 3-Phase	Groupe Atlantic UK & ROI
HPU74139	526358	Alfea Excellia Duo A.I. 14 (3-Phase)	Groupe Atlantic 11kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). High temperature (60C). 3-Phase	Groupe Atlantic UK & ROI

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU74140	526359	Alfea Excellia Duo A.I. 16 (3-Phase)	Groupe Atlantic 11kW Split Air-to-Water Heat Pump with integral DHW production (190 litres). High temperature (60C). 3-Phase	Groupe Atlantic UK & ROI

”

23. Part 2 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65505	6SL3210-5BB18-0UV0	SINAMICS V20; 6SL3210-5BB18-0UV0	SINAMICS V20; 200V to 240V 1 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65506	6SL3210-5BB18-0AV0	SINAMICS V20; 6SL3210-5BB18-0AV0	SINAMICS V20; 200V to 240V 1 ϕ : FILTERED; IP20	Siemens Ltd.
VSD65535	6SL3210-1KE11-8UB1	SINAMICS G120C; 6SL3210-1KE11-8UB1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65536	6SL3210-1KE11-8UP1	SINAMICS G120C; 6SL3210-1KE11-8UP1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65537	6SL3210-1KE11-8UF1	SINAMICS G120C; 6SL3210-1KE11-8UF1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65538	6SL3210-1KE12-3UB1	SINAMICS G120C; 6SL3210-1KE12-3UB1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65539	6SL3210-1KE12-3UP1	SINAMICS G120C; 6SL3210-1KE12-3UP1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65540	6SL3210-1KE12-3UF1	SINAMICS G120C; 6SL3210-1KE12-3UF1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65541	6SL3210-1KE13-2UB1	SINAMICS G120C; 6SL3210-1KE13-2UB1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65542	6SL3210-1KE13-2UP1	SINAMICS G120C; 6SL3210-1KE13-2UP1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profibus; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65543	6SL3210-1KE13-2UF1	SINAMICS G120C; 6SL3210-1KE13-2UF1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65544	6SL3210-1KE14-3UB1	SINAMICS G120C; 6SL3210-1KE14-3UB1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65545	6SL3210-1KE14-3UP1	SINAMICS G120C; 6SL3210-1KE14-3UP1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65546	6SL3210-1KE14-3UF1	SINAMICS G120C; 6SL3210-1KE14-3UF1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65547	6SL3210-1KE15-8UB1	SINAMICS G120C; 6SL3210-1KE15-8UB1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65548	6SL3210-1KE15-8UP1	SINAMICS G120C; 6SL3210-1KE15-8UP1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profibus; IP20	Siemens Ltd.
VSD65549	6SL3210-1KE15-8UF1	SINAMICS G120C; 6SL3210-1KE15-8UF1	SINAMICS G120C; 380V to 480V 3 ϕ : UNFILTERED; Profinet; IP20	Siemens Ltd.
VSD65571	6SL3210-1KE11-8AB1	SINAMICS G120C; 6SL3210-1KE11-8AB1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65572	6SL3210-1KE11-8AP1	SINAMICS G120C; 6SL3210-1KE11-8AP1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profibus; IP20	Siemens Ltd.
VSD65573	6SL3210-1KE11-8AF1	SINAMICS G120C; 6SL3210-1KE11-8AF1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profinet; IP20	Siemens Ltd.
VSD65574	6SL3210-1KE12-3AB1	SINAMICS G120C; 6SL3210-1KE12-3AB1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65575	6SL3210-1KE12-3AP1	SINAMICS G120C; 6SL3210-1KE12-3AP1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profibus; IP20	Siemens Ltd.
VSD65576	6SL3210-1KE12-3AF1	SINAMICS G120C; 6SL3210-1KE12-3AF1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profinet; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65577	6SL3210-1KE13-2AB1	SINAMICS G120C; 6SL3210-1KE13-2AB1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65578	6SL3210-1KE13-2AP1	SINAMICS G120C; 6SL3210-1KE13-2AP1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profibus; IP20	Siemens Ltd.
VSD65579	6SL3210-1KE13-2AF1	SINAMICS G120C; 6SL3210-1KE13-2AF1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profinet; IP20	Siemens Ltd.
VSD65580	6SL3210-1KE14-3AB1	SINAMICS G120C; 6SL3210-1KE14-3AB1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65581	6SL3210-1KE14-3AP1	SINAMICS G120C; 6SL3210-1KE14-3AP1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profibus; IP20	Siemens Ltd.
VSD65582	6SL3210-1KE14-3AF1	SINAMICS G120C; 6SL3210-1KE14-3AF1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profinet; IP20	Siemens Ltd.
VSD65583	6SL3210-1KE15-8AB1	SINAMICS G120C; 6SL3210-1KE15-8AB1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; USS/Modbus RTU; IP20	Siemens Ltd.
VSD65584	6SL3210-1KE15-8AP1	SINAMICS G120C; 6SL3210-1KE15-8AP1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profibus; IP20	Siemens Ltd.
VSD65585	6SL3210-1KE15-8AF1	SINAMICS G120C; 6SL3210-1KE15-8AF1	SINAMICS G120C; 380V to 480V 3 ϕ : FILTERED; Profinet; IP20	Siemens Ltd.
VSD65607	6SL3223-0DE13-7AA1	SINAMICS G120 PM230; 6SL3223-0DE13-7AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65608	6SL3223-0DE15-5AA1	SINAMICS G120 PM230; 6SL3223-0DE15-5AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65609	6SL3223-0DE17-5AA1	SINAMICS G120 PM230; 6SL3223-0DE17-5AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65610	6SL3223-0DE21-1AA1	SINAMICS G120 PM230; 6SL3223-0DE21-1AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65611	6SL3223-0DE21-5AA1	SINAMICS G120 PM230; 6SL3223-0DE21-5AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65612	6SL3223-0DE22-2AA1	SINAMICS G120 PM230; 6SL3223-0DE22-2AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65613	6SL3223-0DE23-0AA1	SINAMICS G120 PM230; 6SL3223-0DE23-0AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65614	6SL3223-0DE24-0AA1	SINAMICS G120 PM230; 6SL3223-0DE24-0AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65615	6SL3223-0DE25-5AA1	SINAMICS G120 PM230; 6SL3223-0DE25-5AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65616	6SL3223-0DE27-5AA1	SINAMICS G120 PM230; 6SL3223-0DE27-5AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65617	6SL3223-0DE31-1AA1	SINAMICS G120 PM230; 6SL3223-0DE31-1AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65618	6SL3223-0DE31-5AA1	SINAMICS G120 PM230; 6SL3223-0DE31-5AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65619	6SL3223-0DE31-8AA1	SINAMICS G120 PM230; 6SL3223-0DE31-8AA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65620	6SL3223-0BE33-7AA0	SINAMICS G120 PM230; 6SL3223-0BE33-7AA0	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP55	Siemens Ltd.
VSD65621	6SL3223-0DE13-7BA1	SINAMICS G120 PM230; 6SL3223-0DE13-7BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65622	6SL3223-0DE15-5BA1	SINAMICS G120 PM230; 6SL3223-0DE15-5BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65623	6SL3223-0DE17-5BA1	SINAMICS G120 PM230; 6SL3223-0DE17-5BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65624	6SL3223-0DE21-1BA1	SINAMICS G120 PM230; 6SL3223-0DE21-1BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65625	6SL3223-0DE21-5BA1	SINAMICS G120 PM230; 6SL3223-0DE21-5BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65626	6SL3223-0DE22-2BA1	SINAMICS G120 PM230; 6SL3223-0DE22-2BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65627	6SL3223-0DE23-0BA1	SINAMICS G120 PM230; 6SL3223-0DE23-0BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65628	6SL3223-0DE24-0BA1	SINAMICS G120 PM230; 6SL3223-0DE24-0BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65629	6SL3223-0DE25-5BA1	SINAMICS G120 PM230; 6SL3223-0DE25-5BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65630	6SL3223-0DE27-5BA1	SINAMICS G120 PM230; 6SL3223-0DE27-5BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65631	6SL3223-0DE31-1BA1	SINAMICS G120 PM230; 6SL3223-0DE31-1BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65632	6SL3223-0DE31-5BA1	SINAMICS G120 PM230; 6SL3223-0DE31-5BA1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65633	6SL3223-0BE33-7BA0	SINAMICS G120 PM230; 6SL3223-0BE33-7BA0	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS B; IP55	Siemens Ltd.
VSD65634	6SL3210-1NE11-3UL1	SINAMICS G120 PM230; 6SL3210-1NE11-3UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65635	6SL3210-1NE11-7UL1	SINAMICS G120 PM230; 6SL3210-1NE11-7UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65636	6SL3210-1NE12-2UL1	SINAMICS G120 PM230; 6SL3210-1NE12-2UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65637	6SL3210-1NE13-1UL1	SINAMICS G120 PM230; 6SL3210-1NE13-1UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65638	6SL3210-1NE14-1UL1	SINAMICS G120 PM230; 6SL3210-1NE14-1UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65639	6SL3210-1NE15-8UL1	SINAMICS G120 PM230; 6SL3210-1NE15-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65640	6SL3210-1NE17-7UL1	SINAMICS G120 PM230; 6SL3210-1NE17-7UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65641	6SL3210-1NE21-0UL1	SINAMICS G120 PM230; 6SL3210-1NE21-0UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65642	6SL3210-1NE21-3UL1	SINAMICS G120 PM230; 6SL3210-1NE21-3UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65643	6SL3210-1NE21-8UL1	SINAMICS G120 PM230; 6SL3210-1NE21-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65644	6SL3210-1NE22-6UL1	SINAMICS G120 PM230; 6SL3210-1NE22-6UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65645	6SL3210-1NE23-2UL1	SINAMICS G120 PM230; 6SL3210-1NE23-2UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65646	6SL3210-1NE23-8UL1	SINAMICS G120 PM230; 6SL3210-1NE23-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; IP20	Siemens Ltd.
VSD65647	6SL3210-1NE11-3AL1	SINAMICS G120 PM230; 6SL3210-1NE11-3AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65648	6SL3210-1NE11-7AL1	SINAMICS G120 PM230; 6SL3210-1NE11-7AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65649	6SL3210-1NE12-2AL1	SINAMICS G120 PM230; 6SL3210-1NE12-2AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65650	6SL3210-1NE13-1AL1	SINAMICS G120 PM230; 6SL3210-1NE13-1AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65651	6SL3210-1NE14-1AL1	SINAMICS G120 PM230; 6SL3210-1NE14-1AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65652	6SL3210-1NE15-8AL1	SINAMICS G120 PM230; 6SL3210-1NE15-8AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65653	6SL3210-1NE17-7AL1	SINAMICS G120 PM230; 6SL3210-1NE17-7AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65654	6SL3210-1NE21-0AL1	SINAMICS G120 PM230; 6SL3210-1NE21-0AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65655	6SL3210-1NE21-3AL1	SINAMICS G120 PM230; 6SL3210-1NE21-3AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
VSD65656	6SL3210-1NE21-8AL1	SINAMICS G120 PM230; 6SL3210-1NE21-8AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65657	6SL3210-1NE22-6AL1	SINAMICS G120 PM230; 6SL3210-1NE22-6AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65658	6SL3210-1NE23-2AL1	SINAMICS G120 PM230; 6SL3210-1NE23-2AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65659	6SL3210-1NE23-8AL1	SINAMICS G120 PM230; 6SL3210-1NE23-8AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; IP20	Siemens Ltd.
VSD65660	6SL3211-1NE17-7UL1	SINAMICS G120 PM230; 6SL3211-1NE17-7UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65661	6SL3211-1NE21-8UL1	SINAMICS G120 PM230; 6SL3211-1NE21-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65662	6SL3211-1NE23-8UL1	SINAMICS G120 PM230; 6SL3211-1NE23-8UL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : UNFILTERED; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65663	6SL3211-1NE17-7AL1	SINAMICS G120 PM230; 6SL3211-1NE17-7AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65664	6SL3211-1NE21-8AL1	SINAMICS G120 PM230; 6SL3211-1NE21-8AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; PUSHTHROUGH; IP20	Siemens Ltd.
VSD65665	6SL3211-1NE23-8AL1	SINAMICS G120 PM230; 6SL3211-1NE23-8AL1	SINAMICS G120 PM230; 380V to 480V 3 ϕ : FILTERED CLASS A; PUSHTHROUGH; IP20	Siemens Ltd.

24. Part 3 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG52473	RF7LEDDCW-01	9W IP44 Dimmable Fire Rated LED Downlight, 4000K - WHITE TRIM	9WLED Downlight* Dimmable with leading or trailing edge dimmer*IP44 suitable for use in bathroom zone 2	LED Group
LIG52474	RF7LEDDWW-01	9W IP44 Dimmable Fire Rated LED Downlight, 3000K-WHITE TRIM	9WLED Downlight* Dimmable with leading or trailing edge dimmer*IP44 suitable for use in bathroom zone 2	LED Group
LIG52475	RF7LEDDCW-13	9W IP44 Dimmable Fire Rated LED Downlight, 4000K -BRUSHED CHROME TRIM	9WLED Downlight* Dimmable with leading or trailing edge dimmer*IP44 suitable for use in bathroom zone 2	LED Group
LIG52476	RF7LEDDWW-13	9W IP44 Dimmable Fire Rated LED Downlight, 3000K - BRUSHED CHROME TRIM	9WLED Downlight* Dimmable with leading or trailing edge dimmer*IP44 suitable for use in bathroom zone 2	LED Group
LIG60785	DEW.L034	Denver Elite Wall	LED, Wall Mounted Luminaire. LM6 die-cast aluminium body, integrated thermal management design. Aluminium integral reflector and Prismatic Glass lens with asymmetric distribution. IP65 rated.	Holophane Europe Ltd
LIG60786	FTR.L064	Factor	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60787	FTR.L074	Factor.	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG60788	FTS.L064	Factor Small	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60789	FTS.L074	Factor Small.	LED Pole Mounted Luminaire. Finned body dissipates heat, high pressure die-cast aluminium body. Tool-less trigger latch, IP65 rated, 42mm side entry standard & 60mm optional side entry.	Holophane Europe Ltd
LIG60232	MOR222150	Modul-R600 LED 4400 HF C2 940 OP	Recessed LED 4400 lumen modular with opal diffuser	Glamox Ireland
LIG62659	MOR217616	Modul-R300X1200 LED 3600 HF 840 OP	Recessed 1200x300 LED Modular with opal diffuser	Glamox Ireland Ltd.,
LIG62660	MOR217604	Modul-R300X1200 3400 DALI 840 OP	Recessed 300x1200 LED modular 3400 lumen 4000k	Glamox Ireland Ltd.,
LIG66183	701948-5WCWT3__125W	Progressive Down Light 3__Clear 125W	Gas station canopy LED down light; clear lens	SloanLED
LIG66184	701948-5WCWT3__100W	Progressive Down Light 3__Clear 100W	Gas station canopy LED down light; clear lens	SloanLED
LIG66185	701948-5WCWT3__75W	Progressive Down Light 3__Clear 75W	Gas station canopy LED down light; clear lens	SloanLED
LIG66186	701948-5WTWT3__125W	Progressive Down Light 3__Textured 125W	Gas station canopy LED down light; textured lens	SloanLED
LIG66187	701948-5WTWT3__100W	Progressive Down Light 3__Textured 100W	Gas station canopy LED down light; textured lens	SloanLED
LIG66188	701948-5WTWT3__75W	Progressive Down Light 3__Textured 75W	Gas station canopy LED down light; textured lens	SloanLED
LIG66795	Ti150.	Titan 68W	Titan LED series, 68W, IP66	Nualight
LIG66777	Ti150...	Titan 42W	Titan LED series, 42W, IP66	Nualight
LIG66772	Ti120...	Titan 28W	Titan LED series, 28W, IP66	Nualight
LIG66723	Ti60...	Titan	Titan LED series, 14W, IP66	Nualight

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
LIG66786	AU-HB1001A/40'	100w LED Highbay 40k'	IP65 100w 8,000 lumen highbay. 1-10v dimming. Life to L70 50,000. 5 year warranty	Aurora Lighting Limited
LIG66757	AU-LP100B/30'	40w 600x600 LED panel 30k	600x600 Recessed/Surface/Suspended & IP44 rated LED Flat Panel. Edge lit LED panel with RAL9016 Frame. High CRI (Ra) 80. Life to L70 @ 40,000 hours. 5 Year Warranty* - ErP compliant	Aurora Lighting Limited
LIG66758	AU-LP100B/40'	40w 600x600 LED panel 40k	600x600 Recessed/Surface/Suspended & IP44 rated LED Flat Panel. Edge lit LED panel with RAL9016 Frame. High CRI (Ra) 80. Life to L70 @ 40,000 hours. 5 Year Warranty* - ErP compliant	Aurora Lighting Limited
LIG66759	AU-DL10019BW/40'	19w LED Downlight 40k	IP44 19w LED downlight, integrated driver. Life to L70 at 40,000 hours, 5 year warranty	Aurora Lighting Limited

”

25. Part 15 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HWG66768	0010004140	ecoTEC 65	High efficiency modulating condensing gas boilers with stainless steel heat exchanger. Also available, controls, flues, plate heat exchangers, low loss headers, mounting rigs or cascade rigs to 260kW	Vaillant group UK Ltd

”

26. Part 18 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
PSY65926	Q.Pro-G4 255-265	Q-Cells Polycrystalline Solar Module	The new Q.PRO-G4 is the result of the continued evolution of Q.PRO Thanks to improved power yield excellent reliability & high level operational safety the new G4 generates electricity at a low cost	Hanwha Q CELLS GmbH
PSY62967	BMU-245	Multi PV 245	Surface multicrystalline PV 245 watt	Bisol
PSY62968	BMU-250	Multi PV 250	Surface multicrystalline PV 250 watt	Bisol
PSY62969	BMU-255	Multi PV 255	Surface multicrystalline PV 255 watt	Bisol
PSY62972	BMO-250	Mono PV 250	Surface monocrystalline PV 250 watt	Bisol
PSY62973	BMO-255	Mono PV 255	Surface monocrystalline PV 255 watt	Bisol
PSY62978	BSO-250	RI Mon PV 250	Roof Integrated monocrystalline PV 250 watt	Bisol
PSY62979	BSO-255	RI Mon PV 255	Roof Integrated monocrystalline PV 255 watt	Bisol
PSY63241	STP250S-20/Wdb	Suntech STP250S All Black Mono	STP250S-20/Wdb	Suntech
PSY62729	Eldora VSP.60.250.03	Eldora Ultima	Eldora VSP.60.250.03	Vikram Solar
PSY62730	Eldora VSPBB.60.250.03	Eldora Ultima All Black Series	Eldora VSPBB.60.250.03	Vikram Solar

”

27. Part 49 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
BBO64432	13049-T	HACK 50	Multi-fuel biomass boiler (wood chip, pellets, miscanthus) 50kW	ETA

”

28. Part 50 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
INV62992	Symo 3.0-3-M	Fronius Symo Inverter	Symo 3.0-3-M	Fronius
INV62993	Symo 3.7-3-M	Fronius Symo 3.7-3-M Inverter	Symo 3.7-3-M	Fronius
INV62994	Symo 4.5-3-M	Fronius Symo 4.5-3-M	Symo 4.5-3-M	Fronius
INV62995	Symo 5.0-3-M	Fronius Symo 5.0-3-M	Symo 5.0-3-M	Fronius
INV62996	Symo 6.0-3-M	Fronius Symo 6.0-3-M	Symo 6.0-3-M	Fronius
INV62997	Symo 7.0-3-M	Fronius Symo 7.0-3-M	Symo 7.0-3-M	Fronius
INV62998	Symo 8.2-3-M	Fronius Symo 8.2-3-M	Symo 8.2-3-M	Fronius
INV62999	Symo 10.0-3-M	Fronius Symo 10.0-3-M	Symo 10.0-3-M	Fronius
INV63000	Symo 12.5-3-M	Fronius Symo 12.5-3-M	Symo 12.5-3-M	Fronius
INV63001	Symo 15.0-3-M	Fronius Symo 15.0-3-M	Symo 15.0-3-M	Fronius
INV63002	Symo 17.5-3-M	Fronius Symo 17.5-3-M	Symo 17.5-3-M	Fronius
INV63003	Symo 20.0-3-M	Fronius Symo 20.0-3-M	Symo 20.0-3-M	Fronius

”


29. Part 52 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Triple E Code	Product Code	Product Name	Short Description	Manufacturer
HPU64466	PASRW-020B_KD	ESP Classic 6kW	Monobloc ASHP with weather compensation.	Earth Save Products Ltd
HPU64467	PASRW-030B-KD	ESP Classic 8.2kW	Monobloc ASHP with weather compensation.	Earth Save Products Ltd
HPU64468	PASRW-040-KA	ESP Classic 13kW	Dual compressor monobloc ASHP with weather compensation with automatic modulation between compressors	Earth Save Products Ltd


”

The Minister for Finance approves the making of the foregoing Order.



GIVEN under my Official Seal,
12 December 2017.

PASCHAL DONOHOE,
Minister for Finance.



GIVEN under my Official Seal,
12 December 2017.

DENIS NAUGHTEN,
Minister for Communications, Climate Action and
Environment.

EXPLANATORY NOTE

(This note is not part of the Instrument and does not purport to be a legal interpretation)

The effect of this Order is to update, in accordance with the provisions of section 285A of the Taxes Consolidation Act 1997 (inserted by section 46 of the Finance Act 2008), those energy efficient products whose capital cost will be eligible for accelerated capital allowances and to update the energy efficiency criteria used to determine eligibility for inclusion on those product lists.

The Accelerated Capital Allowance Scheme will involve regular updates to those product lists.

BAILE ÁTHA CLIATH
ARNA FHOILSIÚ AG OIFIG AN tSOLÁTHAIR
Le ceannach díreach ó
FOILSEACHÁIN RIALTAIS,
52 FAICHE STIABHNA, BAILE ÁTHA CLIATH 2
(Teil: 01 - 6476834 nó 1890 213434; Fax: 01 - 6476843)
nó trí aon díoltóir leabhar.

DUBLIN
PUBLISHED BY THE STATIONERY OFFICE
To be purchased from
GOVERNMENT PUBLICATIONS,
52 ST. STEPHEN'S GREEN, DUBLIN 2.
(Tel: 01 - 6476834 or 1890 213434; Fax: 01 - 6476843)
or through any bookseller.

€32.27

